



**AUTORIDADE
NACIONAL DE COMUNICAÇÕES
(ANC)**

**TABLES OF FREQUENCY ALLOCATIONS
IN THE DEMOCRATIC REPUBLIC OF TIMOR-LESTE**

**DILI
November 2022**

Introduction

Radio frequency spectrum is a natural asset and national resource with limited amount which have to be managed properly for effective and fair utilization. The demand for application of frequencies is growing daily and it is a predominant need of all equipment which are in operation using energy of electromagnetic waves. Airplanes, ships, satellites, radars, cell phones, sound and TV broadcasters, TV receivers, radio transceivers, microwave links, radio trunk, cordless phones, handsets, wireless apparatus, home appliance, industrial and medical equipment, weather forecasters and many other applications are managed internationally and nationally to take benefit of spectrum.

Table of frequency allocations presented herewith constitutes the document for regulation of the frequency allocations and the frequency utilization in the Democratic Republic of Timor-Leste by legal entities or persons which engaged in ordering, development, using and purchasing radiocommunication equipment as well as those apparatus utilizing electromagnetic energy. The Table, however, does not present any right for a frequency band use (or a specific frequency) for development, production, import and operation of the relevant equipment without issue of duly completed authorization by appropriate national body, which is empowered for this duty by the Government of Timor-Leste.

The content of frequency allocation table and accompanied regulations are always under the optimization of the Spectrum Management Authority for embracing the increasing demands of radio telecommunication sector, as far as compatible with the Regulations of Telecommunication Sector, international trends and existing applications. The updated table as well as current information, is going to be published in different formats as a part of national radio regulation.

This publication includes five chapters and several annexes. Chapter one provides the relevant provisions from the latest revision of Decree-Law No. 15/2012, then, chapter 1 to 4 presents Articles 1 to 4 from ITU-R Radio Regulations with titles: "Terms and definitions," "Nomenclature," "Technical characteristics of stations," and "Assignment and use of frequencies," which are basic texts necessary for building national table of frequency allocations (N-TFA) in Chapter 5. Chapter 5 includes Regions 1 to 3 frequency allocations, in addition to N-TFA, for linking with international frequency allocations. Major frequency plans which are referenced in in Chapter 5, were provided in several Annexes.

Table of frequency allocations designates frequency bands to the stations of different radiocommunication services on exclusively or shared basis in each country. Therefore, each frequency band provides a legal base to operate some licensed consistent radiocommunication stations under the permitted services. The presented allocations in Chapter 5 are inline with Regional or worldwide utilization of radio spectrum as well as existing applications. To protect the interference-free operation of exiting stations and to provide opportunity for introduction of new applications, there is need to clarify the usage method of each individual frequency band. Following main references have been studied and used for production of this publication:

- The latest four-volume ITU Radio Regulations,
- Different series of ITU-R Recommendations,
- Existing N-TFA and frequency assignment database,
- Documents of different well-known standardization organizations,
- Reliable information about products and advanced technologies.

Table of Content

Table of Content	1
Preamble Relevant Provisions From Decree-Law No. 15/2012, of 28 March 2012, On the Regulation of the Telecommunications Sector	2
CHAPTER 1	8
Terms and definitions	8
CHAPTER 2	21
Nomenclature	21
CHAPTER 3	23
Technical characteristics of stations	23
CHAPTER 4	25
Assignment and use of frequencies	25
CHAPTER 5	27
Frequency allocations	27
Section I – Regions and areas	27
Section II – Categories of services and allocations	28
Section III – Description of the Table of Frequency Allocations, Column Regions 1 to 3	29
Section IIIbis – Description of the Table of Frequency Allocations, Columns National Allocations and Usage	30
Section IV – Table of Frequency Allocations (See No. ITU RR 2.1)	30
Section IV – Footnotes of the National frequency allocations (fourth column)	197
ANNEX 1. Frequency Block Arrangement in Land Mobile Service	198
ANNEX 2. Frequency Block Arrangement for Public Cellular Mobile Networks	200
ANNEX 3. Frequency Block Arrangement for Space Communication Networks	201
Appendix 1. Wall Chart of Frequency Allocation Table	202
Appendix 2. Abbreviations	204

Preamble

Relevant Provisions¹ from Decree-Law No. 15/2012, of 28 March 2012, On the Regulation of the Telecommunications Sector

Pursuant to subparagraph e) of Article 115.1 and to subparagraph d) of Article 116 of the Constitution of the Republic, the Government enacts the following to have the force of law, provisions of Chapter XIII of Decree-Law No. 15/2012 regulate Radio-Frequency Spectrum in East Timor. Following text will provide complete Chapter XIII and also referenced provisions within this chapter, as following:

...

Chapter I General Provisions

...

Article 2 Object

The objective of the present Decree-Law is to promote the long-term social and economic well-being of the population of Timor-Leste by ensuring the availability, affordability and quality of telecommunications services through:

- a) Establishing and maintaining an open, non-discriminatory, technologically neutral, objective, transparent and proportionate telecommunications regulatory regime;
- b) Promoting effective and fair competition among service providers;
- c) Ensuring efficient use of scarce resources required for telecommunications; and
- d) Encouraging investment in, and efficient use of, infrastructure used to supply telecommunications services.

...

Chapter III Regulatory Measures

...

Article 19 Regulatory measures

...

4. Without prejudice to the applicability of this Article to all regulatory measures, the Authority shall consult with persons who may be affected by a regulatory measure in those cases expressly set forth in this Decree-Law, and it shall:
 - a) Provide prior written notice of the proposed regulatory measure, explaining the reasons for the proposed regulatory measure and setting out the procedure for making any representations;
 - b) Grant a reasonable period which, save in duly justified exceptional circumstances, shall be no less than 30 days, to present representations to the Authority;
 - c) Consider any representations made;
 - d) Provide reasons for the proposed significant changes to the regulatory measure when such are made; and
 - e) Where such regulatory measure involves various service providers or significant public interest, apply the requirements of this provision through a public consultation process in which any person may participate.

...

¹ The official language of Decree-Law No. 15/2012 is in Portuguese and present text in unofficial translation.

Chapter XIII Radio-Frequency Spectrum

Article 59 Radio-frequency spectrum plan

1. The Authority shall proceed:
 - a) Within two years from the date of the entry into force of the present Decree-Law, to prepare, issue and publish on its website, and thereafter periodically review at intervals not exceeding three years, a national radio-frequency spectrum plan for the allocation, assignment and use of radio-frequency spectrum; and
 - b) To establish procedures, rules and guidelines for the allocation, assignment and use of radio-frequency spectrum, including technical specifications, in accordance with such national radio spectrum plan.
2. Prior to issuing or reviewing a national radio-frequency spectrum plan, the Authority shall consult with service providers, representatives of relevant Government ministries and authorities and other interested persons in Timor-Leste in accordance with Paragraph 4 of Article 19.
3. Any review of a national radio-frequency spectrum plan pursuant to Paragraph 1 of this article shall be subject to the rights of radio-frequency spectrum licensees pursuant to Article 65.

Article 60 Management of the radio-frequency spectrum

1. The Authority shall have the exclusive right to manage, allocate and assign radio-frequency spectrum, including the radio-frequency spectrum used for broadcasting in Timor-Leste.
2. No person may use the radio-frequency spectrum, including the transmission of radio communications, or operate radio equipment in a manner that is inconsistent with or in violation of the present Decree-Law or any regulatory measure issued thereunder.
3. The Authority shall ensure that radio-frequency spectrum is managed and used in a manner that:
 - a) Is objective, transparent, non-discriminatory and proportionate;
 - b) Promotes access to services in areas not served by telecommunications services;
 - c) Guarantees the development of broadband Internet access;
 - d) Relies, where reasonable, on standards normally used in the respective industry and on self-regulation;
 - e) Promotes the efficient use of the radio-frequency spectrum;
 - f) Does not impose unnecessary costs on radio-frequency spectrum users;
 - g) Is technologically neutral, in particular permitting evolution to new technologies and services;
 - h) Is consistent with any applicable international treaties, commitments, recommendations or standards legally binding upon Timor-Leste, including those of the International Telecommunications Union; and
 - i) Meets the needs of radio-frequency spectrum users in Timor-Leste including, without limitation:
 - i) Telecommunications services;
 - ii) Radio and television broadcasting services;
 - iii) Military, defence or security services;
 - iv) Police, fire brigade, ambulance and other emergency services;
 - v) Maritime safety and civil aviation services;
 - vi) Public services of other Government ministries and authorities; and
 - vii) Amateur use.
4. The Authority shall establish a coordination committee comprising representatives of relevant authorities and departments to advise it on its functions and responsibilities pursuant to Subparagraph i) of the preceding paragraph.
5. The Authority shall maintain and publish on its website a database of current allocations and usage of radio-frequency spectrum in Timor-Leste.

Article 61 Radio spectrum licensing

1. No person may use radio-frequency spectrum or operate radio equipment in Timor-Leste, unless that person:
 - a) Is licensed to do so under a radio-frequency spectrum licence; or
 - b) Is exempt pursuant to this Chapter.
2. In accordance with a national radio-frequency spectrum plan, the Authority shall:
 - a) Issue radio-frequency spectrum licences on the basis of frequencies, geography, equipment or other characteristic, or a combination thereof;
 - b) Establish class licenses setting out standard terms and conditions, any applicable qualification criteria and other requirements for the operation of specified classes of radio equipment within specified frequency bands at or below specified power levels; and
 - c) Establish procedures, rules and guidelines relating to radio-frequency spectrum licensing, including setting out the manner in which licence applications are to be made, processed and approved.
3. The Authority shall restrict the number of radio-frequency spectrum licences available for any particular frequency band only to the extent deemed necessary to ensure efficient use of radio-frequency spectrum taking into account supply and demand for frequencies in the particular frequency band.
4. If the Authority intends to restrict the number of radio-frequency spectrum licences for radio-frequency spectrum in particular frequency bands, it:
 - a) Shall issue such licences pursuant to a competitive selection process; and
 - b) Shall impose restrictions to the cross-ownership of service providers holding such licences.
5. A radio-frequency spectrum licence issued by the Authority shall have a maximum term of 15 years subject to renewal pursuant to the following paragraphs.
6. During a time period set by the Authority, prior to its expiration, a radio-frequency spectrum licensee may request that the Authority renew a radio-frequency spectrum licence.
7. The Authority shall renew a radio-frequency spectrum licence unless such renewal would not further the objective provided for in Article 2 of the present Decree-Law, taking into account the following factors:
 - b) The licensee's compliance with the present Decree-Law and any regulatory measures issued thereunder, as well as with any other applicable laws of Timor-Leste;
 - c) The need for continuity of the activities that depend upon the relevant radio-frequency spectrum;
 - d) The level and nature of the demand for the relevant radio-frequency spectrum;
 - e) Potential alternative usages of the relevant radio-frequency spectrum, including those using alternative technologies;
 - f) The appropriate period of renewal; and
 - g) The national radio-frequency spectrum plan of the Authority.
8. The granting or denying of renewal of a radio-frequency spectrum licence pursuant to this Article shall be subject to Paragraph 4 of Article 19.

Article 62 Transfer of radio-frequency spectrum

1. Without prejudice to the following paragraph, a radio-frequency spectrum licence cannot be transferred to another person.
2. The Authority may establish procedures, rules and guidelines permitting the transfer of radio-frequency spectrum licences on a permanent or temporary basis, including for the purpose of posting it as security with a reputable financial institution in order to finance investments in telecommunications networks and services in Timor-Leste.
3. The establishment of procedures, rules and guidelines pursuant to this Article shall be subject to Paragraph 4 of Article 19.

Article 63 Radio-frequency spectrum fees

1. The Authority may require licensees to pay fees for the right to use radio spectrum:
 - a) In connection with the award of a licence pursuant to a competitive selection process or an assignment made pursuant to Paragraph 6 of Article 65;
 - b) Periodically during the term of a licence; and
 - c) In connection with renewal of a licence.
2. Subject to the following Paragraph, the Authority shall prescribe fees under the preceding paragraph in order to:
 - a) Reflect the economic value of the radio-frequency spectrum; and
 - b) Ensure the efficient use of radio-frequency spectrum resources, including the rationing of the use of radio-frequency spectrum in frequency bands, in particular the frequency bands for which the Authority expects demand to exceed supply.
3. The Authority may not prescribe fees for the right to use radio spectrum:
 - a) Under Subparagraphs b) and c) of Paragraph 1 of this article before a period of five years has elapsed from the date of the entry into force of the present Decree-Law; and
 - b) Notwithstanding any other article of the present Decree-Law, in the case of radio-frequency spectrum licences issued pursuant to Article 81 during the term of such licences.
4. The Authority may prescribe procedures, rules and guidelines for the payment of fees pursuant to this Article.
5. The imposition by the Authority of requirements pursuant to this article shall be subject to Paragraph 4 of Article 19.

Article 64 Radio-frequency spectrum licensing exemptions

1. The Authority may set parameters within which the use of frequencies and the operation of radio equipment shall be exempt from the licensing requirement set forth in Article 61.
2. In considering establishing any exemptions pursuant to the preceding Paragraph, the Authority shall take into account:
 - a) Any applicable international treaties, commitments, recommendations or standards legally binding upon Timor-Leste, including those of the International Telecommunications Union;
 - b) The likelihood of significant interference; and
 - c) The objective provided for in Article 2 of the present Decree-Law.
3. The Authority may modify or withdraw any exemption previously established pursuant to Paragraph 1 of this article.
4. The making, modifying or withdrawing of exemptions pursuant to the article shall be subject to Paragraph 4 of Article 19.

Article 65 Suspension, revocation and amendment of licence and vacation of radio-frequency spectrum

1. The Authority may, without compensation, amend the conditions for a radio-frequency spectrum licence or declare vacant any radio-frequency spectrum that has been assigned to the extent necessary to comply with international treaties and other international commitments undertaken by the Democratic Republic of Timor-Leste.
2. The Authority may, without compensation, suspend, revoke or amend the conditions for a radio-frequency spectrum licence or declare vacant any radio-frequency spectrum that has been assigned if:
 - a) The licensee has entered into liquidation, taken any action for its voluntary liquidation or dissolution, or is the subject of any order by a competent court for its compulsory liquidation or dissolution;

- b) The licensee misled the Authority by making a false statement of a material fact or omitting to state a material fact of relevance to the Authority in connection with the award to it of its licence for such radio-frequency spectrum;
 - c) The licensee has breached a material requirement for payment of radio-frequency spectrum fees due and payable;
 - d) The licensee has failed without reasonable justification to produce material information or documents requested by the Authority as required pursuant to the present Decree-Law or any regulatory measure issued thereunder in relation to such radio-frequency spectrum; or
 - e) The licensee has failed to comply with a provision under this Chapter or any regulatory measure in relation to such radio-frequency spectrum, approved pursuant to the present Decree-Law.
3. The Authority may only suspend, revoke or amend the conditions for a radio-frequency spectrum licence or declare vacant any radio-frequency spectrum that has been assigned in the cases set forth in Subparagraphs c), d) and e) of Paragraph 2 of this article if:
- a) The licensee has failed to rectify the non-compliance within a reasonable time after being requested to do so by the Authority in writing;
 - b) The relevant non-compliance has occurred repeatedly and, along with other repeated incidences of material non-compliance, shows an accumulated pattern of serious disrespect for the present Decree-Law and regulatory measures issued thereunder;
 - c) The relevant non-compliance has or is reasonably likely to have a relevant adverse effect on other service providers, consumers or competitors, or significantly hinders the Authority from performing its functions or responsibilities or exercising its powers under the present Decree-Law;
 - d) The suspension, revocation or amendment of the conditions of a radio-frequency spectrum licence or the declaration as vacant of any radio-frequency spectrum that has been assigned is proportionate to the seriousness of the non-compliance; and
 - e) All other effective remedies have been exhausted, including any imposition of administrative penalties.
4. The Authority may, with at least two months prior written notice and without compensation, declare vacant any radio-frequency spectrum that has been assigned if the relevant radio-frequency spectrum is not used effectively or has not been committed for significant use in the foreseeable future, and there is demonstrable demand from other persons for making effective use of all or part of such radio-frequency spectrum.
5. The Authority may, with appropriate compensation, require a person to vacate radio-frequency spectrum previously assigned to such person, and assign such radio-frequency spectrum to another person or persons if necessary or expedient to further the objectives of a national radio-frequency spectrum plan or the objective provided for in Article 2 of the present Decree-Law.
6. The obligation to compensate the person required to vacate the radio-frequency spectrum pursuant to the foregoing Paragraph shall be the responsibility of the Authority which may:
- f) Recover such compensation from any new person or persons assigned the vacated radio-frequency spectrum; and
 - g) Pay such compensation in the form of cash or of, upon agreement, credits against fees and levies due, the allocation of alternative radio-frequency spectrum or some other form.
7. Where a person is required by the Authority to vacate any radio-frequency spectrum that has been assigned to it, the Authority shall allow such person a reasonable period of time to vacate such radio-frequency spectrum taking into account the use to be given thereto as well its implications and technical requirements,
8. In the case mentioned in Paragraph 5 of this article, the period set forth in the preceding paragraph shall, save in duly justified exceptional circumstances, be no less than six months after a written notice is given.
9. The suspension, revocation or amendment of a radio-frequency spectrum licence and the vacation of radio-frequency spectrum pursuant to the article as well as any compensation payable in relation thereto shall be subject to Paragraph 4 of Article 19.

...

Article 81 Registration, licensing and numbering of Timor Telecom and the new service providers

1. For the purposes of registration and the issuance of licenses pursuant to this Article and for such purposes only, the Minister has the authority to register service providers, issue radio-frequency spectrum licences and assign numbers for the provision of mobile telephone services.
2. Under the agreement governing the early termination of the Concession Contract entered into between the Democratic Republic of Timor-Leste and Timor Telecom, the Minister shall:
 - a) Register Timor-Telecom pursuant to Article 30 and deliver to Timor Telecom the documents referred to in Paragraph 10 of Article 30; and
 - b) Issue to Timor-Telecom radio-frequency spectrum licences for the use of radio-frequency spectrum required for its telecommunications activities; and
 - c) Guarantee any rights, permits and authorizations needed to use the domain of the State, to the extent needed to provide telecommunications services.
3. The Minister shall, as soon as possible after the entry into force of the present Decree-Law, evaluate and select up to two new service providers suitable to provide, among other services, nationwide mobile telecommunications services in Timor-Leste and, after the termination of Timor Telecom's exclusive rights under the Concession contract, shall:
 - a) Register the persons selected as service providers in accordance with Article 30 and deliver to them the documents referred to in Paragraph 10 of Article 30; and
 - b) Issue to such service providers radio-frequency spectrum licences for the use of radio-frequency spectrum required for their activities.
4. From 1 July 2012 and until such time as the Authority decides otherwise in the framework of a review of the national numbering plan, service providers offering mobile telephone services shall introduce and thereafter use eight digit numbers on mobile telephone networks, the leading digit of which shall be the number "7".
5. The Minister shall ensure that necessary notifications are provided to the relevant international organisations of the change to the mobile telephone numbering referred to in the preceding Paragraph.
6. The Minister shall allocate numbers for mobile telephone services to Timor Telecom and the new service providers registered and licensed pursuant to this Chapter.

CHAPTER 1²

Terms and definitions

Introduction

1.1 For the purposes of these Regulations, the following terms shall have the meanings defined below. These terms and definitions do not, however, necessarily apply for other purposes. Definitions identical to those contained in the Annex to the Constitution or the Annex to the Convention of the International Telecommunication Union (Geneva, 1992) are marked “(CS)” or “(CV)” respectively.

NOTE – If, in the text of a definition below, a term is printed in italics, this means that the term itself is defined in this Article.

Section I – General terms

1.2 *administration*: Any governmental department or service responsible for discharging the obligations undertaken in the Constitution of the International Telecommunication Union, in the Convention of the International Telecommunication Union and in the Administrative Regulations (CS 1002).

1.3 *telecommunication*: Any transmission, *emission* or reception of signs, signals, writings, images and sounds or intelligence of any nature by wire, *radio*, optical or other electromagnetic systems (CS).

1.4 *radio*: A general term applied to the use of *radio waves*.

1.5 *radio waves* or *hertzian waves*: Electromagnetic waves of frequencies arbitrarily lower than 3 000 GHz, propagated in space without artificial guide.

1.6 *radiocommunication*: *Telecommunication* by means of *radio waves* (CS) (CV).

1.7 *terrestrial radiocommunication*: Any *radiocommunication* other than *space radiocommunication* or *radio astronomy*.

1.8 *space radiocommunication*: Any *radiocommunication* involving the use of one or more *space stations* or the use of one or more *reflecting satellites* or other objects in space.

1.9 *radiodetermination*: The determination of the position, velocity and/or other characteristics of an object, or the obtaining of information relating to these parameters, by means of the propagation properties of *radio waves*.

1.10 *radionavigation*: *Radiodetermination* used for the purposes of navigation, including obstruction warning.

1.11 *radiolocation*: *Radiodetermination* used for purposes other than those of *radionavigation*.

1.12 *radio direction-finding*: *Radiodetermination* using the reception of *radio waves* for the purpose of determining the direction of a *station* or object.

1.13 *radio astronomy*: Astronomy based on the reception of *radio waves* of cosmic origin.

1.14 *Coordinated Universal Time (UTC)*: Time scale, based on the second (SI), as described in Resolution **655 (WRC-15)**. (WRC-15)

1.15 *industrial, scientific and medical (ISM) applications* (of radio frequency energy): Operation of equipment or appliances designed to generate and use locally radio frequency energy for industrial, scientific, medical, domestic or similar purposes, excluding applications in the field of *telecommunications*.

² : The naming of sections, numbering and provisions within this Chapter is identical with the corresponding naming and numbering in ITU Radio Regulations Article 1, Edition 2020.

Section II – Specific terms related to frequency management

1.16 *allocation* (of a frequency band): Entry in the Table of Frequency Allocations of a given frequency band for the purpose of its use by one or more terrestrial or space *radiocommunication services* or the *radio astronomy service* under specified conditions. This term shall also be applied to the frequency band concerned.

1.17 *allotment* (of a radio frequency or radio frequency channel): Entry of a designated frequency channel in an agreed plan, adopted by a competent conference, for use by one or more *administrations* for a terrestrial or space *radiocommunication service* in one or more identified countries or geographical areas and under specified conditions.

1.18 *assignment* (of a radio frequency or radio frequency channel): Authorization given by an *administration* for a radio *station* to use a radio frequency or radio frequency channel under specified conditions.

Section III – Radio services

1.19 *radiocommunication service*: A service as defined in this Section involving the transmission, *emission* and/or reception of *radio waves* for specific *telecommunication* purposes.

In these Regulations, unless otherwise stated, any radiocommunication service relates to *terrestrial radiocommunication*.

1.20 *fixed service*: A *radiocommunication service* between specified fixed points.

1.21 *fixed-satellite service*: A *radiocommunication service* between *earth stations* at given positions, when one or more *satellites* are used; the given position may be a specified fixed point or any fixed point within specified areas; in some cases this service includes satellite-to-satellite links, which may also be operated in the *inter-satellite service*; the fixed-satellite service may also include *feeder links* for other *space radiocommunication services*.

1.22 *inter-satellite service*: A *radiocommunication service* providing links between artificial *satellites*.

1.23 *space operation service*: A *radiocommunication service* concerned exclusively with the operation of *spacecraft*, in particular *space tracking*, *space telemetry* and *space telecommand*.

These functions will normally be provided within the service in which the *space station* is operating.

1.24 *mobile service*: A *radiocommunication service* between *mobile* and *land stations*, or between *mobile stations* (CV).

1.25 *mobile-satellite service*: A *radiocommunication service*:

- between *mobile earth stations* and one or more *space stations*, or between *space stations* used by this service; or
- between *mobile earth stations* by means of one or more *space stations*.

This service may also include *feeder links* necessary for its operation.

1.26 *land mobile service*: A *mobile service* between *base stations* and *land mobile stations*, or between *land mobile stations*.

1.27 *land mobile-satellite service*: A *mobile-satellite service* in which *mobile earth stations* are located on land.

1.28 *maritime mobile service*: A *mobile service* between *coast stations* and *ship stations*, or between *ship stations*, or between associated *on-board communication stations*; *survival craft stations* and *emergency position-indicating radiobeacon stations* may also participate in this service.

1.29 *maritime mobile-satellite service*: A *mobile-satellite service* in which *mobile earth stations* are located on board ships; *survival craft stations* and *emergency position-indicating radiobeacon stations* may also participate in this service.

1.30 *port operations service*: A *maritime mobile service* in or near a port, between *coast stations* and *ship stations*, or between *ship stations*, in which messages are restricted to those relating to the operational handling, the movement and the safety of ships and, in emergency, to the safety of persons.

Messages which are of a *public correspondence* nature shall be excluded from this service.

1.31 *ship movement service*: A *safety service* in the *maritime mobile service* other than a *port operations service*, between *coast stations* and *ship stations*, or between *ship stations*, in which messages are restricted to those relating to the movement of ships.

Messages which are of a *public correspondence* nature shall be excluded from this service.

1.32 *aeronautical mobile service*: A *mobile service* between *aeronautical stations* and *aircraft stations*, or between *aircraft stations*, in which *survival craft stations* may participate; *emergency position-indicating radiobeacon stations* may also participate in this service on designated distress and emergency frequencies.

1.33 *aeronautical mobile (R)* service*: An *aeronautical mobile service* reserved for communications relating to safety and regularity of flight, primarily along national or international civil air routes.

1.34 *aeronautical mobile (OR)** service*: An *aeronautical mobile service* intended for communications, including those relating to flight coordination, primarily outside national or international civil air routes.

1.35 *aeronautical mobile-satellite service*: A *mobile-satellite service* in which *mobile earth stations* are located on board aircraft; *survival craft stations* and *emergency position-indicating radiobeacon stations* may also participate in this service.

1.36 *aeronautical mobile-satellite (R)* service*: An *aeronautical mobile-satellite service* reserved for communications relating to safety and regularity of flights, primarily along national or international civil air routes.

1.37 *aeronautical mobile-satellite (OR)** service*: An *aeronautical mobile-satellite service* intended for communications, including those relating to flight coordination, primarily outside national and international civil air routes.

1.38 *broadcasting service*: A *radiocommunication service* in which the transmissions are intended for direct reception by the general public. This service may include sound transmissions, *television* transmissions or other types of transmission (CS).

1.39 *broadcasting-satellite service*: A *radiocommunication service* in which signals transmitted or retransmitted by *space stations* are intended for direct reception by the general public.

In the broadcasting-satellite service, the term “direct reception” shall encompass both *individual reception* and *community reception*.

1.40 *radiodetermination service*: A *radiocommunication service* for the purpose of *radiodetermination*.

1.41 *radiodetermination-satellite service*: A *radiocommunication service* for the purpose of *radiodetermination* involving the use of one or more *space stations*.

This service may also include *feeder links* necessary for its own operation.

1.42 *radionavigation service*: A *radiodetermination service* for the purpose of *radionavigation*.

* (R): route.

** (OR): off-route.

1.43 *radionavigation-satellite service: A radiodetermination-satellite service used for the purpose of radionavigation.*

This service may also include *feeder links* necessary for its operation.

1.44 *maritime radionavigation service: A radionavigation service intended for the benefit and for the safe operation of ships.*

1.45 *maritime radionavigation-satellite service: A radionavigation-satellite service in which earth stations are located on board ships.*

1.46 *aeronautical radionavigation service: A radionavigation service intended for the benefit and for the safe operation of aircraft.*

1.47 *aeronautical radionavigation-satellite service: A radionavigation-satellite service in which earth stations are located on board aircraft.*

1.48 *radiolocation service: A radiodetermination service for the purpose of radiolocation.*

1.49 *radiolocation-satellite service: A radiodetermination-satellite service used for the purpose of radiolocation.*

This service may also include the *feeder links* necessary for its operation.

1.50 *meteorological aids service: A radiocommunication service used for meteorological, including hydrological, observations and exploration.*

1.51 *Earth exploration-satellite service: A radiocommunication service between earth stations and one or more space stations, which may include links between space stations, in which:*

- information relating to the characteristics of the Earth and its natural phenomena, including data relating to the state of the environment, is obtained from *active sensors* or *passive sensors* on Earth satellites;
- similar information is collected from airborne or Earth-based platforms;
- such information may be distributed to *earth stations* within the system concerned;
- platform interrogation may be included.

This service may also include *feeder links* necessary for its operation.

1.52 *meteorological-satellite service: An earth exploration-satellite service for meteorological purposes.*

1.53 *standard frequency and time signal service: A radiocommunication service for scientific, technical and other purposes, providing the transmission of specified frequencies, time signals, or both, of stated high precision, intended for general reception.*

1.54 *standard frequency and time signal-satellite service: A radiocommunication service using space stations on earth satellites for the same purposes as those of the standard frequency and time signal service.*

This service may also include *feeder links* necessary for its operation.

1.55 *space research service: A radiocommunication service in which spacecraft or other objects in space are used for scientific or technological research purposes.*

1.56 *amateur service: A radiocommunication service for the purpose of self-training, intercommunication and technical investigations carried out by amateurs, that is, by duly authorized persons interested in radio technique solely with a personal aim and without pecuniary interest.*

1.57 *amateur-satellite service: A radiocommunication service using space stations on earth satellites for the same purposes as those of the amateur service.*

1.58 *radio astronomy service: A service involving the use of radio astronomy.*

1.59 *safety service: Any radiocommunication service used permanently or temporarily for the safeguarding of human life and property.*

1.60 *special service*: A radiocommunication service, not otherwise defined in this Section, carried on exclusively for specific needs of general utility, and not open to *public correspondence*.

Section IV – Radio stations and systems

1.61 *station*: One or more transmitters or receivers or a combination of transmitters and receivers, including the accessory equipment, necessary at one location for carrying on a *radiocommunication service*, or the *radio astronomy service*.

Each station shall be classified by the service in which it operates permanently or temporarily.

1.62 *terrestrial station*: A station effecting *terrestrial radiocommunication*.

In these Regulations, unless otherwise stated, any *station* is a terrestrial station.

1.63 *earth station*: A station located either on the Earth's surface or within the major portion of the Earth's atmosphere and intended for communication:

- with one or more *space stations*; or
- with one or more *stations* of the same kind by means of one or more *reflecting satellites* or other objects in space.

1.64 *space station*: A station located on an object which is beyond, is intended to go beyond, or has been beyond, the major portion of the Earth's atmosphere.

1.65 *survival craft station*: A mobile station in the *maritime mobile service* or the *aeronautical mobile service* intended solely for survival purposes and located on any lifeboat, life-raft or other survival equipment.

1.66 *fixed station*: A station in the *fixed service*.

1.66A *high altitude platform station*: A station located on an object at an altitude of 20 to 50 km and at a specified, nominal, fixed point relative to the Earth.

1.67 *mobile station*: A station in the *mobile service* intended to be used while in motion or during halts at unspecified points.

1.68 *mobile earth station*: An *earth station* in the *mobile-satellite service* intended to be used while in motion or during halts at unspecified points.

1.69 *land station*: A station in the *mobile service* not intended to be used while in motion.

1.70 *land earth station*: An *earth station* in the *fixed-satellite service* or, in some cases, in the *mobile-satellite service*, located at a specified fixed point or within a specified area on land to provide a *feeder link* for the *mobile-satellite service*.

1.71 *base station*: A *land station* in the *land mobile service*.

1.72 *base earth station*: An *earth station* in the *fixed-satellite service* or, in some cases, in the *land mobile-satellite service*, located at a specified fixed point or within a specified area on land to provide a *feeder link* for the *land mobile-satellite service*.

1.73 *land mobile station*: A *mobile station* in the *land mobile service* capable of surface movement within the geographical limits of a country or continent.

1.74 *land mobile earth station*: A *mobile earth station* in the *land mobile-satellite service* capable of surface movement within the geographical limits of a country or continent.

1.75 *coast station*: A *land station* in the *maritime mobile service*.

1.76 *coast earth station*: An *earth station* in the *fixed-satellite service* or, in some cases, in the *maritime mobile-satellite service*, located at a specified fixed point on land to provide a *feeder link* for the *maritime mobile-satellite service*.

1.77 *ship station*: A *mobile station* in the *maritime mobile service* located on board a vessel which is not permanently moored, other than a *survival craft station*.

1.78 *ship earth station:* A mobile earth station in the maritime mobile-satellite service located on board ship.

1.79 *on-board communication station:* A low-powered mobile station in the maritime mobile service intended for use for internal communications on board a ship, or between a ship and its lifeboats and life-rafts during lifeboat drills or operations, or for communication within a group of vessels being towed or pushed, as well as for line handling and mooring instructions.

1.80 *port station:* A coast station in the port operations service.

1.81 *aeronautical station:* A land station in the aeronautical mobile service.

In certain instances, an aeronautical station may be located, for example, on board ship or on a platform at sea.

1.82 *aeronautical earth station:* An earth station in the fixed-satellite service, or, in some cases, in the aeronautical mobile-satellite service, located at a specified fixed point on land to provide a feeder link for the aeronautical mobile-satellite service.

1.83 *aircraft station:* A mobile station in the aeronautical mobile service, other than a survival craft station, located on board an aircraft.

1.84 *aircraft earth station:* A mobile earth station in the aeronautical mobile-satellite service located on board an aircraft.

1.85 *broadcasting station:* A station in the broadcasting service.

1.86 *radiodetermination station:* A station in the radiodetermination service.

1.87 *radionavigation mobile station:* A station in the radionavigation service intended to be used while in motion or during halts at unspecified points.

1.88 *radionavigation land station:* A station in the radionavigation service not intended to be used while in motion.

1.89 *radiolocation mobile station:* A station in the radiolocation service intended to be used while in motion or during halts at unspecified points.

1.90 *radiolocation land station:* A station in the radiolocation service not intended to be used while in motion.

1.91 *radio direction-finding station:* A radiodetermination station using radio direction-finding.

1.92 *radiobeacon station:* A station in the radionavigation service the emissions of which are intended to enable a mobile station to determine its bearing or direction in relation to the radiobeacon station.

1.93 *emergency position-indicating radiobeacon station:* A station in the mobile service the emissions of which are intended to facilitate search and rescue operations.

1.94 *satellite emergency position-indicating radiobeacon:* An earth station in the mobile-satellite service the emissions of which are intended to facilitate search and rescue operations.

1.95 *standard frequency and time signal station:* A station in the standard frequency and time signal service.

1.96 *amateur station:* A station in the amateur service.

1.97 *radio astronomy station:* A station in the radio astronomy service.

1.98 *experimental station:* A station utilizing radio waves in experiments with a view to the development of science or technique.

This definition does not include amateur stations.

1.99 *ship's emergency transmitter:* A ship's transmitter to be used exclusively on a distress frequency for distress, urgency or safety purposes.

- 1.100** *radar*: A *radiodetermination* system based on the comparison of reference signals with radio signals reflected, or retransmitted, from the position to be determined.
- 1.101** *primary radar*: A *radiodetermination* system based on the comparison of reference signals with radio signals reflected from the position to be determined.
- 1.102** *secondary radar*: A *radiodetermination* system based on the comparison of reference signals with radio signals retransmitted from the position to be determined.
- 1.103** *radar beacon (racon)*: A transmitter-receiver associated with a fixed navigational mark which, when triggered by a *radar*, automatically returns a distinctive signal which can appear on the display of the triggering *radar*, providing range, bearing and identification information.
- 1.104** *instrument landing system (ILS)*: A *radionavigation* system which provides aircraft with horizontal and vertical guidance just before and during landing and, at certain fixed points, indicates the distance to the reference point of landing.
- 1.105** *instrument landing system localizer*: A system of horizontal guidance embodied in the *instrument landing system* which indicates the horizontal deviation of the aircraft from its optimum path of descent along the axis of the runway.
- 1.106** *instrument landing system glide path*: A system of vertical guidance embodied in the *instrument landing system* which indicates the vertical deviation of the aircraft from its optimum path of descent.
- 1.107** *marker beacon*: A transmitter in the *aeronautical radionavigation service* which radiates vertically a distinctive pattern for providing position information to aircraft.
- 1.108** *radio altimeter*: *Radionavigation* equipment, on board an aircraft or *spacecraft*, used to determine the height of the aircraft or the *spacecraft* above the Earth's surface or another surface.
- 1.108A** *meteorological aids land station*: A station in the *meteorological aids service* not intended to be used while in motion. (WRC-15)
- 1.108B** *meteorological aids mobile station*: A station in the *meteorological aids service* intended to be used while in motion or during halts at unspecified points. (WRC-15)
- 1.109** *radiosonde*: An automatic radio transmitter in the *meteorological aids service* usually carried on an aircraft, free balloon, kite or parachute, and which transmits meteorological data.
- 1.109A** *adaptive system*: A *radiocommunication* system which varies its radio characteristics according to channel quality.
- 1.110** *space system*: Any group of cooperating *earth stations* and/or *space stations* employing *space radiocommunication* for specific purposes.
- 1.111** *satellite system*: A *space system* using one or more artificial earth *satellites*.
- 1.112** *satellite network*: A *satellite system* or a part of a *satellite system*, consisting of only one *satellite* and the cooperating *earth stations*.
- 1.113** *satellite link*: A radio link between a transmitting *earth station* and a receiving *earth station* through one *satellite*.
- A satellite link comprises one up-link and one down-link.
- 1.114** *multi-satellite link*: A radio link between a transmitting *earth station* and a receiving *earth station* through two or more *satellites*, without any intermediate *earth station*.
- A multi-satellite link comprises one up-link, one or more satellite-to-satellite links and one down-link.
- 1.115** *feeder link*: A radio link from an *earth station* at a given location to a *space station*, or vice versa, conveying information for a *space radiocommunication service* other than for the *fixed-satellite service*. The given location may be at a specified fixed point, or at any fixed point within specified areas.

Section V – Operational terms

1.116 *public correspondence*: Any *telecommunication* which the offices and *stations* must, by reason of their being at the disposal of the public, accept for transmission (CS).

1.117 *telegraphy*¹: A form of *telecommunication* in which the transmitted information is intended to be recorded on arrival as a graphic document; the transmitted information may sometimes be presented in an alternative form or may be stored for subsequent use (CS 1016).

1.118 *telegram*: Written matter intended to be transmitted by *telegraphy* for delivery to the addressee. This term also includes *radiotelegrams* unless otherwise specified (CS).

In this definition the term *telegraphy* has the same general meaning as defined in the Convention.

1.119 *radiotelegram*: A *telegram*, originating in or intended for a *mobile station* or a *mobile earth station* transmitted on all or part of its route over the *radiocommunication* channels of the *mobile service* or of the *mobile-satellite service*.

1.120 *radiotelex call*: A telex call, originating in or intended for a *mobile station* or a *mobile earth station*, transmitted on all or part of its route over the *radiocommunication* channels of the *mobile service* or the *mobile-satellite service*.

1.121 *frequency-shift telegraphy*: *Telegraphy* by frequency modulation in which the telegraph signal shifts the frequency of the carrier between predetermined values.

1.122 *facsimile*: A form of *telegraphy* for the transmission of fixed images, with or without half-tones, with a view to their reproduction in a permanent form.

1.123 *telephony*: A form of *telecommunication* primarily intended for the exchange of information in the form of speech (CS 1017).

1.124 *radiotelephone call*: A telephone call, originating in or intended for a *mobile station* or a *mobile earth station*, transmitted on all or part of its route over the *radiocommunication* channels of the *mobile service* or of the *mobile-satellite service*.

1.125 *simplex operation*: Operating method in which transmission is made possible alternately in each direction of a *telecommunication* channel, for example, by means of manual control².

1.126 *duplex operation*: Operating method in which transmission is possible simultaneously in both directions of a *telecommunication* channel².

1.127 *semi-duplex operation*: A method which is *simplex operation* at one end of the circuit and *duplex operation* at the other.²

1.128 *television*: A form of *telecommunication* for the transmission of transient images of fixed or moving objects.

1.129 *individual reception* (in the broadcasting-satellite service): The reception of *emissions* from a *space station* in the *broadcasting-satellite service* by simple domestic installations and in particular those possessing small antennas.

1.130 *community reception* (in the broadcasting-satellite service): The reception of *emissions* from a *space station* in the *broadcasting-satellite service* by receiving equipment, which in some cases may be complex and have antennas larger than those used for *individual reception*, and intended for use:

- by a group of the general public at one location; or
- through a distribution system covering a limited area.

¹ **1.117.1** A graphic document records information in a permanent form and is capable of being filed and consulted; it may take the form of written or printed matter or of a fixed image.

² **1.125.1, 1.126.1 and 1.127.1** In general, *duplex operation* and *semi-duplex operation* require two frequencies in *radiocommunication*; *simplex operation* may use either one or two.

1.131 *telemetry*: The use of *telecommunication* for automatically indicating or recording measurements at a distance from the measuring instrument.

1.132 *radiotelemetry*: *Telemetry* by means of *radio waves*.

1.133 *space telemetry*: The use of *telemetry* for the transmission from a *space station* of results of measurements made in a *spacecraft*, including those relating to the functioning of the *spacecraft*.

1.134 *telecommand*: The use of *telecommunication* for the transmission of signals to initiate, modify or terminate functions of equipment at a distance.

1.135 *space telecommand*: The use of *radiocommunication* for the transmission of signals to a *space station* to initiate, modify or terminate functions of equipment on an associated space object, including the *space station*.

1.136 *space tracking*: Determination of the *orbit*, velocity or instantaneous position of an object in space by means of *radiodetermination*, excluding *primary radar*, for the purpose of following the movement of the object.

Section VI – Characteristics of emissions and radio equipment

1.137 *radiation*: The outward flow of energy from any source in the form of *radio waves*.

1.138 *emission*: *Radiation* produced, or the production of *radiation*, by a radio transmitting *station*.

For example, the energy radiated by the local oscillator of a radio receiver would not be an emission but a *radiation*.

1.139 *class of emission*: The set of characteristics of an *emission*, designated by standard symbols, e.g. type of modulation of the main carrier, modulating signal, type of information to be transmitted, and also, if appropriate, any additional signal characteristics.

1.140 *single-sideband emission*: An amplitude modulated *emission* with one sideband only.

1.141 *full carrier single-sideband emission*: A *single-sideband emission* without reduction of the carrier.

1.142 *reduced carrier single-sideband emission*: A *single-sideband emission* in which the degree of carrier suppression enables the carrier to be reconstituted and to be used for demodulation.

1.143 *suppressed carrier single-sideband emission*: A *single-sideband emission* in which the carrier is virtually suppressed and not intended to be used for demodulation.

1.144 *out-of-band emission*: *Emission* on a frequency or frequencies immediately outside the *necessary bandwidth* which results from the modulation process, but excluding *spurious emissions*.

1.145 *spurious emission*: *Emission* on a frequency or frequencies which are outside the *necessary bandwidth* and the level of which may be reduced without affecting the corresponding transmission of information. Spurious emissions include harmonic *emissions*, parasitic *emissions*, intermodulation products and frequency conversion products, but exclude *out-of-band emissions*.

1.146 *unwanted emissions*: Consist of *spurious emissions* and *out-of-band emissions*.

1.146A *out-of-band domain* (of an emission): The frequency range, immediately outside the *necessary bandwidth* but excluding the *spurious domain*, in which *out-of-band emissions* generally predominate. *Out-of-band emissions*, defined based on their source, occur in the out-of-band domain and, to a lesser extent, in the *spurious domain*. *Spurious emissions* likewise may occur in the out-of-band domain as well as in the *spurious domain*. (WRC-03)

1.146B *spurious domain* (of an emission): The frequency range beyond the *out-of-band domain* in which *spurious emissions* generally predominate. (WRC-03)

1.147 *assigned frequency band*: The frequency band within which the *emission* of a *station* is authorized; the width of the band equals the *necessary bandwidth* plus twice the absolute value of the *frequency*

tolerance. Where *space stations* are concerned, the assigned frequency band includes twice the maximum Doppler shift that may occur in relation to any point of the Earth's surface.

1.148 *assigned frequency:* The centre of the frequency band assigned to a *station*.

1.149 *characteristic frequency:* A frequency which can be easily identified and measured in a given *emission*.

A carrier frequency may, for example, be designated as the characteristic frequency.

1.150 *reference frequency:* A frequency having a fixed and specified position with respect to the *assigned frequency*. The displacement of this frequency with respect to the *assigned frequency* has the same absolute value and sign that the displacement of the *characteristic frequency* has with respect to the centre of the frequency band occupied by the *emission*.

1.151 *frequency tolerance:* The maximum permissible departure by the centre frequency of the frequency band occupied by an *emission* from the *assigned frequency* or, by the *characteristic frequency* of an *emission* from the *reference frequency*.

The frequency tolerance is expressed in parts in 10^6 or in hertz.

1.152 *necessary bandwidth:* For a given *class of emission*, the width of the frequency band which is just sufficient to ensure the transmission of information at the rate and with the quality required under specified conditions.

1.153 *occupied bandwidth:* The width of a frequency band such that, below the lower and above the upper frequency limits, the *mean powers* emitted are each equal to a specified percentage $\beta/2$ of the total *mean power* of a given *emission*.

Unless otherwise specified in an ITU-R Recommendation for the appropriate *class of emission*, the value of $\beta/2$ should be taken as 0.5%.

1.154 *right-hand (clockwise) polarized wave:* An elliptically- or circularly-polarized wave, in which the electric field vector, observed in any fixed plane, normal to the direction of propagation, whilst looking in the direction of propagation, rotates with time in a right-hand or clockwise direction.

1.155 *left-hand (anticlockwise) polarized wave:* An elliptically- or circularly-polarized wave, in which the electric field vector, observed in any fixed plane, normal to the direction of propagation, whilst looking in the direction of propagation, rotates with time in a left-hand or anticlockwise direction.

1.156 *power:* Whenever the power of a radio transmitter, etc. is referred to it shall be expressed in one of the following forms, according to the class of *emission*, using the arbitrary symbols indicated:

- *peak envelope power (PX or pX);*
- *mean power (PY or pY);*
- *carrier power (PZ or pZ).*

For different *classes of emission*, the relationships between *peak envelope power*, *mean power* and *carrier power*, under the conditions of normal operation and of no modulation, are contained in ITU-R Recommendations which may be used as a guide.

For use in formulae, the symbol *p* denotes power expressed in watts and the symbol *P* denotes power expressed in decibels relative to a reference level.

1.157 *peak envelope power (of a radio transmitter):* The average power supplied to the antenna transmission line by a transmitter during one radio frequency cycle at the crest of the modulation envelope taken under normal operating conditions.

1.158 *mean power (of a radio transmitter):* The average power supplied to the antenna transmission line by a transmitter during an interval of time sufficiently long compared with the lowest frequency encountered in the modulation taken under normal operating conditions.

1.159 *carrier power (of a radio transmitter):* The average power supplied to the antenna transmission line by a transmitter during one radio frequency cycle taken under the condition of no modulation.

1.160 *gain of an antenna*: The ratio, usually expressed in decibels, of the power required at the input of a loss-free reference antenna to the power supplied to the input of the given antenna to produce, in a given direction, the same field strength or the same power flux-density at the same distance. When not specified otherwise, the gain refers to the direction of maximum *radiation*. The gain may be considered for a specified polarization.

Depending on the choice of the reference antenna a distinction is made between:

- a) absolute or isotropic gain (G_i), when the reference antenna is an isotropic antenna isolated in space;
- b) gain relative to a half-wave dipole (G_d), when the reference antenna is a half-wave dipole isolated in space whose equatorial plane contains the given direction;
- c) gain relative to a short vertical antenna (G_v), when the reference antenna is a linear conductor, much shorter than one quarter of the wavelength, normal to the surface of a perfectly conducting plane which contains the given direction.

1.161 *equivalent isotropically radiated power (e.i.r.p.)*: The product of the power supplied to the antenna and the antenna gain in a given direction relative to an isotropic antenna (*absolute or isotropic gain*).

1.162 *effective radiated power (e.r.p.)* (in a given direction): The product of the power supplied to the antenna and its *gain relative to a half-wave dipole* in a given direction.

1.163 *effective monopole radiated power (e.m.r.p.)* (in a given direction): The product of the power supplied to the antenna and its *gain relative to a short vertical antenna* in a given direction.

1.164 *tropospheric scatter*: The propagation of *radio waves* by scattering as a result of irregularities or discontinuities in the physical properties of the troposphere.

1.165 *ionospheric scatter*: The propagation of *radio waves* by scattering as a result of irregularities or discontinuities in the ionization of the ionosphere.

Section VII – Frequency sharing

1.166 *interference*: The effect of unwanted energy due to one or a combination of *emissions, radiations*, or inductions upon reception in a *radiocommunication* system, manifested by any performance degradation, misinterpretation, or loss of information which could be extracted in the absence of such unwanted energy.

1.167 *permissible interference*³: Observed or predicted *interference* which complies with quantitative *interference* and sharing criteria contained in these Regulations or in ITU-R Recommendations or in special agreements as provided for in these Regulations.

1.168 *accepted interference*³: *Interference* at a higher level than that defined as *permissible interference* and which has been agreed upon between two or more *administrations* without prejudice to other *administrations*.

1.169 *harmful interference*: *Interference* which endangers the functioning of a *radionavigation service* or of other *safety services* or seriously degrades, obstructs, or repeatedly interrupts a *radiocommunication service* operating in accordance with Radio Regulations (CS).

1.170 *protection ratio (R.F.)*: The minimum value of the wanted-to-unwanted signal ratio, usually expressed in decibels, at the receiver input, determined under specified conditions such that a specified reception quality of the wanted signal is achieved at the receiver output.

1.171 *coordination area*: When determining the need for coordination, the area surrounding an *earth station* sharing the same frequency band with *terrestrial stations*, or surrounding a transmitting *earth station*

³ **1.167.1** and **1.168.1** The terms “permissible interference” and “accepted interference” are used in the coordination of frequency assignments between *administrations*.

sharing the same bidirectionally allocated frequency band with receiving *earth stations*, beyond which the level of *permissible interference* will not be exceeded and coordination is therefore not required. (WRC-2000)

1.172 *coordination contour*: The line enclosing the *coordination area*.

1.173 *coordination distance*: When determining the need for coordination, the distance on a given azimuth from an *earth station* sharing the same frequency band with *terrestrial stations*, or from a transmitting *earth station* sharing the same bidirectionally allocated frequency band with receiving *earth stations*, beyond which the level of *permissible interference* will not be exceeded and coordination is therefore not required. (WRC-2000)

1.174 *equivalent satellite link noise temperature*: The noise temperature referred to the output of the receiving antenna of the *earth station* corresponding to the radio frequency noise power which produces the total observed noise at the output of the *satellite link* excluding noise due to *interference* coming from *satellite links* using other *satellites* and from terrestrial systems.

1.175 *effective boresight area* (of a steerable satellite beam): An area on the surface of the Earth within which the boresight of a *steerable satellite beam* is intended to be pointed.

There may be more than one unconnected effective boresight area to which a single *steerable satellite beam* is intended to be pointed.

1.176 *effective antenna gain contour* (of a steerable satellite beam): An envelope of antenna gain contours resulting from moving the boresight of a *steerable satellite beam* along the limits of the *effective boresight area*.

Section VIII – Technical terms relating to space

1.177 *deep space*: Space at distances from the Earth equal to, or greater than, 2×10^6 km.

1.178 *spacecraft*: A man-made vehicle which is intended to go beyond the major portion of the Earth's atmosphere.

1.179 *satellite*: A body which revolves around another body of preponderant mass and which has a motion primarily and permanently determined by the force of attraction of that other body.

1.180 *active satellite*: A *satellite* carrying a *station* intended to transmit or retransmit *radiocommunication* signals.

1.181 *reflecting satellite*: A *satellite* intended to reflect *radiocommunication* signals.

1.182 *active sensor*: A measuring instrument in the *earth exploration-satellite service* or in the *space research service* by means of which information is obtained by transmission and reception of *radio waves*.

1.183 *passive sensor*: A measuring instrument in the *earth exploration-satellite service* or in the *space research service* by means of which information is obtained by reception of *radio waves* of natural origin.

1.184 *orbit*: The path, relative to a specified frame of reference, described by the centre of mass of a *satellite* or other object in space subjected primarily to natural forces, mainly the force of gravity.

1.185 *inclination of an orbit* (of an earth satellite): The angle determined by the plane containing the *orbit* and the plane of the Earth's equator measured in degrees between 0° and 180° and in counter-clockwise direction from the Earth's equatorial plane at the ascending node of the *orbit*. (WRC-2000)

1.186 *period* (of a satellite): The time elapsing between two consecutive passages of a *satellite* through a characteristic point on its *orbit*.

1.187 *altitude of the apogee or of the perigee*: The altitude of the apogee or perigee above a specified reference surface serving to represent the surface of the Earth.

1.188 *geosynchronous satellite*: An earth *satellite* whose period of revolution is equal to the period of rotation of the Earth about its axis.

1.189 *geostationary satellite:* A *geosynchronous satellite* whose circular and direct *orbit* lies in the plane of the Earth's equator and which thus remains fixed relative to the Earth; by extension, a *geosynchronous satellite* which remains approximately fixed relative to the Earth. (WRC-03)

1.190 *geostationary-satellite orbit:* The *orbit* of a *geosynchronous satellite* whose circular and direct *orbit* lies in the plane of the Earth's equator.

1.191 *steerable satellite beam:* A *satellite antenna beam* that can be re-pointed.

CHAPTER 2³

Nomenclature

Section I – Frequency and wavelength bands

2.1 The radio spectrum shall be subdivided into nine frequency bands, which shall be designated by progressive whole numbers in accordance with the following table. As the unit of frequency is the hertz (Hz), frequencies shall be expressed:

- in kilohertz (kHz), up to and including 3 000 kHz;
- in megahertz (MHz), above 3 MHz, up to and including 3 000 MHz;
- in gigahertz (GHz), above 3 GHz, up to and including 3 000 GHz.

However, where adherence to these provisions would introduce serious difficulties, for example in connection with the notification and registration of frequencies, the lists of frequencies and related matters, reasonable departures may be made¹. (WRC-15)

Band number	Symbols	Frequency range (lower limit exclusive, upper limit inclusive)	Corresponding metric subdivision
4	VLF	3 to 30 kHz	Myriametric waves
5	LF	30 to 300 kHz	Kilometric waves
6	MF	300 to 3 000 kHz	Hectometric waves
7	HF	3 to 30 MHz	Decametric waves
8	VHF	30 to 300 MHz	Metric waves
9	UHF	300 to 3 000 MHz	Decimetric waves
10	SHF	3 to 30 GHz	Centimetric waves
11	EHF	30 to 300 GHz	Millimetric waves
12		300 to 3 000 GHz	Decimillimetric waves

a NOTE 1: “Band N” (N = band number) extends from 0.3×10^N Hz to 3×10^N Hz.

b NOTE 2: Prefix: k = kilo (10^3), M = mega (10^6), G = giga (10^9).

2.2 In communications between administrations and the ITU, no names, symbols or abbreviations should be used for the various frequency bands other than those specified in No. **2.1**.

Section II – Dates and times

2.3 Any date used in relation to radiocommunication shall be according to the Gregorian Calendar.

³ The naming of sections, numbering and provisions within this Chapter is identical with the corresponding naming and numbering in ITU Radio Regulations Article 2, Edition 2020.

¹ **2.1.1** In the application of the Radio Regulations, the Radiocommunication Bureau uses the following units:

- kHz for frequencies up to 28 000 kHz inclusive
- MHz for frequencies above 28 000 kHz up to 10 500 MHz inclusive
- GHz for frequencies above 10 500 MHz.

2.4 If in a date the month is not indicated either in full or in an abbreviated form, it shall be expressed in an all-numeric form with the fixed sequence of figures, two of each representing the day, month and year.

2.5 Whenever a date is used in connection with Coordinated Universal Time (UTC), this date shall be that at the prime meridian, the prime meridian corresponding to zero degrees geographical longitude. (WRC-15)

2.6 Whenever a specified time is used in international radiocommunication activities, UTC shall be applied, unless otherwise indicated, and it shall be presented as a four-digit group (0000-2359). The abbreviation UTC shall be used in all languages.

Section III – Designation of emissions

2.7 Emissions shall be designated according to their necessary bandwidth and their classification in accordance with the method described in ITU Radio Regulations Appendix 1.

CHAPTER 3⁴

Technical characteristics of stations

3.1 The choice and performance of equipment to be used in a station and any emissions therefrom shall satisfy the provisions of these Regulations.

3.2 Also, as far as is compatible with practical considerations, the choice of transmitting, receiving and measuring equipment shall be based on the most recent advances in the technique as indicated, *inter alia*, in ITU-R Recommendations.

3.3 Transmitting and receiving equipment intended to be used in a given part of the frequency spectrum should be designed to take into account the technical characteristics of transmitting and receiving equipment likely to be employed in neighbouring and other parts of the spectrum, provided that all technically and economically justifiable measures have been taken to reduce the level of unwanted emissions from the latter transmitting equipment and to reduce the susceptibility to interference of the latter receiving equipment.

3.4 To the maximum extent possible, equipment to be used in a station should apply signal processing methods which enable the most efficient use of the frequency spectrum in accordance with the relevant ITU-R Recommendations. These methods include, *inter alia*, certain bandwidth expansion techniques, and in particular, in amplitude-modulation systems, the use of the single-sideband technique.

3.5 Transmitting stations shall conform to the frequency tolerances specified in Appendix 2.

3.6 Transmitting stations shall conform to the maximum permitted power levels for unwanted emissions in the spurious domain specified in Appendix 3. (WRC-12)

3.7 Transmitting stations shall conform to the maximum permitted power levels for out-of-band emissions, or unwanted emissions in the out-of-band domain, specified for certain services and classes of emission in the present Regulations. In the absence of such specified maximum permitted power levels transmitting stations should, to the maximum extent possible, satisfy the requirements relating to the limitation of the out-of-band emissions, or unwanted emissions in the out-of-band domain, specified in the relevant ITU-R Recommendations. (WRC-12)

3.8 Moreover, every effort should be made to keep frequency tolerances and levels of unwanted emissions at the lowest values which the state of the technique and the nature of the service permit.

3.9 The bandwidths of emissions also shall be such as to ensure the most efficient utilization of the spectrum; in general this requires that bandwidths be kept at the lowest values which the state of the technique and the nature of the service permit. Appendix 1 is provided as a guide for the determination of the necessary bandwidth.

3.10 Where bandwidth-expansion techniques are used, the minimum spectral power density consistent with efficient spectrum utilization shall be employed.

3.11 Wherever necessary for efficient spectrum use, the receivers used by any service should comply as far as possible with the frequency tolerances of the transmitters of that service, due regard being paid to the Doppler effect where appropriate.

3.12 Receiving stations should use equipment with technical characteristics appropriate for the class of emission concerned; in particular, selectivity should be appropriate having regard to No. 3.9 on the bandwidths of emissions.

⁴ The provisions within this Chapter is identical with the provisions in ITU Radio Regulations Article 3, Edition 2020.

3.13 The performance characteristics of receivers should be adequate to ensure that they do not suffer from interference due to transmitters situated at a reasonable distance and which operate in accordance with these Regulations.

3.14 To ensure compliance with these Regulations, administrations shall arrange for frequent checks to be made of the emissions of stations under their jurisdiction. For this purpose, they shall use the means indicated in Article **16**, if required. The technique of measurements and the intervals of measurements to be employed shall be, as far as is practicable, in accordance with the most recent ITU-R Recommendations.

3.15 The use of damped wave emissions is forbidden in all stations.

CHAPTER 4⁵

Assignment and use of frequencies

4.1 Member States shall endeavour to limit the number of frequencies and the spectrum used to the minimum essential to provide in a satisfactory manner the necessary services. To that end they shall endeavour to apply the latest technical advances as soon as possible (CS 195).

4.2 Member States undertake that in assigning frequencies to stations which are capable of causing harmful interference to the services rendered by the stations of another country, such assignments are to be made in accordance with the Table of Frequency Allocations and other provisions of these Regulations.

4.3 Any new assignment or any change of frequency or other basic characteristic of an existing assignment (see Appendix 4) shall be made in such a way as to avoid causing harmful interference to services rendered by stations using frequencies assigned in accordance with the Table of Frequency Allocations in this Chapter and the other provisions of these Regulations, the characteristics of which assignments are recorded in the Master International Frequency Register.

4.4 Administrations of the Member States shall not assign to a station any frequency in derogation of either the Table of Frequency Allocations in this Chapter or the other provisions of these Regulations, except on the express condition that such a station, when using such a frequency assignment, shall not cause harmful interference to, and shall not claim protection from harmful interference caused by, a station operating in accordance with the provisions of the Constitution, the Convention and these Regulations.

4.5 The frequency assigned to a station of a given service shall be separated from the limits of the band allocated to this service in such a way that, taking account of the frequency band assigned to a station, no harmful interference is caused to services to which frequency bands immediately adjoining are allocated.

4.6 For the purpose of resolving cases of harmful interference, the radio astronomy service shall be treated as a radiocommunication service. However, protection from services in other bands shall be afforded the radio astronomy service only to the extent that such services are afforded protection from each other.

4.7 For the purpose of resolving cases of harmful interference, the space research (passive) service and the earth exploration-satellite (passive) service shall be afforded protection from different services in other bands only to the extent that these different services are protected from each other.

4.8 Where, in adjacent Regions or sub-Regions, a band of frequencies is allocated to different services of the same category (see Sections I and II of Article 5), the basic principle is the equality of right to operate. Accordingly, the stations of each service in one Region or sub-Region must operate so as not to cause harmful interference to any service of the same or higher category in the other Regions or sub-Regions. (WRC-03)

4.9 No provision of these Regulations prevents the use by a station in distress, or by a station providing assistance to it, of any means of radiocommunication at its disposal to attract attention, make known the condition and location of the station in distress, and obtain or provide assistance.

4.10 Member States recognize that the safety aspects of radionavigation and other safety services require special measures to ensure their freedom from harmful interference; it is necessary therefore to take this factor into account in the assignment and use of frequencies.

4.11 Member States recognize that among frequencies which have long-distance propagation characteristics, those in the bands between 5 MHz and 30 MHz are particularly useful for long-distance communications; they agree to make every possible effort to reserve these bands for such communications.

⁵ The provisions within this Chapter is identical with the corresponding provisions in ITU Radio Regulations Article 4, Edition 2020.

Whenever frequencies in these bands are used for short- or medium-distance communications, the minimum power necessary shall be employed.

4.12 To reduce requirements for frequencies in the bands between 5 MHz and 30 MHz and thus to prevent harmful interference to long-distance radiocommunications, administrations are encouraged to use, whenever practicable, any other possible means of communication.

4.13 When special circumstances make it indispensable to do so, an administration may, as an exception to the normal methods of working authorized by these Regulations, have recourse to the special methods of working enumerated below, on the sole condition that the characteristics of the stations still conform to those inserted in the Master International Frequency Register:

4.14 a) a station in the fixed service or an earth station in the fixed-satellite service may, under the conditions defined in Nos. **5.28** to **5.31**, transmit to mobile stations on its normal frequencies;

4.15 b) a land station may communicate, under the conditions defined in Nos. **5.28** to **5.31**, with fixed stations in the fixed service or earth stations in the fixed-satellite service or other land stations of the same category.

4.15A (SUP - WRC-12)

4.16 However, in circumstances involving the safety of life, or the safety of a ship or aircraft, a land station may communicate with fixed stations or land stations of another category.

4.17 Any administration may assign a frequency in a band allocated to the fixed service or allocated to the fixed-satellite service to a station authorized to transmit, unilaterally, from one specified fixed point to one or more specified fixed points provided that such transmissions are not intended to be received directly by the general public.

4.18 Any mobile station using an emission which satisfies the frequency tolerance applicable to the coast station with which it is communicating may transmit on the same frequency as the coast station on condition that the latter requests such transmission and that no harmful interference is caused to other stations.

4.19 In certain cases provided for in Articles **31** and **51**, aircraft stations are authorized to use frequencies in the bands allocated to the maritime mobile service for the purpose of communicating with stations of that service (see No. **51.73**). (WRC-07)

4.20 Aircraft earth stations are authorized to use frequencies in the bands allocated to the maritime mobile-satellite service for the purpose of communicating, via the stations of that service, with the public telegraph and telephone networks.

4.21 In exceptional cases, land mobile earth stations in the land mobile-satellite service may communicate with stations in the maritime mobile-satellite and aeronautical mobile-satellite services. Such operations shall comply with the relevant provisions of the Radio Regulations relating to those services and shall be subject to agreement among administrations concerned, taking due account of No. **4.10**.

4.22 Any emission capable of causing harmful interference to distress, alarm, urgency or safety communications on the international distress and emergency frequencies established for these purposes by these Regulations is prohibited. Supplementary distress frequencies available on less than a worldwide basis should be afforded adequate protection.

4.23 Transmissions to or from high altitude platform stations shall be limited to bands specifically identified in Article **5**. (WRC-12)

4.24 Space research systems intended to operate in deep space may also use the space research service (deep space) allocations, with the same status as those allocations, when the spacecraft is near the Earth, such as during launch, early orbit, flying by the Earth and returning to the Earth. (WRC-15)

CHAPTER 5⁶


Frequency allocations

Section I – Regions and areas

5.2 For the allocation of frequencies the world has been divided into three Regions¹ as shown on the following map and described in Nos. 5.3 to 5.9:

Figure 1. The radio communication Regions (shortly Regions) of world

The shaded part represents the Tropical Zones as defined in Nos. 5.16 to 5.20 and 5.21.



5.3 *Region 1:* Region 1 includes the area limited on the east by line A (lines A, B and C are defined below) and on the west by line B, excluding any of the territory of the Islamic Republic of Iran which lies between these limits. It also includes the whole of the territory of Armenia, Azerbaijan, the Russian Federation, Georgia, Kazakhstan, Mongolia, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan, Turkey and Ukraine and the area to the north of Russian Federation which lies between lines A and C.

5.4 *Region 2:* Region 2 includes the area limited on the east by line B and on the west by line C.

5.5 *Region 3:* Region 3 includes the area limited on the east by line C and on the west by line A, except any of the territory of Armenia, Azerbaijan, the Russian Federation, Georgia, Kazakhstan, Mongolia, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan, Turkey and Ukraine and the area to the north of Russian Federation. It also includes that part of the territory of the Islamic Republic of Iran lying outside of those limits.

5.6 The lines A, B and C are defined as follows:

5.7 *Line A:* Line A extends from the North Pole along meridian 40° East of Greenwich to parallel 40° North; thence by great circle arc to the intersection of meridian 60° East and the Tropic of Cancer; thence along the meridian 60° East to the South Pole.

⁶ Except explanatory text in section III*bis*, the naming of sections and numbering of provisions within this Chapter is identical with the corresponding naming and numbering in ITU Radio Regulations Article 5, Edition 2020.

¹ 5.2.1 It should be noted that where the words “regions” or “regional” are without a capital “R” in these Regulations, they do not relate to the three Regions here defined for purposes of frequency allocation.

5.8 *Line B:* Line B extends from the North Pole along meridian 10° West of Greenwich to its intersection with parallel 72° North; thence by great circle arc to the intersection of meridian 50° West and parallel 40° North; thence by great circle arc to the intersection of meridian 20° West and parallel 10° South; thence along meridian 20° West to the South Pole.

5.9 *Line C:* Line C extends from the North Pole by great circle arc to the intersection of parallel 65° 30' North with the international boundary in Bering Strait; thence by great circle arc to the intersection of meridian 165° East of Greenwich and parallel 50° North; thence by great circle arc to the intersection of meridian 170° West and parallel 10° North; thence along parallel 10° North to its intersection with meridian 120° West; thence along meridian 120° West to the South Pole.

5.10 For the purposes of these Regulations, the term “African Broadcasting Area” means:

5.11 a) African countries, parts of countries, territories and groups of territories situated between the parallels 40° South and 30° North;

5.12 b) islands in the Indian Ocean west of meridian 60° East of Greenwich, situated between the parallel 40° South and the great circle arc joining the points 45° East, 11° 30' North and 60° East, 15° North;

5.13 c) islands in the Atlantic Ocean east of line B defined in No. 5.8 of these Regulations, situated between the parallels 40° South and 30° North.

5.14 The “European Broadcasting Area” is bounded on the west by the western boundary of Region 1, on the east by the meridian 40° East of Greenwich and on the south by the parallel 30° North so as to include the northern part of Saudi Arabia and that part of those countries bordering the Mediterranean within these limits. In addition, Armenia, Azerbaijan, Georgia and those parts of the territories of Iraq, Jordan, Syrian Arab Republic, Turkey and Ukraine lying outside the above limits are included in the European Broadcasting Area. (WRC-07)

5.15 The “European Maritime Area” is bounded to the north by a line extending along parallel 72° North from its intersection with meridian 55° East of Greenwich to its intersection with meridian 5° West, then along meridian 5° West to its intersection with parallel 67° North, thence along parallel 67° North to its intersection with meridian 32° West; to the west by a line extending along meridian 32° West to its intersection with parallel 30° North; to the south by a line extending along parallel 30° North to its intersection with meridian 43° East; to the east by a line extending along meridian 43° East to its intersection with parallel 60° North, thence along parallel 60° North to its intersection with meridian 55° East and thence along meridian 55° East to its intersection with parallel 72° North.

5.16 1) The “Tropical Zone” (see map in No. 5.2) is defined as:

5.17 a) the whole of that area in Region 2 between the Tropics of Cancer and Capricorn;

5.18 b) the whole of that area in Regions 1 and 3 contained between the parallels 30° North and 35° South with the addition of:

5.19 i) The area contained between the meridians 40° East and 80° East of Greenwich and the parallels 30° North and 40° North;

5.20 ii) that part of Libya north of parallel 30° North.

5.21 2) In Region 2, the Tropical Zone may be extended to parallel 33° North, subject to special agreements between the countries concerned in that Region (see Article 6).

5.22 A sub-Region is an area consisting of two or more countries in the same Region.

Section II – Categories of services and allocations

5.23 *Primary and secondary services*

5.24 1) Where, in a box of the Table in Section IV of this Article, a band is indicated as allocated to more than one service, either on a worldwide or Regional basis, such services are listed in the following order:

5.25 a) services the names of which are printed in “capitals” (example: FIXED); these are called “primary” services;

5.26 b) services the names of which are printed in “normal characters” (example: Mobile); these are called “secondary” services (see Nos. 5.28 to 5.31).

5.27 2) Additional remarks shall be printed in normal characters (example: MOBILE except aeronautical mobile).

5.28 3) Stations of a secondary service:

5.29 a) shall not cause harmful interference to stations of primary services to which frequencies are already assigned or to which frequencies may be assigned at a later date;

5.30 b) cannot claim protection from harmful interference from stations of a primary service to which frequencies are already assigned or may be assigned at a later date;

5.31 c) can claim protection, however, from harmful interference from stations of the same or other secondary service(s) to which frequencies may be assigned at a later date.

5.32 4) Where a band is indicated in a footnote of the Table as allocated to a service “on a secondary basis” in an area smaller than a Region, or in a particular country, this is a secondary service (see Nos. **5.28** to **5.31**).

5.33 5) Where a band is indicated in a footnote of the Table as allocated to a service “on a primary basis”, in an area smaller than a Region, or in a particular country, this is a primary service only in that area or country.

5.34 *Additional allocations*

5.35 1) Where a band is indicated in a footnote of the Table as “also allocated” to a service in an area smaller than a Region, or in a particular country, this is an “additional” allocation, i.e. an allocation which is added in this area or in this country to the service or services which are indicated in the Table (see No. **5.36**).

5.36 2) If the footnote does not include any restriction on the service or services concerned apart from the restriction to operate only in a particular area or country, stations of this service or these services shall have equality of right to operate with stations of the other primary service or services indicated in the Table.

5.37 3) If restrictions are imposed on an additional allocation in addition to the restriction to operate only in a particular area or country, this is indicated in the footnote of the Table.

5.38 *Alternative allocations*

5.39 1) Where a band is indicated in a footnote of the Table as “allocated” to one or more services in an area smaller than a Region, or in a particular country, this is an “alternative” allocation, i.e. an allocation which replaces, in this area or in this country, the allocation indicated in the Table (see No. **5.40**).

5.40 2) If the footnote does not include any restriction on stations of the service or services concerned, apart from the restriction to operate only in a particular area or country, these stations of such a service or services shall have an equality of right to operate with stations of the primary service or services, indicated in the Table, to which the band is allocated in other areas or countries.

5.41 3) If restrictions are imposed on stations of a service to which an alternative allocation is made, in addition to the restriction to operate only in a particular country or area, this is indicated in the footnote.

5.42 *Miscellaneous provisions*

5.43 1) Where it is indicated in these Regulations that a service or stations in a service may operate in a specific frequency band subject to not causing harmful interference to another service or to another station in the same service, this means also that the service which is subject to not causing harmful interference cannot claim protection from harmful interference caused by the other service or other station in the same service. (WRC-2000)

5.43A *1bis*) Where it is indicated in these Regulations that a service or stations in a service may operate in a specific frequency band subject to not claiming protection from another service or from another station in the same service, this means also that the service which is subject to not claiming protection shall not cause harmful interference to the other service or other station in the same service. (WRC-2000)

5.44 2) Except if otherwise specified in a footnote, the term “fixed service”, where appearing in Section IV of this Article, does not include systems using ionospheric scatter propagation.

5.45 Not used.

Section III – Description of the Table of Frequency Allocations, Column Regions 1 to 3

5.46 1) The heading of the Table in Section IV of this Article includes three columns, each of which corresponds to one of the Regions (see No. **5.2**). Where an allocation occupies the whole of the width of the Table or only one or two of the three columns, this is a worldwide allocation or a Regional allocation, respectively.

5.47 2) The frequency band referred to in each allocation is indicated in the left-hand top corner of the part of the Table concerned.

5.48 3) Within each of the categories specified in Nos. **5.25** and **5.26**, services are listed in alphabetical order according to the French language. The order of listing does not indicate relative priority within each category.

5.49 4) In the case where there is a parenthetical addition to an allocation in the Table, that service allocation is restricted to the type of operation so indicated.

5.50 5) The footnote references which appear in the Table below the allocated service or services apply to more than one of the allocated services, or to the whole of the allocation concerned. (WRC-2000)

5.51 6) The footnote references which appear to the right of the name of a service are applicable only to that particular service.

5.52 7) In certain cases, the names of countries appearing in the footnotes have been simplified in order to shorten the text.

Section IIIbis – Description of the Table of Frequency Allocations, Columns National Allocations and Usage

User Categories:

Column “National Allocations” does not identify the category of users who allowed (after obtaining of a spectrum license) to operate stations of all or specified radiocommunication service(s) within that frequency band in the territory of the Democratic Republic of Timor-Leste.

Footnotes:

ITU-R Region 3 footnotes, under each frequency band, were analyzed and the relevant footnotes were repeated under the corresponding bands in the fourth column (column National Allocations). Country footnotes which contain name of countries that their different utilization may make interference to national operations, are also repeated in the fourth column. Furthermore, few number of footnotes under TLSxx -format created to represent national position on related allocations. The text of all footnote (international and national) is provided after the Table. National footnotes presented in Section IV.

Usage column:

This column provides wide range of information related to the applications of services within each frequency band, including:

- Describing frequency band plan, as far as possible;
- Highlighting major information that are inside the text of footnotes;
- Giving some technical conditions;
- Identification of frequency band to applications;
- Etc.

Section IV – Table of Frequency Allocations (See No. ITU RR 2.1)

This table, in several pages, presents the Regions 1, 2 and 3 as well as national frequency allocations. The element of table explained in Sections III and IIIbis of this chapter.

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
Below 8.3 5.53 5.54	(Not allocated)		Below 8.3 (Not allocated) 5.53 5.54	1. SRD Inductive applications
8.3-9	METEOROLOGICAL AIDS 5.54A 5.54B 5.54C		8.3-9 METEOROLOGICAL AIDS 5.54A	1. Passive use only under MetAid 2. SRD inductive applications
9-11.3 RADIONAVIGATION	METEOROLOGICAL AIDS 5.54A		9-11.3 METEOROLOGICAL AIDS 5.54A RADIONAVIGATION	1. Passive use only under MetAid 2. SRD inductive applications 3. Medical implant SRD
11.3-14	RADIONAVIGATION		11.3-14 RADIONAVIGATION	1. SRD inductive applications 2. Medical implant SRD
14-19.95 5.55 5.56	FIXED MARITIME MOBILE 5.57		14-19.95 FIXED MARITIME MOBILE 5.57 5.56	1. SRD inductive applications 2. Coastal radiotelegraph and teleprinter 3. Medical implant SRD
19.95-20.05	STANDARD FREQUENCY AND TIME SIGNAL (20 kHz)		19.95-20.05 STANDARD FREQUENCY AND TIME SIGNAL (20 kHz)	1. SRD inductive applications 2. Medical implant SRD
20.05-70 5.56 5.58	FIXED MARITIME MOBILE 5.57		20.05-70 FIXED MARITIME MOBILE 5.57 5.56	1. SRD inductive applications 2. Coastal radiotelegraph and teleprinter (5.57) 3. Medical implant SRD
70-72 RADIONAVIGATION 5.60	70-90 FIXED MARITIME MOBILE 5.57 MARITIME RADIO- NAVIGATION 5.60 Radiolocation	70-72 RADIONAVIGATION 5.60 Fixed Maritime mobile 5.57 5.59	70-72 RADIONAVIGATION 5.60 Fixed Maritime mobile 5.57	1. SRD inductive applications 2. Coastal radiotelegraph and teleprinter (5.57) 3. Complimentary fixed station to maritime mobile 4. LORAN systems 5. Medical implant SRD
72-84 FIXED MARITIME MOBILE 5.57 RADIONAVIGATION 5.60 5.56		72-84 FIXED MARITIME MOBILE 5.57 RADIONAVIGATION 5.60	72-84 FIXED MARITIME MOBILE 5.57 RADIONAVIGATION 5.60	1. SRD inductive applications 2. Coastal radiotelegraph and teleprinter (5.57) 3. Complimentary fixed station to maritime mobile 4. LORAN systems 5. Medical implant SRD

84-130 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
84-86 RADIONAVIGATION 5.60	5.61	84-86 RADIONAVIGATION 5.60 Fixed Maritime mobile 5.57 5.59	84-86 RADIONAVIGATION 5.60 Fixed Maritime mobile 5.57	1. SRD inductive applications 2. Coastal radiotelegraph and teleprinter (5.57) 3. Complimentary fixed station to maritime mobile 4. LORAN systems 5. Medical implant SRD
86-90 FIXED MARITIME MOBILE 5.57 RADIONAVIGATION 5.56		86-90 FIXED MARITIME MOBILE 5.57 RADIONAVIGATION 5.60	86-90 FIXED MARITIME MOBILE 5.57 RADIONAVIGATION 5.60	1. SRD inductive applications 2. Coastal radiotelegraph and teleprinter (5.57) 3. Complimentary fixed station to maritime mobile 4. Medical implant SRD
90-110	RADIONAVIGATION 5.62 Fixed 5.64		90-110 RADIONAVIGATION 5.62 Fixed 5.64	1. LORAN-C en-route hyperbolic aeronautical radionavigation system 2. SRD inductive applications 3. Medical implant SRD
110-112 FIXED MARITIME MOBILE RADIONAVIGATION 5.64	110-130 FIXED MARITIME MOBILE MARITIME RADIO- NAVIGATION 5.60 Radiolocation	110-112 FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64	110-112 FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64	1. LORAN-C system 2. SRD inductive applications 3. Medical implant SRD
112-115 RADIONAVIGATION 5.60		112-117.6 RADIONAVIGATION 5.60 Fixed Maritime mobile 5.64 5.65	112-117.6 RADIONAVIGATION 5.60 Fixed Maritime mobile 5.64	1. LORAN systems 2. SRD inductive applications 3. Medical implant SRD
115-117.6 RADIONAVIGATION 5.60 Fixed Maritime mobile 5.64 5.66				
117.6-126 FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64		117.6-126 FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64	117.6-126 FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64	1. RFID in 125-135 kHz 2. SRD inductive applications 3. Medical implant SRD

126-255 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
126-129 RADIONAVIGATION 5.60	5.61 5.64	126-129 RADIONAVIGATION 5.60 Fixed Maritime mobile 5.64 5.65	126-129 RADIONAVIGATION 5.60 Fixed Maritime mobile 5.64	1. RFID in 125-135 kHz 2. SRD inductive applications 3. Medical implant SRD
129-130 FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64		129-130 FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64	129-130 FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64	1. RFID in 125-135 kHz 2. SRD inductive applications 3. Medical implant SRD
130-135.7 FIXED MARITIME MOBILE 5.64 5.67	130-135.7 FIXED MARITIME MOBILE 5.64	130-135.7 FIXED MARITIME MOBILE RADIONAVIGATION 5.64	130-135.7 FIXED MARITIME MOBILE RADIONAVIGATION 5.64	1. RFID in 125-135 kHz 2. SRD inductive applications 3. Medical implant SRD
135.7-137.8 FIXED MARITIME MOBILE Amateur 5.67A 5.64 5.67 5.67B	135.7-137.8 FIXED MARITIME MOBILE Amateur 5.67A 5.64	135.7-137.8 FIXED MARITIME MOBILE RADIONAVIGATION Amateur 5.67A 5.64 5.67B	135.7-137.8 FIXED MARITIME MOBILE RADIONAVIGATION Amateur 5.67A 5.64	1. SRD inductive applications 2. Medical implant SRD
137.8-148.5 FIXED MARITIME MOBILE 5.64 5.67	137.8-160 FIXED MARITIME MOBILE 5.64	137.8-160 FIXED MARITIME MOBILE RADIONAVIGATION 5.64	137.8-160 FIXED MARITIME MOBILE RADIONAVIGATION 5.64	1. SRD inductive applications (up to 148.5 kHz) 2. Medical implant SRD
148.5-255 BROADCASTING 5.68 5.69 5.70	160-190 FIXED	160-190 FIXED Aeronautical radionavigation	160-190 FIXED Aeronautical radionavigation	1. Aeronautical Non-Directional radio Beacon (NDB) (RR. App.12) 2. Non-specific SRD and medical implants
	190-200 AERONAUTICAL RADIONAVIGATION		190-200 AERONAUTICAL RADIONAVIGATION	1. Aeronautical Non-Directional radio Beacon (NDB) (RR App.12) 2. Medical implant SRD

200-405 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
	200-275 AERONAUTICAL RADIONAVIGATION Aeronautical mobile	200-285 AERONAUTICAL RADIONAVIGATION Aeronautical mobile	200-285 AERONAUTICAL RADIONAVIGATION Aeronautical mobile	1. L-type non-directional aeronautical radio beacon (NDB) 2. Medical implant SRD
255-283.5 BROADCASTING AERONAUTICAL RADIONAVIGATION 5.70	275-285 AERONAUTICAL RADIONAVIGATION Aeronautical mobile			
283.5-315 AERONAUTICAL RADIONAVIGATION MARITIME RADIONAVIGATION (radiobeacons) 5.73 5.74	Maritime radionavigation (radiobeacons)			
	285-315 AERONAUTICAL RADIONAVIGATION MARITIME RADIONAVIGATION (radiobeacons) 5.73		285-315 AERONAUTICAL RADIONAVIGATION MARITIME RADIONAVIGATION (radiobeacons) 5.73	1. L-type non-directional aeronautical radio beacon (NDB) 2. Maritime Radio beacons (RR No. App.12) 3. Medical implant SRD
315-325 AERONAUTICAL RADIONAVIGATION Maritime radionavigation (radiobeacons) 5.73 5.75	315-325 MARITIME RADIONAVIGATION (radiobeacons) 5.73 Aeronautical radionavigation	315-325 AERONAUTICAL RADIONAVIGATION MARITIME RADIONAVIGATION (radiobeacons) 5.73	315-325 AERONAUTICAL RADIONAVIGATION MARITIME RADIONAVIGATION (radiobeacons) 5.73	1. L-type non-directional aeronautical radio beacon (NDB) 2. Maritime Radio beacons (RR No. App.12) 3. Medical implant SRD
325-405 AERONAUTICAL RADIONAVIGATION	325-335 AERONAUTICAL RADIONAVIGATION Aeronautical mobile Maritime radionavigation (radiobeacons)	325-405 AERONAUTICAL RADIONAVIGATION Aeronautical mobile	325-405 AERONAUTICAL RADIONAVIGATION Aeronautical mobile	1. L-type non-directional aeronautical radio beacon (NDB) 2. Maritime Radio beacons (RR No. App.12) 3. Medical implant SRD
	335-405 AERONAUTICAL RADIONAVIGATION Aeronautical mobile			

405-505 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
405-415 RADIONAVIGATION 5.76	405-415 RADIONAVIGATION 5.76 Aeronautical mobile		405-415 RADIONAVIGATION 5.76 Aeronautical mobile	1. Maritime Direction Finding radionavigation system. 2. L-type Non-directional aeronautical radio Beacon (NDB) 3. Medical implant SRD
415-435 MARITIME MOBILE 5.79 AERONAUTICAL RADIONAVIGATION	415-472 MARITIME MOBILE 5.79 Aeronautical radionavigation 5.77 5.80		415-472 MARITIME MOBILE 5.79 Aeronautical radionavigation 5.77	1. Narrow Band Radiotelegraphy and DSC application in maritime mobile (RR Articles 51 and 52) 2. L-type Non-directional aeronautical radio Beacon (NDB) 3. Medical implant SRD
435-472 MARITIME MOBILE 5.79 Aeronautical radionavigation 5.77 5.82		5.78 5.82		
472-479 MARITIME MOBILE 5.79 Amateur 5.80A Aeronautical radionavigation 5.77 5.80 5.80B 5.82			472-479 MARITIME MOBILE 5.79 Amateur Aeronautical radionavigation 5.77 5.82	1. L-type Non-directional aeronautical radio Beacon (NDB) 2. Ship stations working frequencies on 454 kHz and 468 kHz (RR Article 52) 3. Medical implant SRD
479-495 MARITIME MOBILE 5.79 5.79A Aeronautical radionavigation 5.77 5.82	479-495 MARITIME MOBILE 5.79 5.79A Aeronautical radionavigation 5.77 5.80 5.82		479-495 MARITIME MOBILE 5.79 5.79A Aeronautical radionavigation 5.77 5.82	1. Narrow Band Radiotelegraphy and (DSC) application in maritime mobile (RR Articles 51 and 52) 2. Maritime safety information (MSI), NAVTEX 3. L-type Non-directional aeronautical radio Beacon (NDB) 4. Ship stations working frequency on 480 kHz (RR Article 52) 5. Medical implant SRD
495-505	MARITIME MOBILE 5.82C		495-505 MARITIME MOBILE 5.82C	1. International NAVDAT and international distress and calling frequency for Morse radiotelegraphy (RR Article and 52, and App. 13) 2. Medical implant SRD

505-1 800 kHz

Allocation to services			National Allocations	Usage
Region 1	Region 2	Region 3		
505-526.5 MARITIME MOBILE 5.79 5.79A 5.84 AERONAUTICAL RADIONAVIGATION	505-510 MARITIME MOBILE 5.79	505-526.5 MARITIME MOBILE 5.79 5.79A 5.84 AERONAUTICAL RADIONAVIGATION Aeronautical mobile Land mobile	505-526.5 MARITIME MOBILE 5.79 5.79A 5.84 AERONAUTICAL RADIONAVIGATION Aeronautical mobile Land mobile	1. Narrow Band Radiotelegraphy and DSC application in maritime mobile (Articles 51 and 52) 2. International NAVTEX system (518 kHz) 3. Aeronautical Radio Beacons 4. Secondary land mobile applications in simplex operation mode in 505-535 kHz 5. Medical implant SRD
	510-525 MARITIME MOBILE 5.79A 5.84 AERONAUTICAL RADIONAVIGATION			
	525-535			
526.5-1 606.5 BROADCASTING	526.5-535 BROADCASTING Mobile 5.88	526.5-535 BROADCASTING Mobile	1. Voice broadcasting (120 nine kHz channels) 2. Medical implant SRD (up to 600 kHz) 3. Railway SRD 4. Secondary mobile applications in simplex operation mode in 505-535 kHz, only subject to coordination with broadcasting	
5.87 5.87A	535-1 605 BROADCASTING	535-1 606.5 BROADCASTING		
1 606.5-1 625 FIXED MARITIME MOBILE 5.90 LAND MOBILE 5.92	BROADCASTING 5.89 5.90	1 606.5-1 800 FIXED MOBILE RADIOLOCATION RADIONAVIGATION	1 606.5-1 800 FIXED MOBILE RADIOLOCATION RADIONAVIGATION	1. NBDP telegraphy and DSC applications in maritime mobile service by coastal stations (RR Articles 51 and 52) 2. Railway SRD 3. long-range fixed and mobile applications in simplex operation mode
1 625-1 635 RADIOLOCATION 5.93	1 625-1 705 FIXED MOBILE BROADCASTING 5.89 Radiolocation 5.90			
1 635-1 800 FIXED MARITIME MOBILE 5.90 LAND MOBILE 5.92 5.96	1 705-1 800 FIXED MOBILE RADIOLOCATION AERONAUTICAL RADIONAVIGATION			

1 800-2 160 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
1 800-1 810 RADIOLOCATION 5.93	1 800-1 850 AMATEUR 1 850-2 000 AMATEUR FIXED MOBILE except aeronautical mobile RADIONAVIGATION Radiolocation 1 850-2 000 AMATEUR FIXED MOBILE except aeronautical mobile RADIOLOCATION RADIONAVIGATION 5.102	1 800-2 000 AMATEUR FIXED MOBILE except aeronautical mobile RADIONAVIGATION Radiolocation 5.97	1 800-2 000 AMATEUR FIXED MOBILE except aeronautical mobile RADIONAVIGATION Radiolocation 5.97	1. long-range fixed and mobile application in simplex operation mode 2. Loran system 3. Railway SRD
1 810-1 850 AMATEUR 5.98 5.99 5.100				
1 850-2 000 FIXED MOBILE except aeronautical mobile 5.92 5.96 5.103				
2 000-2 025 FIXED MOBILE except aeronautical mobile (R) 5.92 5.103	2 000-2 065 FIXED MOBILE 2 065-2 107 MARITIME MOBILE 5.105 5.106	2 000-2 065 FIXED MOBILE	2 065-2 107 MARITIME MOBILE 5.106	1. Long-range fixed and mobile applications in simplex operation mode 1.Fixed station subject to 5.106
2 025-2 045 FIXED MOBILE except aeronautical mobile (R) Meteorological aids 5.104 5.92 5.103				
2 045-2 160 FIXED MARITIME MOBILE LAND MOBILE 5.92				

2 107-2 501 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
2 160-2 170 RADIOLOCATION 5.93 5.107	2 107-2 170 FIXED MOBILE		2 107-2 170 FIXED MOBILE	1. Long-range fixed and mobile applications in simplex operation mode
2 170-2 173.5	MARITIME MOBILE		2 170-2 173.5 MARITIME MOBILE	1. Maritime applications
2 173.5-2 190.5	MOBILE (distress and calling) 5.108 5.109 5.110 5.111		2 173.5-2 190.5 MOBILE (distress and calling) 5.108 5.109 5.110 5.111	1. DSC on 2187.5 kHz 2. Radio telephony international distress and calling on 2182 kHz 3. NBDP telegraphy international distress on 2174.5 kHz 4. SAR radiocommunication service on 2182 kHz (RR App.15)
2 190.5-2 194	MARITIME MOBILE		2 190.5-2 194 MARITIME MOBILE	1. A maritime Radiocommunication channel for NBDP or SSB radiotelephony by coastal station transmitter (Articles 51 and 52)
2 194-2 300 FIXED MOBILE except aeronautical mobile (R) 5.92 5.103 5.112	2 194-2 300 FIXED MOBILE 5.112		2 194-2 300 FIXED MOBILE	1. In making assignments to stations in the fixed and mobile services, the special requirements of the maritime mobile service should be met. 2. Maritime mobile applications (RR Articles 51 and 52)
2 300-2 498 FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.113 5.103	2 300-2 495 FIXED MOBILE BROADCASTING 5.113		2 300-2 495 FIXED MOBILE BROADCASTING 5.113	1. Long-range fixed and mobile applications in simplex operation mode 2. SSB Radiotelephony transmission by inter-ship correspondence 3. Broadcasting subject to RR Article 23 below 30° North
2 498-2 501 STANDARD FREQUENCY AND TIME SIGNAL (2 500 kHz)	2 495-2 501 STANDARD FREQUENCY AND TIME SIGNAL (2 500 kHz)		2 495-2 501 STANDARD FREQUENCY AND TIME SIGNAL (2 500 kHz)	1. See RR Article 26 and ITU-R Recommendation TF series

2 501-3 200 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
2 501-2 502	STANDARD FREQUENCY AND TIME SIGNAL Space Research		2 501-2 502 STANDARD FREQUENCY AND TIME SIGNAL Space Research	1. See RR Article 26 and ITU-R Recommendation TF series
2 502-2 625 FIXED MOBILE except aeronautical mobile (R) 5.92 5.103 5.114	2 502-2 505 STANDARD FREQUENCY AND TIME SIGNAL		2 502-2 505 STANDARD FREQUENCY AND TIME SIGNAL	1. See RR Article 26 and ITU-R Recommendation TF series
	2 505-2 850 FIXED MOBILE		2 505-2 850 FIXED MOBILE	1. Long-range fixed and mobile applications in duplex operation mode in 2.705-2.85 MHz / 2.505-2.65 MHz and in simplex operation mode in 2.65-2.705 MHz 2. Maritime mobile applications (RR Articles 51 and 52)
2 650-2 850 FIXED MOBILE except aeronautical mobile (R) 5.92 5.103				
2 850-3 025	AERONAUTICAL MOBILE (R) 5.111 5.115		2 850-3 025 AERONAUTICAL MOBILE (R) 5.111 5.115	1. Application of this band is in accordance to Allotment plan (RR App. 27) 2. SAR on 3023 kHz (RR App. 15)
3 025-3 155	AERONAUTICAL MOBILE (OR)		3 025-3 155 AERONAUTICAL MOBILE (OR)	1. Application of this band is in accordance to Allotment plan (RR App. 26)
3 155-3 200	FIXED MOBILE except aeronautical mobile (R) 5.116 5.117		3 155-3 200 FIXED MOBILE except aeronautical mobile (R) 5.116	1. Long-range fixed and mobile applications in simplex operation mode 2. NBDP in maritime mobile service (RR Articles 51 and 52) 3. Inductive SRDs 4. Low power wireless hearing aids

3 200-4 000 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
3 200-3 230	FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.113 5.116		3 200-3 230 FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.113 5.116	1. Long-range fixed and mobile applications in simplex operation mode 2. Inductive SRDs 3. Low power wireless hearing aids
3 230-3 400	FIXED MOBILE except aeronautical mobile BROADCASTING 5.113 5.116 5.118		3 230-3 400 FIXED MOBILE except aeronautical mobile BROADCASTING 5.113 5.116	1. Long-range fixed and mobile applications in simplex operation mode 2. Maritime mobile is explained in the (RR Articles 51 and 52) 3. Inductive SRDs 4. Low power wireless hearing aids
3 400-3 500	AERONAUTICAL MOBILE (R)		3 400-3 500 AERONAUTICAL MOBILE (R)	1. Aeronautical radiotelephony and data transmission (RR allotment plan in App. 27)
3 500-3 800 AMATEUR FIXED MOBILE except aeronautical mobile 5.92	3 500-3 750 AMATEUR 5.119	3 500-3 900 AMATEUR FIXED MOBILE	3 500-3 900 AMATEUR FIXED MOBILE	1. 80 meters amateur frequency band (only within the bands 3500-3550 kHz and 3600-3850 kHz) 2. Long range fixed and mobile applications
3 800-3 900 FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE	3 750-4 000 AMATEUR FIXED MOBILE except aeronautical mobile (R)			
3 900-3 950 AERONAUTICAL MOBILE (OR) 5.123		3 900-3 950 AERONAUTICAL MOBILE BROADCASTING	3 900-3 950 AERONAUTICAL MOBILE BROADCASTING	1. Broadcasting service under RR Resolution 517 (WRC-15) 2. Non-allotted aeronautical mobile application
3 950-4 000 FIXED BROADCASTING	5.122 5.125	3 950-4 000 FIXED BROADCASTING 5.126	3 950-4 000 FIXED BROADCASTING 5.126	1. Broadcasting service under RR Resolution 517 (WRC-15) 2. Long range fixed application in simplex operation mode

4 000-4 750 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
4 000-4 063	FIXED MARITIME MOBILE 5.127 5.126		4 000-4 063 FIXED MARITIME MOBILE 5.127 5.126	1. SSB radiotelephony application in ship stations (Sub-Section C-1, RR App. 17) 2. Long range fixed application in simplex operation mode
4 063-4 438	MARITIME MOBILE 5.79A 5.109 5.110 5.130 5.131 5.132 5.128		4 063-4 438 MARITIME MOBILE 5.79A 5.109 5.110 5.130 5.131 5.132 5.128	1. Coastal stations NAVTEX on 4209.6 kHz (alternative to 518 kHz) 2. DSC international distress signal (RR App. 15) 3. NBDP telegraphy international distress signal on 4177.5 kHz 4. Meteorological & navigational warning signal using NBDP 5. MSI on 4210 kHz 6. More detailed information is available in RR App. 17 7. Non-GMDSS safety and distress on 4125 kHz supplementary to 2182 kHz and SAR (RR App. 15)
4 438-4 488 FIXED MOBILE except aeronautical mobile (R) Radiolocation 5.132A 5.132B	4 438-4 488 FIXED MOBILE except aeronautical mobile (R) RADIOLOCATION 5.132A	4 438-4 488 FIXED MOBILE except aeronautical mobile Radiolocation 5.132A	4 438-4 488 FIXED MOBILE except aeronautical mobile Radiolocation 5.132A	1. Long range fixed and mobile except aeronautical mobile applications in simplex operation mode 2. Radiolocation service is only for oceanographic radars in this band (in accordance with RR Resolution 612 (Rev. WRC-12) 3. Ship station duplex operation with coast station (sub-section C-1, RR App.17)
4 488-4 650 FIXED MOBILE except aeronautical mobile (R)		4 488-4 650 FIXED MOBILE except aeronautical mobile	4 488-4 650 FIXED MOBILE except aeronautical mobile	1. Long range fixed and mobile applications in simplex operation mode 2. Ship station duplex operation with coast station (sub-section C-1, RR App.17)
4 650-4 700	AERONAUTICAL MOBILE (R)		4 650-4 700 AERONAUTICAL MOBILE (R)	1. Radiotelephony, Telegraph and data transmission (allotment plan given in RR App. 27)
4 700-4 750	AERONAUTICAL MOBILE (OR)		4 700-4 750 AERONAUTICAL MOBILE (OR)	1. Radiotelephony, Telegraph and data transmission (allotment plan given in RR App. 26)

4 750-5 275 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
4 750-4 850 FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE BROADCASTING 5.113	4 750-4 850 FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.113	4 750-4 850 FIXED BROADCASTING 5.113 Land mobile	4 750-4 850 FIXED BROADCASTING 5.113 Land mobile	1. Long range fixed and land mobile applications in simplex operation mode 2. Tropical zone broadcasting with carrier power not exceeding 50 kW. In any case coordination is necessary (RR Article 23)
4 850-4 995	FIXED LAND MOBILE BROADCASTING 5.113		4 850-4 995 FIXED LAND MOBILE BROADCASTING 5.113	1. Long range fixed and land mobile applications in simplex operation mode 2. Tropical zone broadcasting with carrier power not exceeding 50 kW. In any case coordination is necessary (RR Article 23)
4 995-5 003	STANDARD FREQUENCY AND TIME SIGNAL (5 000 kHz)		4 995-5 003 STANDARD FREQUENCY AND TIME SIGNAL (5 000 kHz)	1. See RR Article 26 and ITU-R Recommendation TF series
5 003-5 005	STANDARD FREQUENCY AND TIME SIGNAL Space research		5 003-5 005 STANDARD FREQUENCY AND TIME SIGNAL Space research	1. See RR Article 26 and ITU-R Recommendation TF series
5 005-5 060	FIXED BROADCASTING 5.113		5 005-5 060 FIXED BROADCASTING 5.113	1. Long range fixed application in simplex operation mode 2. Tropical zone broadcasting with carrier power not exceeding 50 kW. In any case coordination is necessary (RR Article 23)
5 060-5 250	FIXED Mobile except aeronautical mobile 5.133		5 060-5 250 FIXED Mobile except aeronautical mobile	1. Long range fixed and mobile (land mobile and maritime mobile) applications in duplex operation mode in 5.26-5.3515 MHz / 5.06-5.1515 MHz and in simplex operation mode in 5.1515-5.26 MHz
5 250-5 275 FIXED MOBILE except aeronautical mobile Radiolocation 5.132A 5.133A	5 250-5 275 FIXED MOBILE except aeronautical mobile RADIOLOCATION 5.132A	5 250-5 275 FIXED MOBILE except aeronautical mobile Radiolocation 5.132A	5 250-5 275 FIXED MOBILE except aeronautical mobile Radiolocation 5.132A	1. Long range fixed and mobile (land mobile and maritime mobile) applications in duplex operation mode in 5.26-5.3515 MHz / 5.06-5.1515 MHz and in simplex operation mode in 5.1515-5.26 MHz 2. Radiolocation service is only for oceanographic radars in this band (in accordance with RR Resolution 612 (Rev.WRC-12))

5 275-5 950 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
5 275-5 351.5	FIXED MOBILE except aeronautical mobile		5 275-5 351.5 FIXED MOBILE except aeronautical mobile	1. Long range fixed and mobile (land mobile and maritime mobile) applications in duplex operation mode in 5.26-5.3515 MHz / 5.06-5.1515 MHz
5 351.5-5 366.5	FIXED MOBILE except aeronautical mobile Amateur 5.133B		5 351.5-5 366.5 FIXED MOBILE except aeronautical mobile Amateur 5.133B	1. Long range fixed and mobile (land mobile and maritime mobile) applications in simplex operation mode 2. Amateur stations on secondary basis subject to a maximum radiated power less than 15 W (e.i.r.p.)
5 366.5-5 450	FIXED MOBILE except aeronautical mobile		5 366.5-5 450 FIXED MOBILE except aeronautical mobile	1. Long range fixed and mobile (land mobile and maritime mobile) applications in simplex operation mode
5 450-5 480 FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE	5 450-5 480 AERONAUTICAL MOBILE (R)	5 450-5 480 FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE	5 450-5 480 FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE	1. Long range fixed and land mobile applications in simplex operation mode 2. Non-civil voice and data aeronautical communication
5 480-5 680	AERONAUTICAL MOBILE (R) 5.111 5.115		5 480-5 680 AERONAUTICAL MOBILE (R) 5.111 5.115	1. Application of this band is in accordance to Allotment plan (RR App.27) 2. SAR on 5 680 kHz may also be used by maritime mobile service engaged in coordinated search and rescue operations (RR App. 15)
5 680-5 730	AERONAUTICAL MOBILE (OR) 5.111 5.115		5 680-5 730 AERONAUTICAL MOBILE (OR) 5.111 5.115	1. Application of this band is in accordance to Allotment plan (RR App. 26) 2. SAR on 5 680 kHz may also be used by maritime mobile service engaged in coordinated search and rescue operations (RR App. 15)
5 730-5 900 FIXED LAND MOBILE	5 730-5 900 FIXED MOBILE except aeronautical mobile (R)	5 730-5 900 FIXED Mobile except aeronautical mobile (R)	5 730-5 900 FIXED Mobile except aeronautical mobile (R)	1. Long range fixed and mobile (except aeronautical mobile (R)) applications in simplex operation mode
5 900-5 950	BROADCASTING 5.134 5.136		5 900-5 950 BROADCASTING 5.134 5.136	1. Broadcasting service in accordance to RR App. 12

5 950-7 300 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
5 950-6 200	BROADCASTING		5 950-6 200 BROADCASTING	1. HF broadcasting
6 200-6 525	MARITIME MOBILE 5.109 5.110 5.130 5.132 5.137		6 200-6 525 MARITIME MOBILE 5.109 5.110 5.130 5.132 5.137	1. The channel assignment plan of this band is given in RR App. 17 2. International DSC on 6312 kHz (RR App. 15) 3. DSC on 6312.5 kHz paired with 6331 kHz (RR App. 17) 4. NBDP for International distress on 6268 kHz 5. RTP-COM frequency on 6215 kHz. This frequency is also supplementary for 2182 kHz 6. MSI on 6314 kHz (RR App. 17)
6 525-6 685	AERONAUTICAL MOBILE (R)		6 525-6 685 AERONAUTICAL MOBILE (R)	1. Application of this band is in accordance to Allotment plan (RR App. 27)
6 685-6 765	AERONAUTICAL MOBILE (OR)		6 685-6 765 AERONAUTICAL MOBILE (OR)	1. Application of this band is in accordance to Allotment plan (RR App. 26)
6 765-7 000	FIXED MOBILE except aeronautical mobile (R) 5.138		6 765-7 000 FIXED MOBILE except aeronautical mobile (R) 5.138	1. Long range fixed and mobile (except aeronautical mobile (R)) applications in simplex mode 2. ISM in 6765-6795 kHz 3. Non-specific SRD 4. Inductive SRD in the ISM band
7 000-7 100	AMATEUR AMATEUR-SATELLITE 5.140 5.141 5.141A		7 000-7 100 AMATEUR AMATEUR-SATELLITE	1. 40 meters amateur frequency band
7 100-7 200	AMATEUR 5.141A 5.141B		7 100-7 200 AMATEUR 5.141B	1. 40 meters amateur frequency band
7 200-7 300 BROADCASTING	7 200-7 300 AMATEUR 5.142	7 200-7 300 BROADCASTING	7 200-7 300 BROADCASTING	1. HF broadcasting

7 300-8 815 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
7 300-7 400	BROADCASTING 5.134 5.143 5.143A 5.143B 5.143C 5.143D		7 300-7 400 FIXED 5.143 5.143A BROADCASTING 5.134 Land mobile 5.143 5.143A	1. HF broadcasting 2. Low power coordinated primary fixed and secondary land mobile application in 7300-7450 kHz (5.143 and 5.143A) in simplex operation mode 3. Railway SRD
7 400-7 450 BROADCASTING 5.143B 5.143C	7 400-7 450 FIXED MOBILE except aeronautical mobile (R)	7 400-7 450 BROADCASTING 5.143A 5.143C	7 400-7 450 FIXED 5.143A BROADCASTING Land mobile 5.143A	1. HF broadcasting 2. Low power coordinated primary fixed and secondary land mobile application in 7.3-7.45 MHz (5.143A) in simplex operation mode
7 450-8 100	FIXED MOBILE except aeronautical mobile (R) 5.144		7 450-8 100 FIXED MOBILE except aeronautical mobile (R) 5.144	1. Long range fixed and mobile (except aeronautical mobile (R)) applications in duplex mode in 7.85-8.1 MHz / 7.45-7.7 MHz and in simplex mode in 7.7-7.85 MHz 2. Inductive and railway SRDs
8 100-8 195	FIXED MARITIME MOBILE		8 100-8 195 FIXED MARITIME MOBILE	1. SSB Radiotelephony application in ship and coast stations (Sub-Section C-2, RR App.17) 2. Long range fixed and maritime mobile applications in 8100-8195 kHz in simplex operation mode 3. Inductive and railway SRDs
8 195-8 815	MARITIME MOBILE 5.109 5.110 5.132 5.145 5.111		8 195-8 815 MARITIME MOBILE 5.109 5.110 5.132 5.145 5.111	1. Assignable frequencies is in RR App.17 2. International distress and calling (DSC) on 8414.5 kHz (RR App. 15) 3. NBDP for International distress on 8376.5 kHz (RR App. 15) 4. SAR operations (non-GMDSS safety and distress) by survival craft station on 8364 kHz 5. RTP-COM on 8291 kHz (RR App. 15) 6. International MSI on 8416.5 kHz using NBDP (RR App. 17) 7. DSC on 8415 kHz paired with 8436.5 kHz (RR App. 17) 8. Inductive and railway SRDs

8 815-9 995 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
8 815-8 965	AERONAUTICAL MOBILE (R)		8 815-8 965 AERONAUTICAL MOBILE (R)	1. Application of this band is in accordance to Allotment plan, RR App. 27 2. Railway SRD
8 965-9 040	AERONAUTICAL MOBILE (OR)		8 965-9 040 AERONAUTICAL MOBILE (OR)	1. Application of this band is in accordance to Allotment plan, RR App. 26 2. Railway SRD
9 040-9 305 FIXED	9 040-9 400 FIXED	9 040-9 305 FIXED	9 040-9 305 FIXED	1. Long range fixed application in simplex operation mode 2. Railway SRD
9 305-9 355 FIXED Radiolocation 5.145A 5.145B		9 305-9 355 FIXED Radiolocation 5.145A	9 305-9 355 FIXED Radiolocation 5.145A	1. Long range fixed application in simplex operation mode 2. Radiolocation service is only for oceanographic radars in this band (in accordance with RR Resolution 612 (Rev.WRC-12)) 3. Railway SRD
9 355-9 400 FIXED		9 355-9 400 FIXED	9 355-9 400 FIXED	1. Long range fixed application in simplex operation mode 2. Railway SRD
9 400-9 500	BROADCASTING 5.134 5.146		9 400-9 500 FIXED 5.146 BROADCASTING 5.134	1. Broadcasting service is subject to the procedure of RR Article 12 2. Long range fixed application in simplex operation mode 3. Railway SRD
9 500-9 900	BROADCASTING 5.147		9 500-9 775 BROADCASTING	1. Broadcasting service is subject to the procedure of RR Article 12 2. Railway SRD
			9 775-9 900 FIXED 5.147 BROADCASTING	1. HF broadcasting 2. Long range fixed application in simplex operation mode 3. Railway SRD
9 900-9 995	FIXED		9 900-9 995 FIXED	1. Long range fixed application in simplex operation mode 2. Railway SRD

9 995-11 600 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
9 995-10 003	STANDARD FREQUENCY AND TIME SIGNAL (10 000 kHz) 5.111		9 995-10 003 STANDARD FREQUENCY AND TIME SIGNAL (10 000 kHz) 5.111	1. See RR Article 26 and ITU-R Recommendation TF series 2. Search and rescue operations concerning manned space vehicles in 10 003 kHz± 3 kHz 3. Railway SRD
10 003-10 005	STANDARD FREQUENCY AND TIME SIGNAL Space research 5.111		10 003-10 005 STANDARD FREQUENCY AND TIME SIGNAL Space research 5.111	1. See RR Article 26 and ITU-R Recommendation TF series 2. Search and rescue operations concerning manned space vehicles in 10 003 kHz± 3 kHz 3. Railway SRD
10 005-10 100	AERONAUTICAL MOBILE (R) 5.111		10 005-10 100 AERONAUTICAL MOBILE (R) 5.111	1. Aeronautical radiotelephony and data transmission (RR allotment plan in App. 27) 2. Search and rescue operations concerning manned space vehicles in 10 003 kHz± 3 kHz 3. Railway SRD
10 100-10 150	FIXED Amateur		10 100-10 150 FIXED Amateur	1. Long range fixed application 2. The 30 meters amateur band 3. Railway SRD
10 150-11 175	FIXED Mobile except aeronautical mobile (R)		10 150-11 175 FIXED Mobile except aeronautical mobile (R)	1. Long range fixed and mobile (except aeronautical mobile (R)) applications in duplex mode in 10.8-11.175 MHz/ 10.15- 10.525 MHz and in simplex operation mode in 10.525-10.8 MHz 2. Inductive SRD in 10.2-11 MHz and railway SRD
11 175-11 275	AERONAUTICAL MOBILE (OR)		11 175-11 275 AERONAUTICAL MOBILE (OR)	1. Application of this band is in accordance to Allotment plan (RR App. 26) 2. Railway SRD
11 275-11 400	AERONAUTICAL MOBILE (R)		11 275-11 400 AERONAUTICAL MOBILE (R)	1. Aeronautical radiotelephony and data transmission (RR allotment plan in App. 27) 2. Railway SRD
11 400-11 600	FIXED		11 400-11 600 FIXED	1. Long range fixed application in simplex operation mode 2. Railway SRD

11 600-13 360 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
11 600-11 650	BROADCASTING 5.134 5.146		11 600-11 650 FIXED 5.146 BROADCASTING 5.134	1. Broadcasting service is subject to the procedure of RR Article 12 2. Long range fixed application in simplex operation mode in exceptional cases 3. Railway SRD
11 650-12 050	BROADCASTING 5.147		11 650-11 700 FIXED 5.147 BROADCASTING 11 700-12 050 BROADCASTING	1. Broadcasting service is subject to the procedure of RR Article 12 2. Long range fixed application in simplex mode in exceptional cases 3. Railway type SRD 1. Broadcasting service is subject to the procedure of RR Article 12 2. Railway and RFID type SRD
12 050-12 100	BROADCASTING 5.134 5.146		12 050-12 100 FIXED 5.146 BROADCASTING 5.134	1. Long range fixed application in exceptional cases in simplex operation mode 2. Railway and RFID type SRD
12 100-12 230	FIXED		12 100-12 230 FIXED	1. Long range fixed application in simplex operation mode 2. Railway and RFID type SRD
12 230-13 200	MARITIME MOBILE 5.109 5.110 5.132 5.145		12 230-13 200 MARITIME MOBILE 5.109 5.110 5.132 5.145	1. Assignable frequencies is in RR App. 17 2. International distress and calling (DSC) on 12577 kHz (RR App. 15) 3. NBDP for International distress on 12520 kHz (RR App. 15) 4. RTP-COM on 12290 kHz (RR App. 15) 5. MSI using NBDP on 12579 kHz (RR App.17) 6. Medical implant, railway & RFID type SRD
13 200-13 260	AERONAUTICAL MOBILE (OR)		13 200-13 260 AERONAUTICAL MOBILE (OR)	1. Application of this band is in accordance to Allotment plan (RR App. 26) 2. Medical implant, railway and RFID type SRD
13 260-13 360	AERONAUTICAL MOBILE (R)		13 260-13 360 AERONAUTICAL MOBILE (R)	1. Aeronautical radiotelephony and data transmission (RR allotment plan in App. 27) 2. Medical implant, railway and RFID type SRD

13 360-13 870 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
13 360-13 410	FIXED RADIO ASTRONOMY 5.149		13 360-13 410 FIXED RADIO ASTRONOMY 5.149	1. Long range fixed application in simplex operation mode 2. Continuum measurements (ITU-R Rec. RA.314) 3. Medical implant, railway & RFID type SRD
13 410-13 450	FIXED Mobile except aeronautical mobile (R)		13 410-13 450 FIXED Mobile except aeronautical mobile (R)	1. Long range fixed and mobile (except aeronautical mobile (R)) applications in simplex operation mode 2. Medical implant, railway & RFID type SRD
13 450-13 550 FIXED Mobile except aeronautical mobile (R) Radiolocation 5.132A 5.149A	13 450-13 550 FIXED Mobile except aeronautical mobile (R) Radiolocation 5.132A		13 450-13 550 FIXED Mobile except aeronautical mobile (R) Radiolocation 5.132A	1. Long range fixed and mobile (except aeronautical mobile (R)) applications in simplex operation mode 2. Radiolocation service is only for oceanographic radars in this band (in accordance with RR Res.612 (Rev.WRC-12) 3. Medical implant, railway & RFID type SRD
13 550-13 570	FIXED Mobile except aeronautical mobile (R) 5.150		13 550-13 570 FIXED Mobile except aeronautical mobile (R) 5.150	1. Long range fixed and mobile (except aeronautical mobile (R)) applications in simplex operation mode 2. ISM applications in 13553–13567 kHz 3. Non-specific, RFID, inductive, medical implant and railway SRD applications
13 570-13 600	BROADCASTING 5.134 5.151		13 570-13 600 FIXED 5.151 BROADCASTING 5.134 MOBILE except aeronautical mobile (R) 5.151	1. Long range fixed and mobile except aeronautical mobile (R) applications in exceptional cases in simplex operation mode 2. Medical implant, railway and RFID type SRD
13 600-13 800	BROADCASTING		13 600-13 800 BROADCASTING	1. Broadcasting service is subject to the procedure of RR Article 12 2. Medical implant, railway & RFID type SRD
13 800-13 870	BROADCASTING 5.134 5.151		13 800-13 870 FIXED 5.151 BROADCASTING MOBILE except aeronautical mobile (R) 5.151	1. Long range fixed and mobile except aeronautical mobile (R) applications in exceptional cases in simplex operation mode 3. Medical implant, railway and RFID type SRD

13 870-15 100 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
13 870-14 000	FIXED Mobile except aeronautical mobile (R)		13 870-14 000 FIXED Mobile except aeronautical mobile (R)	1. Long range fixed and mobile except aeronautical mobile (R) applications in exceptional cases in simplex operation mode 2. Medical implant, railway and RFID type SRD
14 000-14 250	AMATEUR AMATEUR-SATELLITE		14 000-14 250 AMATEUR AMATEUR-SATELLITE	1. 20 meters amateur frequency band 2. Medical implant, railway and RFID type SRD
14 250-14 350	AMATEUR 5.152		14 250-14 350 AMATEUR	1. 20 meters amateur frequency band 2. Medical implant, railway and RFID type SRD
14 350-14 990	FIXED Mobile except aeronautical mobile (R)		14 350-14 990 FIXED Mobile except aeronautical mobile (R)	1. Long range fixed and mobile except aeronautical mobile (R) application in duplex mode in 14.75-14.99 MHz / 14.35-14.59 MHz and in simplex operation mode in 14.59-14.75 MHz 2. Medical implant railway and RFID type SRD
14 990-15 005	STANDARD FREQUENCY AND TIME SIGNAL (15 000 kHz) 5.111		14 990-15 005 STANDARD FREQUENCY AND TIME SIGNAL (15 000 kHz) 5.111	1. See RR Article 26 and ITU-R Recommendation TF series 2. Search and rescue operations concerning manned space vehicles in 14 993 kHz± 3 kHz 3. Medical implant and railway SRD
15 005-15 010	STANDARD FREQUENCY AND TIME SIGNAL Space research		15 005-15 010 STANDARD FREQUENCY AND TIME SIGNAL Space research	1. See RR Article 26 and ITU-R Recommendation TF series 2. Search and rescue operations concerning manned space vehicles in 14 993 kHz± 3 kHz 3. Medical implant and railway SRD
15 010-15 100	AERONAUTICAL MOBILE (OR)		15 010-15 100 AERONAUTICAL MOBILE (OR)	1. Application of this band is in accordance to Allotment plan (RR App. 26) 2. Medical implant and railway SRD

15 100-17 480 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
15 100-15 600	BROADCASTING		15 100-15 600 BROADCASTING	1. Broadcasting service is subject to the procedure of RR Article 12 2. Medical implant and railway SRD
15 600-15 800	BROADCASTING 5.134 5.146		15 600-15 800 FIXED 5.146 BROADCASTING 5.134	1. Broadcasting service is subject to the procedure of RR Article 12 2. Long range fixed application in exceptional cases in simplex operation mode 3. Medical implant and railway SRD
15 800-16 100	FIXED 5.153		15 800-16 100 FIXED 5.153	1. Long range fixed application in duplex mode in 16.2-16.36 MHz / 15.8-15.96 MHz 2. Long range fixed application in simplex operation mode in 15.96-16.2 MHz 3. Medical implant and railway SRD
16 100-16 200 FIXED Radiolocation 5.145A 5.145B	16 100-16 200 FIXED RADIOLOCATION 5.145A	16 100-16 200 FIXED Radiolocation 5.145A	16 100-16 200 FIXED Radiolocation 5.145A	1. Long range fixed application in simplex operation mode in 15.96-16.2 MHz 2. Radiolocation service is only for oceanographic radars in this band (in accordance with RR Res. 612 (Rev.WRC-12)) 3. Medical implant and railway SRD
16 200-16 360	FIXED		16 200-16 360 FIXED	Long range fixed application in duplex mode in 16.2-16.36 MHz / 15.8-15.96 MHz 2. Medical implant and railway SRD
16 360-17 410	MARITIME MOBILE 5.109 5.110 5.132 5.145		16 360-17 410 MARITIME MOBILE 5.109 5.110 5.132 5.145	1. Assignable frequencies is in RR App. 17 2. International distress and calling (DSC) on 16804.5 kHz paired with 16903 kHz (RR App. 15) 3. NBDP for International distress on 16695 kHz (RR App. 15) 4. RTP-COM frequency on 16420 kHz. (RR App. 15) 5. International MSI using NBDP on 16680.5 kHz (RR App. 17) 6. Medical implant and railway SRD
17 410-17 480	FIXED		17 410-17 480 FIXED	1. Long range fixed application in simplex operation mode in 17.41 – 17.55 MHz 2. Medical implant and railway SRD

17 480-18 900 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
17 480-17 550	BROADCASTING 5.134 5.146		17 480-17 550 FIXED 5.146 BROADCASTING 5.134	1. Broadcasting service is subject to the procedure of RR Article 12 2. Long range fixed application in exceptional cases in simplex operation mode in the band 17.41 – 17.55 MHz 3. Medical implant and railway SRD
17 550-17 900	BROADCASTING		17 550-17 900 BROADCASTING	1. Broadcasting service is subject to the procedure of RR Article 12 2. Medical implant and railway SRD
17 900-17 970	AERONAUTICAL MOBILE (R)		17 900-17 970 AERONAUTICAL MOBILE (R)	1. Application of this band is in accordance to Allotment plan (RR App. 27) 2. Medical implant and railway SRD
17 970-18 030	AERONAUTICAL MOBILE (OR)		17 970-18 030 AERONAUTICAL MOBILE (OR)	1. Application of this band is in accordance to Allotment plan (RR App. 26) 2. Medical implant and railway SRD
18 030-18 052	FIXED		18 030-18 052 FIXED	1. Long range fixed application in simplex operation mode in 18.03 – 18.068 MHz 2. Medical implant and railway SRD
18 052-18 068	FIXED Space research		18 052-18 068 FIXED Space research	1. Long range fixed application in simplex operation mode in 18.03 – 18.068 MHz 2. Medical implant and railway SRD
18 068-18 168	AMATEUR AMATEUR-SATELLITE 5.154		18 068-18 168 AMATEUR AMATEUR-SATELLITE	1. 17 meters amateur frequency band 2. Medical implant and railway SRD
18 168-18 780	FIXED Mobile except aeronautical mobile		18 168-18 780 FIXED Mobile except aeronautical mobile	1. Long range fixed and mobile except aeronautical mobile applications in duplex operation mode in 18.618-18.78 MHz / 16.168-18.33 MHz and in simplex operation mode in 18.33–18.618 MHz 2. Medical implant and railway SRD
18 780-18 900	MARITIME MOBILE		18 780-18 900 MARITIME MOBILE	1. Assignable frequencies is in RR App. 17 2. DSC on 18898.5 kHz paired with 19703.5 kHz (RR App. 17) 3. Medical implant and railway SRD

18 900-21 000 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
18 900-19 020	BROADCASTING 5.134 5.146		18 900-19 020 FIXED 5.146 BROADCASTING 5.134	1. Long range fixed application in exceptional cases in simplex operation mode in 18.9 – 19.02 MHz 2. Medical implant and railway SRD
19 020-19 680	FIXED		19 020-19 680 FIXED	1. Long range fixed application in duplex operation mode in 19.59-19.68 MHz / 19.02-19.11 MHz and in simplex operation mode in 19.11–19.59 MHz 2. Medical implant and railway SRD
19 680-19 800	MARITIME MOBILE 5.132		19 680-19 800 MARITIME MOBILE 5.132	1. Assignable frequencies is in RR App. 17 2. MSI on 19680.5 kHz 3. Medical implant and railway SRD
19 800-19 990	FIXED		19 800-19 990 FIXED	1. Long range fixed application in simplex operation mode in 19.8 – 19.99 MHz 2. Medical implant and railway SRD
19 990-19 995	STANDARD FREQUENCY AND TIME SIGNAL Space research 5.111		19 990-19 995 STANDARD FREQUENCY AND TIME SIGNAL Space research 5.111	1. See RR Article 26 and ITU-R Recommendation TF series 2. Search and rescue operations concerning manned space vehicles in 19 993 kHz± 3 kHz 3. Medical implant and railway SRD
19 995-20 010	STANDARD FREQUENCY AND TIME SIGNAL (20 000 kHz) 5.111		19 995-20 010 STANDARD FREQUENCY AND TIME SIGNAL (20 000 kHz) 5.111	1. See RR Article 26 and ITU-R Recommendation TF series 2. Search and rescue operations concerning manned space vehicles in 14 993 kHz± 3 kHz 3. Medical implant and railway SRD
20 010-21 000	FIXED Mobile		20 010-21 000 FIXED Mobile	1. Long range fixed and mobile applications in duplex operation mode in 20.71-21 MHz / 20.01-20.3 MHz and in simplex operation mode in 20.3–20.71 MHz 2. Medical implant and railway SRD

21 000-23 350 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
21 000-21 450	AMATEUR AMATEUR-SATELLITE		21 000-21 450 AMATEUR AMATEUR-SATELLITE	1. The 15 meters amateur band 2. Railway SRD
21 450-21 850	BROADCASTING		21 450-21 850 BROADCASTING	1. Broadcasting service is subject to the procedure of RR Article 12 2. Railway SRD
21 850-21 870	FIXED 5.155A 5.155		21 850-21 870 FIXED	1. Long range fixed applications in simplex operation mode in 21.85 – 21.924 MHz 2. Railway SRD
21 870-21 924	FIXED 5.155B		21 870-21 924 FIXED 5.155B	1. The fixed service for provision of services related to aircraft flight safety (5.155B) 2. Railway SRD
21 924-22 000	AERONAUTICAL MOBILE (R)		21 924-22 000 AERONAUTICAL MOBILE (R)	1. Application of this band is in accordance to Allotment plan (RR App. 27) 2. Railway SRD
22 000-22 855	MARITIME MOBILE 5.132 5.156		22 000-22 855 MARITIME MOBILE 5.132	1. Assignable frequencies is in RR App. 17 2. MSI on 22376 kHz 3. Railway SRD
22 855-23 000	FIXED 5.156		22 855-23 000 FIXED	1. Long range fixed application in simplex mode 2. Railway SRD
23 000-23 200	FIXED Mobile except aeronautical mobile (R) 5.156		23 000-23 200 FIXED Mobile except aeronautical mobile (R)	1. Long range fixed and mobile except aeronautical mobile (R) applications in simplex mode
23 200-23 350	FIXED 5.156A AERONAUTICAL MOBILE (OR)		23 200-23 350 FIXED 5.156A AERONAUTICAL MOBILE (OR)	1. Non-planned aeronautical mobile (OR) applications 2. The fixed service is limited to provision of services related to aircraft flight safety (5.156A)

23 350-25 070 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
23 350-24 000	FIXED MOBILE except aeronautical mobile 5.157		23 350-24 000 FIXED MOBILE except aeronautical mobile 5.157	1. Long range fixed applications in duplex operation mode in 24.35-24.89 MHz / 23.35-23.89 MHz and in, simplex operation mode in 23.89-24.35 MHz 2. The maritime mobile service is limited to inter-ship radiotelegraphy
24 000-24 450	FIXED LAND MOBILE		24 000-24 450 FIXED LAND MOBILE	1. Long range fixed and land mobile applications in duplex operation mode in 24.35-24.89 MHz / 23.35-23.89 MHz and in simplex operation mode in 23.89-24.35 MHz
24 450-24 600 FIXED LAND MOBILE Radiolocation 5.132A 5.158	24 450-24 650 FIXED LAND MOBILE RADIOLOCATION 5.132A	24 450-24 600 FIXED LAND MOBILE Radiolocation 5.132A	24 450-24 600 FIXED LAND MOBILE Radiolocation 5.132A	1. Long range fixed and land mobile applications in duplex operation mode in 24.35-24.89 MHz / 23.35-23.89 MHz 2. Radiolocation service is only for oceanographic radars in this band (in accordance with RR Resolution 612 (Rev.WRC-12))
24 600-24 890 FIXED LAND MOBILE	24 650-24 890 FIXED LAND MOBILE	24 600-24 890 FIXED LAND MOBILE	24 600-24 890 FIXED LAND MOBILE	1. Long range fixed and land mobile applications in duplex operation mode in 24.35-24.89 MHz / 23.35-23.89 MHz
24 890-24 990	AMATEUR AMATEUR-SATELLITE		24 890-24 990 AMATEUR AMATEUR-SATELLITE	1. The 12 meters amateur band
24 990-25 005	STANDARD FREQUENCY AND TIME SIGNAL (25 000 kHz)		24 990-25 005 STANDARD FREQUENCY AND TIME SIGNAL (25 000 kHz)	1. See RR Article 26 and ITU-R Recommendation TF series
25 005-25 010	STANDARD FREQUENCY AND TIME SIGNAL Space research		25 005-25 010 STANDARD FREQUENCY AND TIME SIGNAL Space research	1. See RR Article 26 and ITU-R Recommendation TF series
25 010-25 070	FIXED MOBILE except aeronautical mobile		25 010-25 070 FIXED MOBILE except aeronautical mobile	1. Long range fixed and mobile except aeronautical mobile applications in simplex operation mode

25 070-25 070 kHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
25 070-25 210	MARITIME MOBILE		25 070-25 210 MARITIME MOBILE	1. Assignable frequencies is given in RR App. 17
25 210-25 550	FIXED MOBILE except aeronautical mobile		25 210-25 550 FIXED MOBILE except aeronautical mobile	1. Long range fixed and mobile except aeronautical mobile applications
25 550-25 670	RADIO ASTRONOMY 5.149		25 550-25 670 RADIO ASTRONOMY 5.149	1. Continuum measurements (ITU-R Rec. RA.314)
25 670-26 100	BROADCASTING		25 670-26 100 BROADCASTING	1. Broadcasting service is subject to the procedure of RR Article 12
26 100-26 175	MARITIME MOBILE 5.132		26 100-26 175 MARITIME MOBILE 5.132	1. Assignable frequencies is given in RR App.s 17 and 25 2. MSI on 26100.5 kHz (RR App.s 15 and 17)
26 175-26 200	FIXED MOBILE except aeronautical mobile		26 175-26 200 FIXED MOBILE except aeronautical mobile	1. Long range fixed and mobile except aeronautical mobile applications in duplex operation mode in 26.675-26.96 MHz / 26.175-26.46 MHz
26 200-26 350 FIXED MOBILE except aeronautical mobile Radiolocation 5.132A 5.133A	26 200-26 420 FIXED MOBILE except aeronautical mobile RADIOLOCATION 5.132A	26 200-26 350 FIXED MOBILE except aeronautical mobile Radiolocation 5.132A	26 200-26 350 FIXED MOBILE except aeronautical mobile Radiolocation 5.132A	1. Long range fixed and mobile except aeronautical mobile applications in duplex operation mode in 26.675-26.96 MHz / 26.175-26.46 MHz 2. Radiolocation service is only for oceanographic radars in this band (in accordance with RR Res. 612 (Rev.WRC-12))
26 350-27 500 FIXED MOBILE except aeronautical mobile 5.150	26 420-27 500 FIXED MOBILE except aeronautical mobile 5.150	26 350-27 500 FIXED MOBILE except aeronautical mobile 5.150	26 350-27 500 FIXED MOBILE except aeronautical mobile 5.150	1. Long range fixed and mobile except aeronautical mobile applications in duplex operation mode in 26.675-26.96 MHz / 26.175-26.46 MHz and in simplex operation mode in 26.46 – 26.675 MHz and 27.41-28 MHz 2. ISM applications in 26 957-27 283 kHz 3. SRD for Model radio control, inductive, railway and non-specific applications 4. CB 26.96-27.41 MHz

27.5-39.986 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
27.5-28	METEOROLOGICAL AIDS FIXED MOBILE		27.5-28 FIXED MOBILE	1. Long range fixed and mobile applications in simplex operation mode in 27.41-28 MHz 2. Uncommon band for meteorological aids application due to interference from fixed and mobile applications
28-29.7	AMATEUR AMATEUR-SATELLITE		28-29.7 AMATEUR AMATEUR-SATELLITE	1. The 10 meters amateur band
29.7-30.005	FIXED MOBILE		29.7-30.005 FIXED MOBILE	1. Long range fixed and mobile applications in simplex operation mode in 29.7-30.005 MHz 2. Radio microphones and other similar SRDs
30.005-30.01	SPACE OPERATION (satellite identification) FIXED MOBILE SPACE RESEARCH		30.005-30.01 SPACE OPERATION (satellite identification) FIXED MOBILE SPACE RESEARCH	1. Long range fixed and mobile applications in simplex operation mode in 30.005 – 41.015 MHz 2. Radio microphones and other similar SRDs
30.01-37.5	FIXED MOBILE		30.01-37.5 FIXED MOBILE TLS01	1. Long range fixed and mobile applications including PMR in simplex operation mode in 30.005 – 41.015 MHz 2. Model radio control and radio microphones and other similar SRDs
37.5-38.25	FIXED MOBILE Radio astronomy 5.149		37.5-38.25 FIXED MOBILE Radio astronomy 5.149 TLS01	1. Long range fixed and mobile applications including PMR in simplex operation mode in 30.005 – 41.015 MHz 2. Continuum measurements (ITU-R Rec. RA.314) 3. Radio microphones and other similar SRDs
38.25-39 FIXED MOBILE	38.25-39.986 FIXED MOBILE	38.25-39.5 FIXED MOBILE	38.25-39.5 FIXED MOBILE	1. Long range fixed and mobile applications including PMR in simplex operation mode in 30.005 – 41.015 MHz 2. Radio microphones and other similar SRDs
39-39.5 FIXED MOBILE Radiolocation 5.132A 5.159				

39.5-42 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
39.5-39.986 FIXED MOBILE		39.5-39.986 FIXED MOBILE RADIOLOCATION 5.132A	39.5-39.986 FIXED MOBILE RADIOLOCATION 5.132A	1. Long range fixed and mobile applications including PMR in simplex operation mode in 30.005 – 41.015 MHz 2. Radiolocation service is only for oceanographic radars in this band (see RR Resolution 612 (Rev.WRC-12)) 3. Radio microphones and other similar SRDs
39.986-40.02 FIXED MOBILE Space research		39.986-40 FIXED MOBILE RADIOLOCATION 5.132A Space research	39.986-40 FIXED MOBILE RADIOLOCATION 5.132A Space research	1. Long range fixed and mobile applications including PMR in simplex operation mode in 30.005 – 41.015 MHz 2. Radiolocation service is only for oceanographic radars in this band (see RR Resolution 612 (Rev.WRC-12)) 3. Radio microphones and other similar SRDs
		40-40.02 FIXED MOBILE Space research	40-40.02 FIXED MOBILE Space research	1. Long range fixed and mobile applications including PMR in simplex operation mode in 30.005 – 41.015 MHz 2. Radio microphones and other similar SRDs
40.02-40.98	FIXED MOBILE 5.150		40.02-40.98 FIXED MOBILE 5.150	1. Long range fixed and mobile applications including PMR in simplex operation mode in 30.005 – 41.015 MHz 2. ISM applications in 40.66 – 40.70 MHz 3. SRD for Model radio control and non-specific applications 4. Radio microphones and other similar SRDs
40.98-41.015	FIXED MOBILE Space research 5.160 5.161		40.98-41.015 FIXED MOBILE Space research	1. Long range fixed and mobile applications including PMR in simplex operation mode in 30.005 – 41.015 MHz 2. Radio microphones and other similar SRDs
41.015-42	FIXED MOBILE 5.160 5.161 5.161A		41.015-42 FIXED MOBILE TLS01	1. Long range fixed and mobile applications including PMR in duplex operation mode in 45-47 MHz/41.015-43.015 MHz 2. Radio microphones and other similar SRDs

42-74.8 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
42-42.5 FIXED MOBILE Radiolocation 5.132A 5.160 5.161B	42-42.5 FIXED MOBILE 5.161		42-42.5 FIXED MOBILE TLS01	1. Long range fixed and mobile applications including PMR in duplex operation mode in 45-47 MHz/41.015-43.015 MHz 2. Radio microphones and other similar SRDs
42.5-44	FIXED MOBILE 5.160 5.161 5.161A		42.5-44 FIXED MOBILE TLS01	1. Long range fixed and mobile applications including PMR in duplex operation mode in 45-47 MHz/41.015-43.015 MHz and simplex operation mode in 43.015-45 MHz 2. Radio microphones and other similar SRDs
44-47	FIXED MOBILE 5.162 5.162A		44-47 FIXED MOBILE 5.162 TLS01	1. Long range fixed and mobile applications including PMR in duplex operation mode 45-47 MHz/41.015-43.015 MHz and simplex operation mode in 43.015-45 MHz 2. Radio microphones and other similar SRDs
47-50 BROADCASTING 5.162A 5.163 5.164 5.165	47-50 FIXED MOBILE	47-50 FIXED MOBILE BROADCASTING 5.162A	47-50 FIXED MOBILE	1. Long range fixed and mobile applications including PMR in duplex operation mode in 47-50 MHz/54-57 MHz 2. Onsite paging 47 – 47.25 MHz 3. Radio microphones and other similar SRDs
50-52 BROADCASTING Amateur 5.166A 5.166B 5.166C 5.166D 5.166E 5.169 169A 5.169B 5.162A 5.164 5.165	50-54 AMATEUR 5.162A 5.167 5.167A 5.168 5.170		50-54 AMATEUR 5.167A 5.168	1. 6 meter amateur band
52-68 BROADCASTING 5.162A 5.163 5.164 5.165 5.169 5.169A 5.169B 5.171	54-68 BROADCASTING Fixed Mobile 5.172	54-68 FIXED MOBILE BROADCASTING 5.162A	54-68 FIXED MOBILE BROADCASTING	1. Long range fixed and mobile applications in duplex operation mode in 47-50 MHz/54-57 MHz, 61-64 MHz/57-60 MHz and in simplex operation mode in: 60 -61 MHz, 64-68 MHz 2. Low power community audio broadcasting
68-74.8 FIXED MOBILE except aeronautical mobile 5.149 5.175 5.177 5.179	68-72 BROADCASTING Fixed Mobile 5.173	68-74.8 FIXED MOBILE 5.149 5.176 5.179	68-74.8 FIXED MOBILE 5.149 5.176	1. Long range fixed and mobile applications in duplex operation mode in 77.7 – 84.5 MHz / 68-74.8 MHz

72-108 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
	72-73 FIXED MOBILE 73-74.6 RADIO ASTRONOMY 5.178 74.6-74.8 FIXED MOBILE			
74.8-75.2	AERONAUTICAL RADIONAVIGATION 5.180 5.181		74.8-75.2 AERONAUTICAL RADIONAVIGATION 5.180	1. ILS marker radio beacons (ground-air). Further details are available in ICAO Annex 10, volume 1, chapter 3, sections 3.1.7 and 3.6)
75.2-87.5 FIXED MOBILE except aeronautical mobile 5.175 5.179 5.187	75.2-75.4 FIXED MOBILE 5.179		75.2-75.4 FIXED MOBILE	1. Long range fixed and mobile applications in duplex operation mode in 75.2 – 77.7 MHz / 85 – 87.5 MHz
	75.4-76 FIXED MOBILE	75.4-87 FIXED MOBILE 5.182 5.183 5.188	75.4-87 FIXED MOBILE 5.188	1. Long range fixed and mobile applications in duplex operation mode in: - 75.2 – 77.7 MHz / 85 – 87.5 MHz - 77.7 – 84.5 MHz / 68-74.8 MHz and in simplex operation mode in 84.5-85 MHz
	76-88 BROADCASTING Fixed Mobile	87-100 FIXED MOBILE BROADCASTING	87-87.5 FIXED MOBILE	1. Long range fixed and mobile applications in duplex operation mode in 75.2 – 77.7 MHz / 85 – 87.5 MHz
87.5-100 BROADCASTING 5.190	5.185		87.5-108 BROADCASTING	1. VHF FM analogue sound broadcasting with 100 kHz channel spacing in 87.5 – 108 MHz
100-108	BROADCASTING 5.192 5.194			

108-137.025 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
108-117.975	AERONAUTICAL RADIONAVIGATION 5.197 5.197A		108-117.975 AERONAUTICAL RADIONAVIGATION 5.197A	1. ILS localizer in the band 108– 111.975 MHz. Further details are available in ICAO Annex 10, volume 1, chapter 3, sections 3.1.7 and 3.6) 2. Short range VOR (TVOR) and en-route VOR. 3. Ground based augmentation system (GBAS) as precision approach facility to ILS
117.975-137	AERONAUTICAL MOBILE (R) 5.111 5.200 5.201 5.202		117.975-137 AERONAUTICAL MOBILE (R) 5.111 5.200	1. Air-ground and air-air voice communication in 117.975 – 121.45 MHz and 121.55 – 137.0 MHz (ICAO Annex 10, volume III, Part II, chapter 2) 2. AERO-SAR on 121.5 MHz (RR Article 31 & App. 13)(non-GMDSS safety and distress) by survival craft station. 3. EPIRB in interaction with SAR operation 4. Aeronautical mobile-satellite (R) on a secondary basis in the band 117.975–136MHz 5. Auxiliary frequency 123.1 MHz to the 121.5 MHz, where required, (RR App. 13).
137-137.025	SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to-Earth) Fixed Mobile except aeronautical mobile (R) 5.204 5.205 5.206 5.207 5.208		137-137.025 SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL- SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to- Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to-Earth) Fixed Mobile except aeronautical mobile (R) 5.204 5.207 5.208	1. Weather observation by GSO and Non-GSO satellites in the band 137 – 138 MHz 2. VHF point to point and point to multipoint radio links 3. Simplex operation mode PMR in the band 137 – 138 MHz in land mobile service 4. Non-GSO mobile satellite service (subject to coordination)

137.025-137.825 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
137.025-137.175	SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL-SATELLITE (space-to-Earth) SPACE RESEARCH (space-to-Earth) Fixed Mobile except aeronautical mobile (R) Mobile-satellite (space-to-Earth) 5.208A 5.208B 5.209 5.204 5.205 5.206 5.207 5.208		137.025-137.175 SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL-SATELLITE (space-to-Earth) SPACE RESEARCH (space-to-Earth) Fixed Mobile except aeronautical mobile (R) Mobile-satellite (space-to-Earth) 5.208A 5.208B 5.209 5.204 5.207 5.208	1. Weather observation by GSO and Non-GSO satellites in the band 137 – 138 MHz 2. VHF point to point and point to multipoint radio links 3. Simplex operation mode PMR in the band 137 – 138 MHz in land mobile service 4. Non-GSO mobile satellite service (subject to coordination)
137.175-137.825	SPACE OPERATION (space-to-Earth) 5.203C 5.209A METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to-Earth) Fixed Mobile except aeronautical mobile (R) 5.204 5.205 5.206 5.207 5.208		137.175-137.825 SPACE OPERATION (space-to-Earth) 5.203C 5.209A METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to-Earth) Fixed Mobile except aeronautical mobile (R) 5.204 5.207 5.208	1. Weather observation by GSO and Non-GSO satellites in the band 137 – 138 MHz 2. VHF point to point and point to multipoint radio links 3. Simplex operation mode PMR in the band 137 – 138 MHz in land mobile service 4. Non-GSO mobile satellite service (subject to coordination)

137.825-144 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
137.825-138	SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL-SATELLITE (space-to-Earth) SPACE RESEARCH (space-to-Earth) Fixed Mobile except aeronautical mobile (R) Mobile-satellite (space-to-Earth) 5.208A 5.208B 5.209		137.825-138 SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL-SATELLITE (space-to-Earth) SPACE RESEARCH (space-to-Earth) Fixed Mobile except aeronautical mobile (R) Mobile-satellite (space-to-Earth) 5.208A 5.208B 5.209 5.204 5.207 5.208	1. Weather observation by GSO and Non-GSO satellites in the band 137 – 138 MHz 2. VHF point to point and point to multipoint radio links 3. Simplex operation mode PMR in the band 137 – 138 MHz in land mobile service 4. Non-GSO mobile satellite service (subject to coordination)
	5.204 5.205 5.206 5.207 5.208			
138-143.6 AERONAUTICAL MOBILE (OR) 5.210 5.211 5.212 5.214	138-143.6 FIXED MOBILE RADIOLOCATION Space research (space-to-Earth)	138-143.6 FIXED MOBILE Space research (space-to-Earth) 5.207 5.213	138-143.6 FIXED MOBILE Space research (space-to-Earth) 5.207	1. Fixed and mobile applications in duplex operation mode in 142 – 144 MHz / 138 – 140 MHz and in simplex operation mode in 140-142 MHz
143.6-143.65 AERONAUTICAL MOBILE (OR) SPACE RESEARCH (space-to-Earth) 5.211 5.212 5.214	143.6-143.65 FIXED MOBILE RADIOLOCATION SPACE RESEARCH (space-to-Earth)	143.6-143.65 FIXED MOBILE SPACE RESEARCH (space-to-Earth) 5.207 5.213	143.6-143.65 FIXED MOBILE SPACE RESEARCH (space-to-Earth) 5.207	1. Fixed and mobile applications in duplex operation mode in 142 – 144 MHz / 138 – 140 MHz
143.65-144 AERONAUTICAL MOBILE (OR) 5.210 5.211 5.212 5.214	143.65-144 FIXED MOBILE RADIOLOCATION Space research (space-to-Earth)	143.65-144 FIXED MOBILE Space research (space-to-Earth) 5.207 5.213	143.65-144 FIXED MOBILE Space research (space-to-Earth) 5.207	1. Fixed and mobile applications in duplex operation mode in 142 – 144 MHz / 138 – 140 MHz

144-154 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
144-146	AMATEUR AMATEUR-SATELLITE 5.216		144-146 AMATEUR AMATEUR-SATELLITE	1. The 2 meters amateur band
146-148 FIXED MOBILE except aeronautical mobile (R)	146-148 AMATEUR 5.217	146-148 AMATEUR FIXED MOBILE 5.217	146-148 AMATEUR FIXED MOBILE	1. Fixed and mobile applications in: - duplex operation mode in 151.4–154.5 MHz / 146.8–149.9 MHz Simplex operation mode in 146-146.8 MHz
148-149.9 FIXED MOBILE except aeronautical mobile (R) MOBILE-SATELLITE (Earth-to-space) 5.209 5.218 5.218A 5.219 5.221	148-149.9 FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) 5.209 5.218 5.218A 5.219 5.221		148-149.9 FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) 5.209 5.218 5.218A 5.219 5.221	1. Fixed and mobile applications in duplex operation mode in 151.4–154.5 MHz / 146.8–149.9 MHz 2. Use of this band by MSS is limited to non-voice non-GSO systems
149.9-150.05	MOBILE-SATELLITE (Earth-to-space) 5.209 5.220		149.9-150.05 MOBILE-SATELLITE (Earth-to-space) 5.209 5.220	1. Use of this band by MSS is limited to non-voice non-GSO satellite systems
150.05-153 FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY 5.149	150.05-154 FIXED MOBILE 5.225		150.05-154 FIXED MOBILE 5.225	1. Fixed and mobile applications in duplex operation mode in: - 150.05–151.4 MHz / 154.65–156 MHz - 151.4–154.5 MHz / 146.8–149.9 MHz
153-154 FIXED MOBILE except aeronautical mobile (R) Meteorological aids				

154-156.8375 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
154-156.4875 FIXED MOBILE except aeronautical mobile (R) 5.225A 5.226	154-156.4875 FIXED MOBILE 5.226	154-156.4875 FIXED MOBILE 5.225A 5.226	154-156 FIXED MOBILE 156-156.4875 MARITIME MOBILE 5.226 TLS02	1. Fixed and mobile applications in duplex operation mode in: - 150.05–151.4 MHz / 154.65–156 MHz - 151.4–154.5 MHz / 146.8–149.9 MHz and simplex operation mode in: - 154.5 – 154.65 MHz - 156 - 156.4875 MHz 1. Fixed and land mobile systems in accordance with TLS02
156.4875-156.5625 MARITIME MOBILE (distress and calling via DSC) 5.111 5.226 5.227			156.4875-156.5625 MARITIME MOBILE (distress and calling via DSC) 5.111 5.226 5.227	1. DSC on 156.525 kHz for distress, safety and calling 2. 156.675 MHz for SAR Management coordination, Air, Sea and Ground
156.5625-156.7625 FIXED MOBILE except aeronautical mobile (R) 5.226	156.5625-156.7625 FIXED MOBILE 5.226		156.5625-156.7625 MARITIME MOBILE 5.226 TLS02	1. Safety of navigation communication for ship stations on 156.650 MHz 2. VHF maritime mobile applications (RR App. 18) 3. Fixed and land mobile systems in accordance with TLS02
156.7625-156.7875 MARITIME MOBILE Mobile-satellite (Earth-to-space) 5.111 5.226 5.228	1. VHF maritime mobile applications (RR App. 18)			
156.7875-156.8125 MARITIME MOBILE (distress and calling) 5.111 5.226			156.7875-156.8125 MARITIME MOBILE (distress and calling) 5.111 5.226	1. International distress, safety and calling frequency on 156.8 MHz (RR App. 15)
156.8125-156.8375 MARITIME MOBILE Mobile-satellite (Earth-to-space) 5.111 5.226 5.228	1. VHF maritime mobile service (RR App. 18)			

156.8375-161.9625 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
156.8375-157.1875 FIXED MOBILE except aeronautical mobile 5.226	156.8375-157.1875 FIXED MOBILE 5.226		156.8375-157.1875 MARITIME MOBILE 5.226 TLS02	1. VHF maritime mobile service (RR App. 18) 2. Fixed and land mobile systems in accordance with TLS02
157.1875-157.3375 FIXED MOBILE except aeronautical mobile Maritime mobile-satellite 5.208A 5.208B 5.228AB 5.228AC 5.226	157.1875-157.3375 FIXED MOBILE Maritime mobile-satellite 5.208A 5.208B 5.228AB 5.228AC 5.226		157.1875-157.3375 MARITIME MOBILE Maritime mobile-satellite 5.208A 5.208B 5.228AB 5.228AC 5.226 TLS02	1. VHF maritime mobile service (RR App. 18) 2. Fixed and land mobile systems in accordance with TLS02
157.3375-161.7875 FIXED MOBILE except aeronautical mobile 5.226	157.3375-161.7875 FIXED MOBILE 5.226		157.3375-161.7875 FIXED MOBILE 5.226 TLS02	1. VHF maritime mobile service (RR App. 18) 2. Fixed and land mobile applications duplex operation mode in 162.05 – 165.2 MHz / 157.45 – 160.6 MHz and simplex operation mode in 160.975–161.475MHz 3. Fixed and land mobile systems in accordance with TLS02
161.7875-161.9375 FIXED MOBILE except aeronautical mobile Maritime mobile-satellite 5.208A 5.208B 5.228AB 5.228AC 5.226	161.7875-161.9375 FIXED MOBILE Maritime mobile-satellite 5.208A 5.208B 5.228AB 5.228AC 5.226		161.7875-161.9375 FIXED MOBILE Maritime mobile-satellite 5.208A 5.208B 5.228AB 5.228AC 5.226 TLS02	1. VHF maritime mobile band in 161.4875 – 162.0375 MHz (RR Article 52 and App. 18) 2. Fixed and land mobile systems in accordance with TLS02
161.9375-161.9625 FIXED MOBILE except aeronautical mobile Maritime mobile-satellite (Earth-to-space) 5.228AA 5.226	161.9375-161.9625 FIXED MOBILE Maritime mobile-satellite (Earth-to-space) 5.228AA 5.226		161.9375-161.9625 FIXED MOBILE Maritime mobile-satellite (Earth-to-space) 5.228AA 5.226 TLS02	1. VHF maritime mobile band (RR Article 52 and App. 18) 2. Fixed and land mobile systems in accordance with TLS02

161.9625-230 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
161.9625-161.9875 FIXED MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.228F 5.226 5.228A 5.228B	161.9625-161.9875 AERONAUTICAL MOBILE (OR) MARITIME MOBILE MOBILE-SATELITE (Earth-to-space) 5.228C 5.228D	161.9625-161.9875 MARITIME MOBILE Aeronautical mobile (OR) 5.228E Mobile-satellite (Earth-to-space) 5.228F 5.226	161.9625-161.9875 MARITIME MOBILE Aeronautical mobile (OR) 5.228E Mobile-satellite (Earth-to-space) 5.228F 5.226 TLS02	1. VHF maritime mobile band in 161.4875 – 162.0375 MHz (RR Article 52 and App. 18) 2. AIS frequency on 161.975 MHz (App.s 15 & 18) 3. Fixed and land mobile systems in accordance with TLS02
161.9875-162.0125 FIXED MOBILE except aeronautical mobile Maritime mobile-satellite (Earth-to-space) 5.228AA 5.226 5.229	161.9875-162.0125 FIXED MOBILE Maritime mobile-satellite (Earth-to-space) 5.228AA 5.226		161.9875-162.0125 FIXED MOBILE Maritime mobile-satellite (Earth-to-space) 5.228AA 5.226 TLS02	1. VHF maritime mobile (RR Article 52 and App. 18) 2. Fixed and land mobile systems in accordance with TLS02
162.0125-162.0375 FIXED MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.228F 5.226 5.228A 5.228B 5.229	162.0125-162.0375 AERONAUTICAL MOBILE (OR) MARITIME MOBILE MOBILE-SATELITE (Earth-to-space) 5.228C 5.228D	162.0125-162.0375 MARITIME MOBILE Aeronautical mobile (OR) 5.228E Mobile-satellite (Earth-to-space) 5.228F 5.226	162.0125-162.0375 MARITIME MOBILE Aeronautical mobile (OR) 5.228E Mobile-satellite (Earth-to-space) 5.228F 5.226 TLS02	1. VHF maritime mobile (RR Article 52 and App. 18) 2. AIS frequency on 162.025 MHz (App.s 15 & 18) 3. Fixed and land mobile systems in accordance with TLS02
162.0375-174 FIXED MOBILE except aeronautical mobile 5.226 5.229	162.0375-174 FIXED MOBILE 5.226 5.230 5.231		162.0375-174 FIXED MOBILE 5.226	1. Fixed and land mobile applications in: -Duplex operation mode PMR in: - 162.05 – 165.2 MHz/157.45–160.6 MHz - 169.825 – 174 MHz/169.225–169.4 MHz and simplex operation mode in: - 165.2 -165.225 MHz ..- 169.4 – 169.825 MHz 2. Non-specific, radio assistive learning and Radio metering SRDs 3. Radio assistive learning SRD
174-223 BROADCASTING 5.235 5.237 5.243	174-216 BROADCASTING Fixed Mobile	174-223 FIXED MOBILE BROADCASTING 5.233 5.238 5.240 5.245	174-230 BROADCASTING	1. TV band III 2. Radio microphones and radio assistive SRD

216-267 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
	216-220 FIXED MARITIME MOBILE Radiolocation 5.241 5.242			
223-230 BROADCASTING Fixed Mobile 5.243 5.246 5.247	220-225 AMATEUR FIXED MOBILE Radiolocation 5.241	223-230 FIXED MOBILE BROADCASTING AERONAUTICAL RADIONAVIGATION Radiolocation 5.250		
230-235 FIXED MOBILE 5.247 5.251 5.252	225-235 FIXED MOBILE	230-235 FIXED MOBILE AERONAUTICAL RADIONAVIGATION 5.250	230-235 FIXED MOBILE AERONAUTICAL RADIONAVIGATION TLS01	1. Fixed and mobile applications in simplex operation mode in 230-235 MHz
235-267	FIXED MOBILE 5.111 5.252 5.254 5.256 5.256A		235-267 FIXED MOBILE 5.111 5.254 5.256 TLS03	1. Fixed and mobile applications in: - duplex operation mode in 239– 241 MHz / 235 – 237 MHz, 241 – 242.95 MHz / 246 – 247.95 MHz, 253– 255 MHz / 249 – 251 MHz, 261 – 264 MHz / 257 – 260 MHz, - simplex operation mode in 237 – 239 MHz, 243.05 – 244.9875 MHz, 247.95 – 249 MHz, 251 – 253 MHz, 255 – 257 MHz and 260 – 261 MHz, 264-267 MHz, 2. The old beacons on 243 MHz are now only detectable by ground-based receivers and survival craft stations. 3. VHF CB in 244.9875 – 246 MHz, eighty 12.5 kHz channels 4. Short Business Radio (SBR) in 244.9875 – 246 MHz, eighty 12.5 kHz channels

267-322 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
267-272	FIXED MOBILE Space operation (space-to-Earth) 5.254 5.257		267-272 FIXED MOBILE Space operation (space-to-Earth) 5.254 5.257 TLS03	1. Fixed and mobile applications in duplex operation mode in 271 – 272 MHz / 267 – 268 MHz, and in simplex operation mode in 268-271 MHz
272-273	SPACE OPERATION (space-to-Earth) FIXED MOBILE 5.254		272-273 SPACE OPERATION (space-to-Earth) FIXED MOBILE 5.254 TLS03	1. Fixed and mobile applications in simplex operation mode in 272 – 273 MHz
273-312	FIXED MOBILE 5.254		273-312 FIXED MOBILE 5.254 TLS03	1. Fixed and mobile applications in: - duplex operation mode in 284 – 292 MHz / 276 – 284 MHz, 292 – 300 MHz / 300 – 308 MHz, 319 – 327 MHz / 311 – 319 MHz - simplex operation mode in 273 – 276 MHz, 308 – 311 MHz
312-315	FIXED MOBILE Mobile-satellite (Earth-to-space) 5.254 5.255		312-315 FIXED MOBILE Mobile-satellite (Earth-to-space) 5.254 5.255 TLS03	1. Fixed and mobile applications in duplex operation mode in 319 – 327 MHz / 311 – 319 MHz
315-322	FIXED MOBILE 5.254		315-322 FIXED MOBILE 5.254 TLS03	1. Fixed and mobile applications in duplex operation mode in 319 – 327 MHz / 311 – 319 MHz

322-399.9 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
322-328.6	FIXED MOBILE RADIO ASTRONOMY 5.149		322-328.6 FIXED MOBILE RADIO ASTRONOMY 5.149 TLS03	1. Fixed and mobile applications in duplex operation mode in 319 – 327 MHz / 311 – 319 MHz 2. Simplex operation mode PMR in 327 – 328.6 MHz in land mobile service
328.6-335.4	AERONAUTICAL RADIONAVIGATION 5.258 5.259		328.6-335.4 AERONAUTICAL RADIONAVIGATION 5.258	1. Limited to instrument landing (ILS) system in glide path (ICAO, Annex 10, Volume 1, Chapter 3)
335.4-387	FIXED MOBILE 5.254		335.4-387 FIXED MOBILE 5.254 TLS03 TLS04	1. Fixed and mobile applications in: - duplex operation mode in 343.4 – 351.4 MHz / 335.4 – 343.4 MHz, 360-363 MHz / 352-355 MHz, 372 – 380 MHz / 364 – 372 MHz, 380-389.9 MHz / 390-399.9 MHz - simplex operation mode in 351-352 MHz, 355 – 360 MHz, 363 – 364 MHz 2. Governmental Radio Trunk systems in accordance with TLS04
387-390	FIXED MOBILE Mobile-satellite (space-to-Earth) 5.208A 5.208B 5.254 5.255		387-390 FIXED MOBILE Mobile-satellite (space-to-Earth) 5.208A 5.208B 5.254 5.255 TLS03 TLS04	1. Fixed and mobile applications in: - duplex operation mode in 380-389.9 MHz / 390-399.9 MHz -simplex operation mode in 389.9 – 390 MHz 2. Governmental Radio Trunk systems in accordance with TLS04
390-399.9	FIXED MOBILE 5.254		390-399.9 FIXED MOBILE 5.254 TLS03 TLS04	1. Fixed and mobile application in: - duplex operation mode in 380-389.9 MHz / 390-399.9 MHz 2. Governmental Radio Trunk systems in accordance with TLS04

399.9-402 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
399.9-400.05	MOBILE-SATELLITE (Earth-to-space) 5.209 5.220 5.260A 5.260B		399.9-400.05 MOBILE-SATELLITE (Earth-to-space) 5.209 5.220 5.260A 5.260B	1. Non-GSO mobile satellite applications (subject to coordination)
400.05-400.15	STANDARD FREQUENCY AND TIME SIGNAL- SATELLITE (400.1 MHz) 5.261 5.262		400.05-400.15 STANDARD FREQUENCY AND TIME SIGNAL- SATELLITE (400.1 MHz) 5.261	1. 400.1 MHz (See RR Article 26 and ITU-R Recommendation TF series)
400.15-401	METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.2 09 SPACE RESEARCH (space-to-Earth) 5.263 Space operation (space-to-Earth) 5.262 5.264		400.15-401 METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to- Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to-Earth) 5.263 Space operation (space-to-Earth) 5.264	1. Collection of meteorological data for weather forecasts and severe storm prediction, collection of ozone level data. 2. Direct data readout from balloon-borne radiosonde 3. Direct data readout from descending dropsonde 4. Ranging signal reception at balloon-borne receive
401-402	METEOROLOGICAL AIDS SPACE OPERATION (space-to-Earth) EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) Fixed Mobile except aeronautical mobile 5.264A 5.264B		401-402 METEOROLOGICAL AIDS SPACE OPERATION (space-to-Earth) EARTH EXPLORATION- SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) Fixed Mobile except aeronautical mobile 5.264A 5.264B	1. Collection of meteorological data for weather forecasts and severe storm prediction, collection of ozone level data. 2. Direct data readout from balloon-borne radiosonde 3. Direct data readout from descending dropsonde 4. Ranging signal reception at balloon-borne receive 5. Ultra low power SRD medical implant in 401 – 406 MHz and 402 – 405 MHz 6. Low power fixed and mobile applications in simplex operation mode in 401–406 MHz

402-410 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
402-403	METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) Fixed Mobile except aeronautical mobile 5.264A 5.264B		402-403 METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) Fixed Mobile except aeronautical mobile 5.264A 5.264B	1. Collection of meteorological data for weather forecasts and severe storm prediction, collection of ozone level data 2. Direct data readout from balloon-borne radiosonde 3. Direct data readout from descending dropsonde 4. Ranging signal reception at balloon-borne receive 5. Ultra low power SRD medical implant in 401 – 406 MHz and 402 – 405 MHz 6. Low power fixed and mobile applications in simplex operation mode in 401–406 MHz
403-406	METEOROLOGICAL AIDS Fixed Mobile except aeronautical mobile 5.265		403-406 METEOROLOGICAL AIDS Fixed Mobile except aeronautical mobile 5.265	1. Collection of meteorological data for weather forecasts and severe storm prediction, collection of ozone level data 2. Direct data readout from balloon-borne radiosonde 3. Direct data readout from descending dropsonde 4. Ranging signal reception at balloon-borne receive 5. Ultra low power SRD medical implant in 401 – 406 MHz and 402 – 405 MHz 6. Low power fixed and mobile applications in simplex operation mode in 401–406 MHz
406-406.1	MOBILE-SATELLITE (Earth-to-space) 5.265 5.266 5.267		406-406.1 MOBILE-SATELLITE (Earth-to-space) 5.265 5.266 5.267	1. Low power satellite emergency position-indicating radiobeacons, EPIRB (RR App. 15)
406.1-410	FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY 5.149 5.265		406.1-410 FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY 5.149 5.265	1. Fixed and mobile applications in simplex operation mode in 406.1-410 MHz 2. The frequency range 406.1 – 430 MHz designated for Region 3 PPDR

410-430 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
410-420	FIXED MOBILE except aeronautical mobile SPACE RESEARCH (space-to-space) 5.268		410-420 FIXED MOBILE except aeronautical mobile SPACE RESEARCH (space-to-space) 5.268 TLS05	1. Fixed and mobile applications in duplex operation mode in 420-430 MHz/410-420 MHz 2. Civil Radio Trunk systems in accordance with TLS05 3. The frequency range 406.1 – 430 MHz designated for Region 3 PPDR
420-430	FIXED MOBILE except aeronautical mobile Radiolocation 5.269 5.270 5.271		420-430 FIXED MOBILE except aeronautical mobile Radiolocation 5.269 5.270 TLS05	1. Fixed and mobile applications in duplex operation mode in 420-430 MHz / 410-420 MHz 2. Civil Radio Trunk systems in accordance with TLS05 3. The frequency range 406.1 – 430 MHz designated for Region 3 PPDR.
430-432 AMATEUR RADIOLOCATION 5.271 5.274 5.275 5.276 5.277	430-432 RADIOLOCATION Amateur 5.271 5.276 5.278 5.279		430-432 RADIOLOCATION Amateur 5.276 TLS06	1. Radiolocation applications. 2. Fixed and mobile applications in duplex operation mode in 430 – 432 MHz / 440 – 442 MHz
432-438 AMATEUR RADIOLOCATION Earth exploration-satellite (active) 5.279A 5.138 5.271 5.276 5.277 5.280 5.281 5.282	432-438 RADIOLOCATION Amateur Earth exploration-satellite (active) 5.279A 5.271 5.276 5.278 5.279 5.281 5.282		432-438 RADIOLOCATION Amateur Earth exploration-satellite (active) 5.279A 5.276 5.282	1. Radiolocation applications. 2. Non-IMT IoT in 433.05 – 434.79 MHz 3. Non-specific SRD in 433.05 – 434.75 MHz

438-456 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
438-440 AMATEUR RADIOLOCATION 5.271 5.274 5.275 5.276 5.277 5.283	438-440 RADIOLOCATION Amateur 5.271 5.276 5.278 5.279		438-440 RADIOLOCATION Amateur 5.276	1. Radiolocation applications.
440-450	FIXED MOBILE except aeronautical mobile Radiolocation 5.269 5.270 5.271 5.284 5.285 5.286		440-450 FIXED MOBILE except aeronautical mobile Radiolocation 5.269 5.270 5.286 TLS06	1. Fixed and mobile applications in duplex operation mode in 430 – 432 MHz / 440 – 442 MHz and in simplex operation mode in: - 442-445 MHz, - 445-450 MHz (except item 3 below) 2. DGPS in simplex operation mode in 444 – 444.2 MHz 3. PMR446 in 446 – 446.2 MHz 4. The frequency range 440 – 470 MHz designated for Region 3 PPDR.
450-455	FIXED MOBILE 5.286AA 5.209 5.271 5.286 5.286A 5.286B 5.286C 5.286D 5.286E		450-455 FIXED MOBILE 5.286AA 5.209 5.286 5.286A TLS10 TLS11	1. FD-IMT in 460 -465 MHz / 450 – 455 MHz 2. Fixed and mobile applications in duplex operation mode in 465-470 MHz / 455-460 MHz 3. The frequency range 440 – 470 MHz designated for Region 3 PPDR
455-456 FIXED MOBILE 5.286AA 5.209 5.271 5.286A 5.286B 5.286C 5.286E	455-456 FIXED MOBILE 5.286AA MOBILE-SATELLITE (Earth-to-space) 5.209 5.286A 5.286B 5.286C	455-456 FIXED MOBILE 5.286AA 5.209 5.271 5.286A 5.286B 5.286C 5.286E	455-456 FIXED MOBILE 5.286AA 5.209 5.286A	1. Fixed and mobile applications in duplex operation mode in 465-470 MHz / 455-460 MHz 2. The frequency range 440 – 470 MHz designated for Region 3 PPDR.

456-694 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
456-459	FIXED MOBILE 5.286AA 5.271 5.287 5.288		456-459 FIXED MOBILE 5.286AA 5.287	1. Fixed and mobile applications in duplex operation mode in 465-470 MHz / 455-460 MHz 2. On board vessel communications 457.5125 – 457.5875 MHz paired with 467.5125– 467.5875 MHz as provided in Rec. ITU-R M.1174 3. The frequency range 440 – 470 MHz designated for Region 3 PPDR
459-460 FIXED MOBILE 5.286AA 5.209 5.271 5.286A 5.286B 5.286C 5.286E	459-460 FIXED MOBILE 5.286AA MOBILE-SATELLITE (Earth-to-space) 5.209 5.286A 5.286B 5.286C	459-460 FIXED MOBILE 5.286AA 5.209 5.271 5.286A 5.286B 5.286C 5.286E	459-460 FIXED MOBILE 5.286AA 5.209 5.286A	1. Fixed and mobile applications in duplex operation mode in 465-470 MHz / 455-460 MHz 2. The frequency range 440 – 470 MHz designated for Region 3 PPDR
460-470	FIXED MOBILE 5.286AA Meteorological-satellite (space-to-Earth) 5.287 5.288 5.289 5.290		460-470 FIXED MOBILE 5.286AA Meteorological-satellite (space-to-Earth) 5.287 5.289 TLS10 TLS11	1. FD-IMT in 460 -465 MHz / 450 – 455 MHz 2. Fixed and mobile applications in duplex operation mode in 465-470 MHz / 455-460 MHz 3. The frequency range 440 – 470 MHz designated for Region 3 PPDR
470-694 BROADCASTING 5.149 5.291A 5.294 5.296 5.300 5.304 5.306 5.312	470-512 BROADCASTING Fixed Mobile 5.292 5.293 5.295 512-608 BROADCASTING 5.295 5.297	470-585 FIXED MOBILE 5.296A BROADCASTING 5.291 5.298	470-694 FIXED MOBILE BROADCASTING 5.149 5.306 TLS07	1. Digital video broadcasting (up to upper edge at 694 MHz) 2. Radio microphones and other similar SRDs in 470 – 786 MHz 3. Community low power broadcasting on channels 47 and 48 in accordance with TLS07

585-890 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
		585-610 FIXED MOBILE 5.296A BROADCASTING RADIONAVIGATION 5.149 5.305 5.306 5.307		
	608-614 RADIO ASTRONOMY Mobile-satellite except aeronautical mobile-satellite (Earth-to-space)	610-890 FIXED MOBILE 5.296A 5.313A 5.317A BROADCASTING		
694-790 MOBILE except aeronautical mobile 5.312A 5.317A BROADCASTING 5.300 5.312	614-698 BROADCASTING Fixed Mobile 5.293 5.308 5.308A 5.309		694-890 FIXED MOBILE 5.313A 5.317A 1. FD-IMT in 753-758 MHz / 698 – 703 MHz, 758 – 803 MHz / 703 – 748 MHz, 806 – 821 MHz / 847–862 MHz, 869 – 873 MHz / 824 – 834 MHz and in 925 – 960 MHz / 880–915 MHz 2. Complementary IMT downlink in the band 748 – 753 MHz 3. PPDR in the band 821 – 824 MHz / 866-869 MHz in accordance with TLS08 4. Radio microphones and other similar SRDs in 470 – 786 MHz 5. Non-IMT IoT in 863 – 869 MHz 6. Non-specific SRD in 863 – 876 MHz 7. Alarm application SRD in 868.6–869.7MHz 8. Tracking, Tracing and Data Acquisition; and TTT (Transport and Traffic Telematics) types SRD in 870-875.6 MHz	
	698-806 MOBILE 5.317A BROADCASTING Fixed 5.293 5.309			
790-862 FIXED MOBILE except aeronautical mobile 5.316B 5.317A BROADCASTING 5.312 5.319	806-890 FIXED MOBILE 5.317A BROADCASTING			
862-890 FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING 5.322 5.319 5.323	5.317 5.318	5.149 5.305 5.306 5.307 5.320		5.320 TLS08 TLS09 TLS10 TLS11

890-1 164 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
890-942 FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING 5.322 Radiolocation 5.323	890-902 FIXED MOBILE except aeronautical mobile 5.317A Radiolocation 5.318 5.325	890-942 FIXED MOBILE 5.317A BROADCASTING Radiolocation 5.327	890-960 FIXED MOBILE 5.317A 5.320 5.327 TLS09 TLS10 TLS11	1. FD-IMT in 925 – 960 MHz / 880 – 915 MHz 2. Non-IMT IoT in 915 – 918 MHz 3. Non-specific SRD in 915 – 921 MHz
	902-928 FIXED Amateur Mobile except aeronautical mobile 5.325A Radiolocation 5.150 5.325 5.326			
	928-942 FIXED MOBILE except aeronautical mobile 5.317A Radiolocation 5.325			
942-960 FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING 5.322 5.323	942-960 FIXED MOBILE 5.317A	942-960 FIXED MOBILE 5.317A BROADCASTING 5.320		
960-1 164	AERONAUTICAL MOBILE (R) 5.327A AERONAUTICAL RADIONAVIGATION 5.328 5.328AA		960-1 164 AERONAUTICAL MOBILE (R) 5.327A AERONAUTICAL RADIONAVIGATION 5.328 5.328AA	1. Airborne electronic aids to air navigation with direct association of ground-based facilities 2. DME 3. TACAN 4. SSR 5. JTIDS and MIDS 6. ACAS supplementing SSR

1 164-1 350 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
1 164-1 215	AERONAUTICAL RADIONAVIGATION 5.328 RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.328A		1 164-1 215 AERONAUTICAL RADIONAVIGATION 5.328 RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.328A	1. DME 2. TACAN 3. SSR 4. JTIDS and MIDS 5. GALILO satellite-navigation system E5a on 1176.45 MHz and E5b-carrier on 1207.14 MHz 6. GPS L5 link
1 215-1 240	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.329 5.329A SPACE RESEARCH (active) 5.330 5.331 5.332		1 215-1 240 EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.329 5.329A SPACE RESEARCH (active) 5.330 5.331 5.332	1. GPS L2-signal transmission on 1227.6 MHz 2. Active airborne sensors in the band 1.215 – 1.3 GHz in earth exploration-satellite service 3. Low power fixed and mobile applications in exceptional case subject to coordination
1 240-1 300	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.329 5.329A SPACE RESEARCH (active) Amateur 5.282 5.330 5.331 5.332 5.335 5.335A		1 240-1 300 EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.329 5.329A SPACE RESEARCH (active) Amateur 5.282 5.330 5.331 5.332 5.335A	1. Active airborne sensors in 1.215 – 1.3 GHz in earth exploration-satellite service 2. Amateur-satellite service in the band 1.26 – 1.27 GHz subject to not causing harmful interference and limited to Earth-to-space direction 3. GLONASS L2 signal 4. Wind profile radars 5. GALILO satellite-navigation system in the band 1.26 – 1.3 GHz (E6 carrier) 6. Low power fixed and mobile applications in exceptional case subject to coordination
1 300-1 350	RADIOLOCATION AERONAUTICAL RADIONAVIGATION 5.337 RADIONAVIGATION-SATELLITE (Earth-to-space) 5.149 5.337A		1 300-1 350 RADIOLOCATION AERONAUTICAL RADIONAVIGATION 5.337 RADIONAVIGATION-SATELLITE (Earth-to-space) 5.149 5.337A	1. Primary radar stations on the ground 1.215 – 1.4 GHz

1 350-1 492 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
1 350-1 400 FIXED MOBILE RADIOLOCATION 5.149 5.338 5.338A 5.339	1 350-1 400 RADIOLOCATION 5.338A 5.149 5.334 5.339		1 350-1 400 RADIOLOCATION 5.338A 5.149 5.339	1. Spectral line observation in the band 1330 – 1400 MHz in radioastronomy service 2. Non-GSO fixed satellite service feeder links in the band 1390 – 1392 MHz 3. GPS L3 link
1 400-1 427	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341		1 400-1 427 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	1. Passive sensors in the earth exploration-satellite 2. Continuum measurements (ITU-R Rec. RA.314) 3. VLBI observation (HI-line) in radio astronomy service 4. All emissions are prohibited in this band
1 427-1 429	SPACE OPERATION (Earth-to-space) FIXED MOBILE except aeronautical mobile 5.341A 5.341B 5.341C 5.338A 5.341		1 427-1 429 SPACE OPERATION (Earth-to-space) FIXED MOBILE except aeronautical mobile 5.341C 5.338A 5.341 TLS10 TLS11	1. The band 1427 – 1518 MHz designated to IMT systems under fixed and/or mobile service. 2. Existing operations would be continued only until the band allocated for IMT purpose
1 429-1 452 FIXED MOBILE except aeronautical mobile 5.341A 5.338A 5.341 5.342	1 429-1 452 FIXED MOBILE 5.341B 5.341C 5.343 5.338A 5.341		1 429-1 452 FIXED MOBILE 5.341C 5.338A 5.341 TLS10 TLS11	1. The band 1427 – 1518 MHz designated to IMT systems under fixed and/or mobile service. 2. Existing operations would be continued only until the band allocated for IMT purpose
1 452-1 492 FIXED MOBILE except aeronautical mobile 5.346 BROADCASTING BROADCASTING-SATELLITE 5.208B 5.341 5.342 5.345	1 452-1 492 FIXED MOBILE 5.341B 5.343 5.346A BROADCASTING BROADCASTING-SATELLITE 5.208B 5.341 5.344 5.345		1 452-1 492 FIXED MOBILE 5.346A 5.341 5.345 TLS10 TLS11	1. The band 1427 – 1518 MHz designated to IMT systems under fixed and/or mobile service. 2. Existing operations would be continued only until the band allocated for IMT purpose

1 492-1 530 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
<p>1 492-1 518 FIXED MOBILE except aeronautical mobile 5.341A 5.341 5.342</p>	<p>1 492-1 518 FIXED MOBILE 5.341B 5.343 5.341 5.344</p>	<p>1 492-1 518 FIXED MOBILE 5.341C 5.341</p>	<p>1 492-1 518 FIXED MOBILE 5.341C 5.341 TLS10 TLS11</p>	<p>1. The band 1427–1518 MHz designated to IMT systems under fixed and/or mobile service. 2. Existing operations would be continued only until the band allocated for IMT purpose</p>
<p>1 518-1 525 FIXED MOBILE except aeronautical mobile MOBILE-SATELLITE (space-to-Earth) 5.348 5.348A 5.348B 5.351A 5.341 5.342</p>	<p>1 518-1 525 FIXED MOBILE 5.343 MOBILE-SATELLITE (space-to-Earth) 5.348 5.348A 5.348B 5.351A 5.341 5.344</p>	<p>1 518-1 525 FIXED MOBILE MOBILE-SATELLITE (space-to-Earth) 5.348 5.348A 5.348B 5.351A 5.341</p>	<p>1 518-1 525 FIXED MOBILE MOBILE-SATELLITE (space-to-Earth) 5.348 5.348A 5.351A 5.341</p>	-
<p>1 525-1 530 SPACE OPERATION (space-to-Earth) FIXED MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A Earth exploration-satellite Mobile except aeronautical mobile 5.349 5.341 5.342 5.350 5.351 5.352A 5.354</p>	<p>1 525-1 530 SPACE OPERATION (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A Earth exploration-satellite Fixed Mobile 5.343 5.341 5.351 5.354</p>	<p>1 525-1 530 SPACE OPERATION (space-to-Earth) FIXED MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A Earth exploration-satellite Mobile 5.349 5.341 5.351 5.352A 5.354</p>	<p>1 525-1 530 SPACE OPERATION (space-to-Earth) FIXED MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A Earth exploration-satellite Mobile 5.341 5.351 5.354</p>	<p>1. End-user terminals of space radiocommunication providing either data or both voice and data communications 2. One of the candid bands for satellite component of IMT systems 3. Using this band (excluding exceptional circumstances) is forbidden to terrestrial based feeder links. 4. Use of this band by mobile-satellite service is subject to coordination. 5. Secondary mobile applications subject to coordination with primary users</p>

1 530-1 610 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
<p>1 530-1 535 SPACE OPERATION (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A 5.353A Earth exploration-satellite Fixed Mobile except aeronautical mobile 5.341 5.342 5.351 5.354</p>	<p>1 530-1 535 SPACE OPERATION (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A 5.353A Earth exploration-satellite Fixed Mobile 5.343 5.341 5.351 5.354</p>		<p>1 530-1 535 SPACE OPERATION (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A 5.353A Earth exploration-satellite Fixed Mobile 5.341 5.351 5.354</p>	<ol style="list-style-type: none"> 1. End-user terminals of space radiocommunication providing either data or both voice and data communications 2. One of the candid bands for satellite component of IMT systems 3. Using this band (excluding exceptional circumstances) is forbidden to terrestrial based feeder links. 4. Use of this band by mobile-satellite service is subject to coordination 5. Secondary fixed and mobile applications subject to coordination with primary users 6. GMDSS in accordance with RR App.15
<p>1 535-1 559</p>	<p>MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A 5.341 5.351 5.353A 5.354 5.355 5.356 5.357 5.357A 5.359 5.362A</p>		<p>1 535-1 559 MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A 5.341 5.351 5.353A 5.354 5.356 5.357 5.357A</p>	<ol style="list-style-type: none"> 1. End-user terminals of space radiocommunication systems providing either data or both voice and data communications. 2. Using this band, except in the band 1544 – 1545 MHz and other exceptional circumstances is forbidden to terrestrial based feeder links. 3. Use of this band by mobile-satellite service is subject to coordination. 4. GMDSS and Distress and safety operations in maritime mobile-satellite service 5. See 5.357 and 5.357A 6. Passive research
<p>1 559-1 610</p>	<p>AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.208B 5.328B 5.329A 5.341</p>		<p>1 559-1 610 AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.208B 5.328B 5.329A 5.341</p>	<ol style="list-style-type: none"> 1. GPS L1 link on 1575.42 MHz 2. GLONASS L1 link in the band 1602.5625 – 1615.5 MHz 3. GALILO L1 link in the band 1559 – 1591 MHz

1 610-1 621.35 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
<p>1 610-1 610.6 MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION</p> <p>5.341 5.355 5.359 5.364 5.366 5.367 5.368 5.369 5.371 5.372</p>	<p>1 610-1 610.6 MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION RADIODETERMINATION-SATELLITE (Earth-to-space)</p> <p>5.341 5.364 5.366 5.367 5.368 5.370 5.372</p>	<p>1 610-1 610.6 MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Radiodetermination-satellite (Earth-to-space)</p> <p>5.341 5.355 5.359 5.364 5.366 5.367 5.368 5.369 5.372</p>	<p>1 610-1 610.6 MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Radiodetermination-satellite (Earth-to-space)</p> <p>5.341 5.364 5.366 5.367 5.368 5.369 5.372</p>	<p>1. Airborne electronic aids to air navigation and any directly associated ground-based or satellite-borne facilities. 2. Satellite personal communication systems (S-PCS)</p>
<p>1 610.6-1 613.8 MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY AERONAUTICAL RADIONAVIGATION</p> <p>5.149 5.341 5.355 5.359 5.364 5.366 5.367 5.368 5.369 5.371 5.372</p>	<p>1 610.6-1 613.8 MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY AERONAUTICAL RADIONAVIGATION RADIODETERMINATION-SATELLITE (Earth-to-space)</p> <p>5.149 5.341 5.364 5.366 5.367 5.368 5.370 5.372</p>	<p>1 610.6-1 613.8 MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY AERONAUTICAL RADIONAVIGATION Radiodetermination-satellite (Earth-to-space)</p> <p>5.149 5.341 5.355 5.359 5.364 5.366 5.367 5.368 5.369 5.372</p>	<p>1 610.6-1 613.8 MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY AERONAUTICAL RADIONAVIGATION Radiodetermination-satellite (Earth-to-space)</p> <p>5.149 5.341 5.364 5.366 5.367 5.368 5.369 5.372</p>	<p>1. Airborne electronic aids to air navigation and any directly associated ground-based or satellite-borne facilities. 2. Satellite personal communication systems (S-PCS)</p>
<p>1 613.8-1 621.35 MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Mobile-satellite (space-to-Earth) 5.208B</p> <p>5.341 5.355 5.359 5.364 5.365 5.366 5.367 5.368 5.369 5.371 5.372</p>	<p>1 613.8-1 621.35 MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION RADIODETERMINATION-SATELLITE (Earth-to-space) Mobile-satellite (space-to-Earth) 5.208B</p> <p>5.341 5.364 5.365 5.366 5.367 5.368 5.370 5.372</p>	<p>1 613.8-1 621.35 MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Mobile-satellite (space-to-Earth) 5.208B Radiodetermination-satellite (Earth-to-space)</p> <p>5.341 5.355 5.359 5.364 5.365 5.366 5.367 5.368 5.369 5.372</p>	<p>1 613.8-1 621.35 MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Mobile-satellite (space-to-Earth) 5.208B Radiodetermination-satellite (Earth-to-space)</p> <p>5.341 5.364 5.365 5.366 5.367 5.368 5.369 5.372</p>	<p>1. Airborne electronic aids to air navigation and any directly associated ground-based or satellite-borne facilities. 2. Satellite personal communication systems (S-PCS) 3. Using of mobile-satellite service in this band is subject to coordination</p>

1 621.35-1 660.5 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
<p>1 621.35-1 626.5 MARITIME MOBILE-SATELLITE (space-to-Earth) 5.373 5.373A MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Mobile-satellite (space-to-Earth) except maritime mobile satellite (space-to-Earth)</p> <p>5.208B 5.341 5.355 5.359 5.364 5.365 5.366 5.367 5.368 5.369 5.371 5.372</p>	<p>1 621.35-1 626.5 MARITIME MOBILE-SATELLITE (space-to-Earth) 5.373 5.373A MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION RADIODETERMINATION-SATELLITE (Earth-to-space) Mobile-satellite (space-to-Earth) except maritime mobile satellite (space-to-Earth)</p> <p>5.208B 5.341 5.364 5.365 5.366 5.367 5.368 5.370 5.372</p>	<p>1 621.35-1 626.5 MARITIME MOBILE-SATELLITE (space-to-Earth) 5.373 5.373A MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Mobile-satellite (space-to-Earth) except maritime mobile satellite (space-to-Earth) Radiodetermination-satellite (Earth-to-space)</p> <p>5.208B 5.341 5.355 5.359 5.364 5.365 5.366 5.367 5.368 5.369 5.372</p>	<p>1 621.35-1 626.5 MARITIME MOBILE-SATELLITE (space-to-Earth) 5.373 5.373A MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Mobile-satellite (space-to-Earth) except maritime mobile satellite (space-to-Earth) Radiodetermination-satellite (Earth-to-space)</p> <p>5.208B 5.341 5.364 5.365 5.366 5.367 5.368 5.369 5.372</p>	-
1 626.5-1 660	MOBILE-SATELLITE (Earth-to-space) 5.351A		<p>1 626.5-1 660 MOBILE-SATELLITE (Earth-to-space) 5.351A</p> <p>5.341 5.351 5.353A 5.354 5.357A 5.374 5.375 5.376</p>	<ol style="list-style-type: none"> 1. End-user terminals of space radiocommunication systems providing either data or both voice and data communications. 2. Using this band, except in 1645.5 – 1646.5 MHz and other exceptional circumstances, is forbidden to terrestrial based feeder links. 3. Using mobile-satellite service in this band is subject to coordination 4. GMDSS and Distress and safety operations in maritime mobile-satellite service 5. See 5.357A
1 660-1 660.5	MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY		<p>1 660-1 660.5 MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY</p> <p>5.149 5.341 5.351 5.354 5.376A</p>	<ol style="list-style-type: none"> 1. End-user terminals of space radiocommunication systems providing either data or both voice and data communications. 2. Using this band, except in exceptional circumstances, is forbidden to terrestrial based feeder links. 3. Using mobile-satellite service in this band is subject to coordination

1 660.5-1 675 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
1 660.5-1 668	RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149 5.341 5.379 5.379A		1 660.5-1 668 RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149 5.341 5.379 5.379A	1. Continuum measurements in the band 1660 – 1670 MHz (ITU-R Rec. RA.314) 2. Very Long Baseline Interferometry (VLBI) observation in radio astronomy service 3. Passive research
1 668-1 668.4	MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.379C RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149 5.341 5.379 5.379A		1 668-1 668.4 MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.379C RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149 5.341 5.379 5.379A	1. Using of mobile-satellite service in this band is subject to coordination 2. Continuum measurements in the band 1660 – 1670 MHz (ITU-R Rec. RA.314) 3. Passive research 4. Secondary fixed and mobile (except aeronautical mobile) applications subject to coordination with primary users
1 668.4-1 670	METEOROLOGICAL AIDS FIXED MOBILE except aeronautical mobile MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.379C RADIO ASTRONOMY 5.149 5.341 5.379D 5.379E		1 668.4-1 670 FIXED MOBILE except aeronautical mobile MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.379C RADIO ASTRONOMY 5.149 5.341 5.379D 5.379E	1. Using of mobile-satellite service in this band is subject to coordination 2. Continuum measurements in the band 1660 – 1670 MHz 3. Direct data readout from balloon-borne radiosonde in the band 1668.4 – 1700 MHz 4. Radiosonde RDF (ITU-R Rec. SA.1262) 5. Use of the band 1 668.4-1 675 MHz in the mobile service is limited to transportable radio-relay systems with e.i.r.p. less than –27 dB(W/4 kHz) in direction of the GSO orbit
1 670-1 675	METEOROLOGICAL AIDS FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.341 5.379D 5.379E 5.380A		1 670-1 675 FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.341 5.379D 5.379E 5.380A	1. Using of mobile-satellite service in this band is subject to coordination 2. Worldwide aeronautical public correspondence 3. Direct data readout from balloon-borne radiosonde in the band 1668.4 – 1700 MHz 4. Radiosonde RDF (ITU-R Rec. SA.1262) 5. Use of the band 1 668.4-1 675 MHz in the mobile service is limited to transportable radio-relay systems with e.i.r.p. less than –27 dB(W/4 kHz) in direction of the GSO orbit

1 675-1 930 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
1 675-1 690	METEOROLOGICAL AIDS FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.341		1 675-1 690 METEOROLOGICAL AIDS FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.341	1. Fixed earth stations for reception of raw image data, data collection and spacecraft telemetry from geostationary meteorological satellites (ITU-R Rec. SA.1158) 2. Direct data readout from balloon-borne radiosonde in the band 1668.4 – 1700 MHz 3. Radiosonde RDF (ITU-R Rec. SA.1262)
1 690-1 700 METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (space-to-Earth) Fixed Mobile except aeronautical mobile 5.289 5.341 5.382	1 690-1 700 METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (space-to-Earth) 5.289 5.341 5.381		1 690-1 700 METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (space-to-Earth) 5.289 5.341	1. User stations for direct readout services from GSO MetSat in the band 1690–1698MHz (ITU-R SA.1158) 2. User stations for direct readout services and pre-recorded image data at main earth stations from Non-GSO MetSat in the band 1698 – 1710 MHz (ITU-R Rec. SA.1158) 3. Direct data readout from balloon-borne radiosonde in the band 1668.4 – 1700 MHz 4. Radiosonde RDF (ITU-R Rec. SA.1262)
1 700-1 710 FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.289 5.341		1 700-1 710 FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.289 5.341 5.384	1 700-1 710 FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.289 5.341 5.384	1. User stations for direct readout services and pre-recorded image data at main earth stations from Non-GSO MetSat in the band 1698 – 1710 MHz (ITU-R Rec. SA.1158) 2. Radio relay links in the 1.8 GHz and 1.9 GHz bands (ITU-R Rec.s F.701 and F.283) (more than 50 km) distance to meteorological satellite earth stations)
1 710-1 930	FIXED MOBILE 5.384A 5.388A 5.388B 5.149 5.341 5.385 5.386 5.387 5.388		1 710-1 930 FIXED MOBILE 5.384A 5.388A 5.149 5.341 5.385 5.388 TLS10 TLS11	1. FD-IMT in 1805 – 1880 MHz /1710 – 1785 MHz and 2110 – 2170 MHz / 1920 – 1980 MHz 2. TD-IMT in 1785 – 1805 MHz and 1900 – 1920 MHz 3. Cellular TD – CT in the band 1880 – 1900 MHz 4. MNOs may use HAPS within the licensed bandwidths, subject to coordination with ANC

1 970-2 110 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
1 930-1 970 FIXED MOBILE 5.388A 5.388B 5.388	1 930-1 970 FIXED MOBILE 5.388A 5.388B Mobile-satellite (Earth-to-space) 5.388	1 930-1 970 FIXED MOBILE 5.388A 5.388B 5.388	1 930-1 970 FIXED MOBILE 5.388A 5.388 TLS10 TLS11	1. FD-IMT in 2110 – 2170 MHz / 1920 – 1980 MHz 2. MNOs may use HAPS within the licensed bandwidths, subject to coordination with ANC
1 970-1 980	FIXED MOBILE 5.388A 5.388B 5.388		1 970-1 980 FIXED MOBILE 5.388A 5.388 TLS10 TLS11	1. FD-IMT in 2110 – 2170 MHz / 1920 – 1980 MHz 2. MNOs may use HAPS within the licensed bandwidths, subject to coordination with ANC
1 980-2 010 5.388 5.389A 5.389B 5.389F	FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) 5.351A		1 980-2 010 FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) 5.351A 5.388 5.389A TLS10 TLS11	1. Terrestrial component of IMT in 1885 – 2025 MHz 2. Main candid band for satellite component of IMT systems (ITU-R Res. 212)
2 010-2 025 FIXED MOBILE 5.388A 5.388B 5.388	2 010-2 025 FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) 5.388 5.389C 5.389E	2 010-2 025 FIXED MOBILE 5.388A 5.388B 5.388	2 010-2 025 FIXED MOBILE 5.388A 5.388 TLS10 TLS11	1. TD-IMT in 2010 – 2025 MHz 2. MNOs may use HAPS within the licensed bandwidths, subject to coordination with ANC
2 025-2 110	SPACE OPERATION (Earth-to-space) (space-to-space) EARTH EXPLORATION-SATELLITE (Earth-to-space) (space-to-space) FIXED MOBILE 5.391 SPACE RESEARCH (Earth-to-space) (space-to-space) 5.392		2 025-2 110 SPACE OPERATION (Earth-to-space) (space-to-space) EARTH EXPLORATION-SATELLITE (Earth-to-space) (space-to-space) FIXED MOBILE 5.391 SPACE RESEARCH (Earth-to-space) (space-to-space) 5.392	1. Not intended for high density mobile systems 2. UHF point to point and point to multipoint microwave radio link (ITU-R Rec.s F.701, F.283 and F.1098) 3. Low density fixed and mobile systems in 2025 – 2070 MHz paired with 2200– 2245 MHz 4. Low density fixed and mobile systems in 2070–2110 MHz / 2245–2285 MHz 5. MDS in fixed service 6. Tactical radio relay systems in the band 2025 – 2070 MHz 7. Broadcasting auxiliary transportable radio relay system

2 110-2 290 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
2 110-2 120	FIXED MOBILE 5.388A 5.388B SPACE RESEARCH (deep space) (Earth-to-space) 5.388		2 110-2 120 FIXED MOBILE 5.388A SPACE RESEARCH (deep space) (Earth-to-space) 5.388 TLS10 TLS11	1. FD-IMT in 2110 – 2170 MHz / 1920 – 1980 MHz 2. MNOs may use HAPS within the licensed bandwidths, subject to coordination with ANC
2 120-2 160 FIXED MOBILE 5.388A 5.388B 5.388	2 120-2 160 FIXED MOBILE 5.388A 5.388B Mobile-satellite (space-to-Earth) 5.388	2 120-2 160 FIXED MOBILE 5.388A 5.388B 5.388	2 120-2 160 FIXED MOBILE 5.388A 5.388 TLS10 TLS11	1. FD-IMT in 2110 – 2170 MHz / 1920 – 1980 MHz 2. MNOs may use HAPS within the licensed bandwidths, subject to coordination with ANC
2 160-2 170 FIXED MOBILE 5.388A 5.388B 5.388	2 160-2 170 FIXED MOBILE MOBILE-SATELLITE (space-to-Earth) 5.388 5.389C 5.389E	2 160-2 170 FIXED MOBILE 5.388A 5.388B 5.388	2 160-2 170 FIXED MOBILE 5.388A 5.388 TLS10 TLS11	1. FD-IMT in 2110 – 2170 MHz / 1920 – 1980 MHz 2. MNOs may use HAPS within the licensed bandwidths, subject to coordination with ANC
2 170-2 200 5.388 5.389A 5.389F	FIXED MOBILE MOBILE-SATELLITE (space-to-Earth) 5.351A		2 170-2 200 FIXED MOBILE MOBILE-SATELLITE (space-to-Earth) 5.351A 5.388 5.389A	1. Main candid band for satellite component of IMT systems 2. Terrestrial component of IMT in 2110 – 2200 MHz 3. Satellite personal communication systems (S-PCS)
2 200-2 290	SPACE OPERATION (space-to-Earth) (space-to-space) EARTH EXPLORATION-SATELLITE (space-to-Earth) (space-to-space) FIXED MOBILE 5.391 SPACE RESEARCH (space-to-Earth) (space-to-space) 5.392		2 200-2 290 SPACE OPERATION (space-to-Earth) (space-to-space) EARTH EXPLORATION-SATELLITE (space-to-Earth) (space-to-space) FIXED MOBILE 5.391 SPACE RESEARCH (space-to-Earth) (space-to-space) 5.392	1. UHF point to point and point to multipoint microwave radio link (ITU-R Rec.s F.701, F.283 and F.1098) 2. Low density fixed and mobile systems in 2025 – 2070 MHz paired with 2200 – 2245 MHz 3. Low density fixed and mobile systems in 2070 – 2110 MHz paired with 2245 – 2285 MHz 4. Low density one-way fixed and mobile systems in 2285 – 2300 MHz

2 290-2 500 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
2 290-2 300	FIXED MOBILE except aeronautical mobile SPACE RESEARCH (deep space) (space-to-Earth)		2 290-2 300 FIXED MOBILE except aeronautical mobile SPACE RESEARCH (deep space) (space-to-Earth)	1. Low density one-way fixed and mobile systems in 2285 – 2300 MHz 2. VLBI observation in the band 2.29- 3 GHz (ITU-R RA.479)
2 300-2 450 FIXED MOBILE 5.384A Amateur Radiolocation 5.150 5.282 5.395	2 300-2 450 FIXED MOBILE 5.384A RADIOLOCATION Amateur 5.150 5.282 5.393 5.394		2 300-2 400 FIXED MOBILE 5.384A 5.396 TLS10 TLS11	1. TD-IMT in 2300 – 2400 MHz
			2 400-2 450 FIXED MOBILE RADIOLOCATION Amateur 5.150 5.282	1. ISM applications in 2400 – 2500 MHz 2. Fixed links 3. Non-specific SRD devices in the band 2400 – 2483.5 MHz 4. Radio-LAN (RLAN) and HIPERLAN SRD 5. RFID, CT, railway, UWB, Detecting Movement and Alert
2 450-2 483.5 FIXED MOBILE Radiolocation 5.150	2 450-2 483.5 FIXED MOBILE RADIOLOCATION 5.150		2 450-2 483.5 FIXED MOBILE RADIOLOCATION 5.150	1. ISM applications in 2400 – 2500 MHz 2. Fixed links 3. Non-specific SRD devices in the band 2400 – 2483.5 MHz 4. Radio-LAN (RLAN) and HIPERLAN SRD 5. RFID, CT, railway, UWB, Detecting Movement and Alert
2 483.5-2 500 FIXED MOBILE MOBILE-SATELLITE (space-to-Earth) 5.351A RADIODETERMINATION-SATELLITE (space-to-Earth) 5.398 Radiolocation 5.398A 5.150 5.399 5.401 5.402	2 483.5-2 500 FIXED MOBILE MOBILE-SATELLITE (space-to-Earth) 5.351A RADIOLOCATION RADIODETERMINATION-SATELLITE (space-to-Earth) 5.398 5.150 5.402	2 483.5-2 500 FIXED MOBILE MOBILE-SATELLITE (space-to-Earth) 5.351A RADIOLOCATION RADIODETERMINATION-SATELLITE (space-to-Earth) 5.398 5.150 5.401 5.402	2 483.5-2 500 FIXED MOBILE MOBILE-SATELLITE (space-to-Earth) 5.351A RADIOLOCATION RADIODETERMINATION-SATELLITE (space-to-Earth) 5.398 5.150 5.402	1. ISM applications in 2400 – 2500 MHz 2. Fixed links 3. One of the candid bands for satellite component of IMT systems 4. SRDs for Medical Implants and Tracking, Tracing and Data Acquisition

2 500-2 670 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
<p>2 500-2 520 FIXED 5.410 MOBILE except aeronautical mobile 5.384A</p> <p>5.412</p>	<p>2 500-2 520 FIXED 5.410 FIXED-SATELLITE (space-to-Earth) 5.415 MOBILE except aeronautical mobile 5.384A</p>	<p>2 500-2 520 FIXED 5.410 FIXED-SATELLITE (space-to-Earth) 5.415 MOBILE except aeronautical mobile 5.384A MOBILE-SATELLITE (space-to-Earth) 5.351A 5.407 5.414 5.414A 5.404 5.415A</p>	<p>2 500-2 520 FIXED MOBILE except aeronautical mobile 5.384A</p> <p>5.414 TLS10 TLS11</p>	1. Flexible FD/TD-IMT in 2500 – 2690 MHz
<p>2 520-2 655 FIXED 5.410 MOBILE except aeronautical mobile 5.384A BROADCASTING- SATELLITE 5.413 5.416</p> <p>5.339 5.412 5.418B 5.418C</p>	<p>2 520-2 655 FIXED 5.410 FIXED-SATELLITE (space-to-Earth) 5.415 MOBILE except aeronautical mobile 5.384A BROADCASTING- SATELLITE 5.413 5.416</p> <p>5.339 5.418B 5.418C</p>	<p>2 520-2 535 FIXED 5.410 FIXED-SATELLITE (space-to-Earth) 5.415 MOBILE except aeronautical mobile 5.384A BROADCASTING- SATELLITE 5.413 5.416 5.403 5.414A 5.415A</p>	<p>2 520-2 535 FIXED MOBILE except aeronautical mobile 5.384A</p> <p>5.403 TLS10 TLS11</p>	1. Flexible FD/TD-IMT in 2500 – 2690 MHz
		<p>2 535-2 655 FIXED 5.410 MOBILE except aeronautical mobile 5.384A BROADCASTING- SATELLITE 5.413 5.416</p> <p>5.339 5.418 5.418A 5.418B 5.418C</p>	<p>2 535-2 655 FIXED MOBILE except aeronautical mobile 5.384A</p> <p>5.339 TLS10 TLS11</p>	1. Flexible FD/TD-IMT in 2500 – 2690 MHz
<p>2 655-2 670 FIXED 5.410 MOBILE except aeronautical mobile 5.384A BROADCASTING- SATELLITE 5.208B 5.413 5.416 Earth exploration-satellite (passive) Radio astronomy Space research (passive)</p> <p>5.149 5.412</p>	<p>2 655-2 670 FIXED 5.410 FIXED-SATELLITE (Earth-to-space) (space-to-Earth) 5.415 MOBILE except aeronautical mobile 5.384A BROADCASTING- SATELLITE 5.413 5.416 Earth exploration-satellite (passive) Radio astronomy Space research (passive)</p> <p>5.149 5.208B</p>	<p>2 655-2 670 FIXED 5.410 FIXED-SATELLITE (Earth-to-space) 5.415 MOBILE except aeronautical mobile 5.384A BROADCASTING- SATELLITE 5.208B 5.413 5.416 Earth exploration-satellite (passive) Radio astronomy Space research (passive)</p> <p>5.149 5.420</p>	<p>2 655-2 670 FIXED MOBILE except aeronautical mobile 5.384A</p> <p>5.149 5.420 TLS10 TLS11</p>	1. Flexible FD/TD-IMT in 2500 – 2690 MHz

2 670-3 300 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
<p>2 670-2 690 FIXED 5.410 MOBILE except aeronautical mobile 5.384A Earth exploration-satellite (passive) Radio astronomy Space research (passive)</p> <p>5.149 5.412</p>	<p>2 670-2 690 FIXED 5.410 FIXED-SATELLITE (Earth-to-space) (space-to-Earth) 5.208B 5.415 MOBILE except aeronautical mobile 5.384A Earth exploration-satellite (passive) Radio astronomy Space research (passive)</p> <p>5.149</p>	<p>2 670-2 690 FIXED 5.410 FIXED-SATELLITE (Earth-to-space) 5.415 MOBILE except aeronautical mobile 5.384A MOBILE-SATELLITE (Earth-to-space) 5.351A 5.419 Earth exploration-satellite (passive) Radio astronomy Space research (passive)</p> <p>5.149</p>	<p>2 670-2 690 FIXED MOBILE except aeronautical mobile 5.384A</p> <p>5.149 TLS10 TLS11</p>	<p>1. Flexible FD/TD-IMT in 2500 – 2690 MHz</p>
<p>2 690-2 700</p> <p>5.340 5.422</p>	<p>EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)</p>		<p>2 690-2 700 EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)</p> <p>5.340</p>	<p>1. Passive sensors (by means of satellite) 2. Continuum measurements in the band 2655 – 2700 MHz (ITU-R Rec. RA.314) 3. All emissions are prohibited in this band</p>
<p>2 700-2 900</p> <p>5.423 5.424</p>	<p>AERONAUTICAL RADIONAVIGATION 5.337 Radiolocation</p>		<p>2 700-2 900 AERONAUTICAL RADIONAVIGATION 5.337 Radiolocation</p> <p>5.423</p>	<p>1. Ground-based 10 cm (S-band) long-range surveillance primary radar and associated airborne transponders in aeronautical radio navigation service 2. Ground-based meteorological radars</p>
<p>2 900-3 100</p> <p>5.425 5.427</p>	<p>RADIOLOCATION 5.424A RADIONAVIGATION 5.426</p>		<p>2 900-3 100 RADIOLOCATION 5.424A RADIONAVIGATION 5.426</p> <p>5.425 5.427</p>	<p>1. Ground-based 10 cm (S-band) long-range surveillance primary radar and associated airborne transponders in aeronautical radio navigation service</p>
<p>3 100-3 300</p> <p>5.149 5.428</p>	<p>RADIOLOCATION Earth exploration-satellite (active) Space research (active)</p>		<p>3 100-3 300 RADIOLOCATION Earth exploration-satellite (active) Space research (active)</p> <p>5.149</p>	<p>1. Ground-based 10 cm (S-band) long-range surveillance primary radar and associated airborne transponders in aeronautical radio navigation service 2. High power shipboard and airborne radars for searching, tracking and surveillance in the band 3100 – 3400 MHz</p>

3 300-4 200 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
3 300-3 400 RADIOLOCATION 5.149 5.429 5.429A 5.429B 5.430	3 300-3 400 RADIOLOCATION Amateur Fixed Mobile 5.149 5.429C 5.429D	3 300-3 400 RADIOLOCATION Amateur 5.149 5.429 5.429E 5.429F	3 300-3 400 RADIOLOCATION Amateur 5.149 5.429 5.429F TLS12	1. The frequency bands 3300 – 3400 MHz or the part of, may be identified for TD-IMT 2. Radiolocation applications are limited to ground-based radar stations toward sea.
3 400-3 600 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.430A Radiolocation 5.431	3 400-3 500 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.431A 5.431B Amateur Radiolocation 5.433 5.282	3 400-3 500 FIXED FIXED-SATELLITE (space-to-Earth) Amateur Mobile 5.432 5.432B Radiolocation 5.433 5.282 5.432A	3 400-3 500 FIXED MOBILE except aeronautical mobile Fixed -satellite (space-to-Earth) 5.282 5.432B 5.433 TLS10 TLS11	1. TD-IMT in the frequency band 3400 – 3600 MHz 2. Earth stations shall keep 50 km distance from the nearest coverage-edge of TD-IMT networks
	3 500-3 600 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.431B Radiolocation 5.433	3 500-3 600 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.433A Radiolocation 5.433	3 500-3 600 FIXED MOBILE except aeronautical mobile Fixed -satellite (space-to-Earth) 5.433 5.433A TLS10 TLS11	
3 600-4 200 FIXED FIXED-SATELLITE (space-to-Earth) Mobile	3 600-3 700 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.434 Radiolocation 5.433	3 600-3 700 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile Radiolocation 5.435	3 600-3 700 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile Radiolocation TLS10 TLS11	1. The frequency band 3600 – 3700 MHz or the part of, may be identified for TD-IMT 2. Radiolocation applications are limited to ground-based radar stations at shore toward sea. 3. Earth stations shall keep 50 km distance from the nearest coverage-edge of TD-IMT networks

3 700-4 800 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
	3 700-4 200 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile		3 700-4 200 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile TLS12	1. The frequency band 3700 – 3800 MHz, or the part of, may be identified for TD-IMT 2. Portable products in fixed-satellite service 3. C-band VSAT stations 4. Earth stations shall keep 50 km distance from the nearest base station of TD-IMT networks
4 200-4 400	AERONAUTICAL MOBILE (R) 5.436 AERONAUTICAL RADIONAVIGATION 5.438 5.437 5.439 5.440		4 200-4 400 AERONAUTICAL MOBILE (R) 5.436 AERONAUTICAL RADIONAVIGATION 5.438 5.437 5.440	1. On board radio altimeter radar and associated airborne ground proximity warning system. 2. The aeronautical mobile (R) service is reserved exclusively for wireless avionics intra-communication systems 3. Passive sensing in the earth exploration-satellite on a secondary basis
4 400-4 500	FIXED MOBILE 5.440A		4 400-4 500 FIXED MOBILE 5.440A	1. Fixed and mobile systems in 4400 – 4500 MHz paired with 4700 – 4800 MHz 2. Microwave radio relay links in the 4.7 GHz band (in accordance with ITU-R F.746 and F.1099 recommendations). For assignment in fixed service refer to Annex 1. 3. SAP/SAB and ENG/OB in the band 4400 – 5000 MHz (temporary application)
4 500-4 800	FIXED FIXED-SATELLITE (space-to-Earth) 5.441 MOBILE 5.440A		4 500-4 800 FIXED FIXED-SATELLITE (space-to-Earth) 5.441 MOBILE 5.440A	1. Microwave radio relay links in the 4.7 GHz band (ITU-R Rec. F.746 and F.1099) 2. SAP/SAB and ENG/OB in the band 4400 – 5000 MHz (temporary application) 3. C-band VSAT stations 4. Use of the bands 4.5-4.8 GHz (↓) by the fixed-satellite service shall be in accordance with the provisions of RR App.30B 5. Fixed and mobile systems in the band 4400 – 4500 MHz paired with 4700 – 4800 MHz

4 800-5 091 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
4 800-4 990	FIXED MOBILE 5.440A 5.441A 5.441B 5.442 Radio astronomy 5.149 5.339 5.443		4 800-4 990 FIXED MOBILE 5.440A 5.442 Radio astronomy 5.149 5.339	1. SAP/SAB and ENG/OB in the band 4400 – 5000 MHz (temporary application) 2. Microwave radio relay links in the 4.7 GHz band (ITU-R Rec. F.746 and F.1099) 3. Region 3 PPDR in the frequency range 4940 – 4990 MHz (ITU RR Resolution 646)
4 990-5 000	FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY Space research (passive) 5.149		4 990-5 000 FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY Space research (passive) 5.149	1. Microwave radio relay links in the 4.7 GHz band (ITU-R Rec. F.746 and F.1099) 2. SAP/SAB and ENG/OB in the band 4400 – 5000 MHz (temporary application)
5 000-5 010	AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (Earth-to-space)		5 000-5 010 AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (Earth-to-space)	1. Internationally standardized aeronautical mobile-satellite service subject to coordination under No. RR9.21 2. A planned band for future extension of GPS and Galileo systems in the band 5000 – 5030 MHz
5 010-5 030	AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.443B		5 010-5 030 AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.443B	1. Internationally standardized aeronautical mobile-satellite service subject to coordination under No. RR9.21 2. A planned band for future extension of GPS and Galileo systems in the band 5000 – 5030 MHz
5 030-5 091	AERONAUTICAL MOBILE (R) 5.443C AERONAUTICAL MOBILE-SATELLITE (R) 5.443D AERONAUTICAL RADIONAVIGATION 5.444		5 030-5 091 AERONAUTICAL MOBILE (R) 5.443C AERONAUTICAL MOBILE-SATELLITE (R) 5.443D AERONAUTICAL RADIONAVIGATION 5.444	1. MLS for precision approach and landing in the band 5030 – 5150 MHz 2. Feeder links of fixed-satellite service (Earth-to-space) and non-GSO mobile-satellite systems in the band 5091 – 5150 MHz on a primary basis

5 091-5 350 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
5 091-5 150	FIXED-SATELLITE (Earth-to-space) 5.444A AERONAUTICAL MOBILE 5.444B AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION 5.444		5 091-5 150 FIXED-SATELLITE (Earth-to-space) 5.444A AERONAUTICAL MOBILE 5.444B AERONAUTICAL MOBILE- SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION 5.444	1. Future MLS for precision approach and landing in the band 5030 – 5150 MHz 2. Feeder links of fixed-satellite service (Earth-to-space) and non-GSO mobile-satellite systems in the band 5091 – 5150 MHz on a primary basis
5 150-5 250	FIXED-SATELLITE (Earth-to-space) 5.447A MOBILE except aeronautical mobile 5.446A 5.446B AERONAUTICAL RADIONAVIGATION 5.446 5.446C 5.446D 5.447 5.447B 5.447C		5 150-5 250 FIXED-SATELLITE (Earth-to-space) 5.447A MOBILE except aeronautical mobile 5.446A 5.446B AERONAUTICAL RADIONAVIGATION 5.446 5.447B 5.447C	1. Indoor (controlled outdoor) wireless access system (WAS) including (HIPER) RLANs in mobile service (RR Resolution 229) 2. Feeder links of non-GSO mobile-satellite systems on a primary basis (subject to coordination under No. RR 9.11A)
5 250-5 255	EARTH EXPLORATION-SATELLITE (active) MOBILE except aeronautical mobile 5.446A 5.447F RADIOLOCATION SPACE RESEARCH 5.447D 5.447E 5.448 5.448A		5 250-5 255 EARTH EXPLORATION- SATELLITE (active) MOBILE except aeronautical mobile 5.446A 5.447F RADIOLOCATION SPACE RESEARCH 5.447D 5.447E 5.448A	1. Indoor wireless access system (WAS) including (HIPER) RLANs in mobile service (RR Resolution 229) 2. The space research service is limited to active spaceborne sensors 3. WAS including (HIPER)RLANs in mobile service (RR Resolution 229) 4. Maritime radar and tactical radars in the band 5250 – 5725 MHz
5 255-5 350	EARTH EXPLORATION-SATELLITE (active) MOBILE except aeronautical mobile 5.446A 5.447F RADIOLOCATION SPACE RESEARCH (active) 5.447E 5.448 5.448A		5 255-5 350 EARTH EXPLORATION- SATELLITE (active) MOBILE except aeronautical mobile 5.446A 5.447F RADIOLOCATION SPACE RESEARCH (active) 5.447E 5.448A	1. Indoor /outdoor wireless access system (WAS) including (HIPER) RLANs in mobile service (RR Resolution 229) 2. Maritime and tactical radars in the band 5250.0 - 5725.0 MHz

5 350-5 650 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
5 350-5 460	EARTH EXPLORATION-SATELLITE (active) 5.448B RADIOLOCATION 5.448D AERONAUTICAL RADIONAVIGATION 5.449 SPACE RESEARCH (active) 5.448C		5 350-5 460 EARTH EXPLORATION-SATELLITE (active) 5.448B RADIOLOCATION 5.448D AERONAUTICAL RADIONAVIGATION 5.449 SPACE RESEARCH (active) 5.448C	1. The aeronautical radionavigation service is limited to airborne radars and associated airborne beacons 2. Maritime (including VTS) and tactical radars in the band 5250.0 - 5725.0 MHz
5 460-5 470	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION 5.448D RADIONAVIGATION 5.449 SPACE RESEARCH (active) 5.448B		5 460-5 470 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION 5.448D RADIONAVIGATION 5.449 SPACE RESEARCH (active) 5.448B	1. The aeronautical radionavigation service is limited to airborne radars and associated airborne beacons 2. Maritime (including VTS) and tactical radars in the band 5250.0 - 5725.0 MHz
5 470-5 570	EARTH EXPLORATION-SATELLITE (active) MOBILE except aeronautical mobile 5.446A 5.450A RADIOLOCATION 5.450B MARITIME RADIONAVIGATION SPACE RESEARCH (active) 5.448B 5.450 5.451		5 470-5 570 EARTH EXPLORATION-SATELLITE (active) MOBILE except aeronautical mobile 5.446A 5.450A RADIOLOCATION 5.450B MARITIME RADIONAVIGATION SPACE RESEARCH (active) 5.448B	1. Indoor wireless access system (WAS) including (HIPER) RLANs in mobile service (RR Resolution 229) 2. Maritime (including VTS) and tactical radars in the band 5250.0 - 5725.0 MHz
5 570-5 650	MOBILE except aeronautical mobile 5.446A 5.450A RADIOLOCATION 5.450B MARITIME RADIONAVIGATION 5.450 5.451 5.452		5 570-5 650 MOBILE except aeronautical mobile 5.446A 5.450A RADIOLOCATION 5.450B MARITIME RADIONAVIGATION 5.452	1. Indoor wireless access system (WAS) including (HIPER) RLANs in mobile service (RR Resolution 229) 2. Maritime (including VTS) and tactical radars in the band 5250.0 - 5725.0 MHz 3. Ground-based meteorological radars in the band 5 600-5 650 MHz

5 650-5 925 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
5 650-5 725	MOBILE except aeronautical mobile RADIOLOCATION Amateur Space research (deep space) 5.282 5.451 5.453 5.454 5.455	5.446A 5.450A	5 650-5 725 MOBILE except aeronautical mobile 5.446A 5.450A RADIOLOCATION Amateur Space research (deep space) 5.282 5.453	1. Point to point and point to multipoint systems in the band 5 670-5 850 MHz 2. Maritime (including VTS) and tactical radars in the band 5250.0 - 5725.0 MHz
5 725-5 830 FIXED-SATELLITE (Earth-to-space) RADIOLOCATION Amateur 5.150 5.451 5.453 5.455	5 725-5 830 RADIOLOCATION Amateur 5.150 5.453 5.455		5 725-5 830 RADIOLOCATION Amateur 5.150 5.453	1. Weather and non-civil radars in band 5725 – 5875 MHz 2. ISM application in the band 5 725-5 875 MHz 3. FWA systems (HIPERMAN) in the band 5725 – 5875 MHz under 4. CT; Tracking, Tracing and Data Acquisition; Transport and Traffic Telematics (TTT), detecting movement and alert and Non-specific SRD devices
5 830-5 850 FIXED-SATELLITE (Earth-to-space) RADIOLOCATION Amateur Amateur-satellite (space-to-Earth) 5.150 5.451 5.453 5.455	5 830-5 850 RADIOLOCATION Amateur Amateur-satellite (space-to-Earth) 5.150 5.453 5.455		5 830-5 850 RADIOLOCATION Amateur Amateur-satellite (space-to-Earth) 5.150 5.453	1. Weather and non-civil radars in band 5725 – 5875 MHz 2. ISM application in the band 5 725-5 875 MHz 3. CT; Tracking, Tracing and Data Acquisition; detecting movement and alert and Non-specific SRD devices
5 850-5 925 FIXED FIXED-SATELLITE (Earth-to-space) MOBILE 5.150	5 850-5 925 FIXED FIXED-SATELLITE (Earth-to-space) MOBILE Amateur Radiolocation 5.150	5 850-5 925 FIXED FIXED-SATELLITE (Earth-to-space) MOBILE Radiolocation 5.150	5 850-5 925 FIXED FIXED-SATELLITE (Earth-to-space) MOBILE Radiolocation 5.150	1. Weather and non-civil radars in band 5725 – 5875 MHz 2. ISM application in the band 5 725-5 875 MHz 3. Tracking, Tracing and Data Acquisition; detecting movement and alert and Non-specific SRD devices 4. DSRC in the band 5850 – 5925 MHz

5 925-7 235 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
5 925-6 700	FIXED 5.457 FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B MOBILE 5.457C 5.149 5.440 5.458		5 925-6 700 FIXED FIXED-SATELLITE (Earth-to-space) 5.457A MOBILE 5.149 5.440 5.458	1. Microwave radio relay links in the 6 GHz and 6.5 GHz bands in accordance with ITU-RR Rec.s F.383 and F.384 2. ESV in the band 5 925-6 425 MHz (RR Resolution 902) 3. FSS feeder link in the band 5 925-6 425 MHz
6 700-7 075	FIXED FIXED-SATELLITE (Earth-to-space) (space-to-Earth) 5.441 MOBILE 5.458 5.458A 5.458B		6 700-7 075 FIXED FIXED-SATELLITE (Earth-to-space) (space-to-Earth) 5.441 MOBILE 5.458 5.458A 5.458B	1. Microwave radio relay links in the 6.5 GHz and 7 GHz bands in accordance with ITU-R Rec.s F.384 and F.385 2. Use of the bands 6 725-7 025 MHz (†) by the fixed-satellite service shall be in accordance with the provisions of RR App. 30B
7 075-7 145	FIXED MOBILE 5.458 5.459		7 075-7 145 FIXED MOBILE 5.458	1. Microwave radio relay links in the 6.5 GHz and 7 GHz bands in accordance with ITU-R Rec.s F.384 and F.385
7 145-7 190	FIXED MOBILE SPACE RESEARCH (deep space) (Earth-to-space) 5.458 5.459		7 145-7 190 FIXED MOBILE SPACE RESEARCH (deep space) (Earth-to-space) 5.458	1. Microwave radio relay links in the 7.4 GHz bands in accordance with ITU-R Rec. F.385
7 190-7 235	EARTH EXPLORATION-SATELLITE (Earth-to-space) 5.460A 5.460B FIXED MOBILE SPACE RESEARCH (Earth-to-space) 5.460 5.458 5.459		7 190-7 235 EARTH EXPLORATION-SATELLITE (Earth-to-space) 5.460A 5.460B FIXED MOBILE SPACE RESEARCH (Earth-to-space) 5.460 5.458	1. Microwave radio relay links in the 7.4 GHz bands in accordance with ITU-R Rec. F.385

7 235-7 250 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
7 235-7 250	EARTH EXPLORATION-SATELLITE (Earth-to-space) 5.460A FIXED MOBILE 5.458		7 235-7 250 EARTH EXPLORATION-SATELLITE (Earth-to-space) 5.460A FIXED MOBILE 5.458	1. Microwave radio relay links in the 7.4 GHz bands in accordance with ITU-R Rec. F.385
7 250-7 300	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE 5.461		7 250-7 300 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE 5.461	1. Microwave radio relay links in the 7.4 GHz bands in accordance with ITU-R Rec. F.385 2. MSS in the band 7250 – 7375 MHz on a primary basis subject to coordination under RR No. 9.21
7 300-7 375	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.461		7 300-7 375 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.461	1. Microwave radio relay links in the 7.4 GHz bands in accordance with ITU-R Rec. F.385 2. MSS in the band 7250 – 7375 MHz on a primary basis subject to coordination under RR No. 9.21
7 375-7 450	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile MARITIME MOBILE-SATELLITE (space-to-Earth) 5.461AA 5.461AB		7 375-7 450 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile MARITIME MOBILE-SATELLITE (space-to-Earth) 5.461AA 5.461AB	1. Microwave radio relay links in the 7.5 GHz bands in accordance with ITU-R Rec. F.385 2. GSO maritime mobile-satellite in the frequency band 7 375-7 750 MHz
7 450-7 550	FIXED FIXED-SATELLITE (space-to-Earth) METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile MARITIME MOBILE-SATELLITE (space-to-Earth) 5.461AA 5.461AB 5.461A		7 450-7 550 FIXED FIXED-SATELLITE (space-to-Earth) METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile MARITIME MOBILE-SATELLITE (space-to-Earth) 5.461AA 5.461AB 5.461A	1. Microwave radio relay links in the 7.5 GHz bands in accordance with ITU-R Rec. F.385 2. GSO meteorological satellite in the band 7 450-7 550 MHz 3. GSO maritime mobile-satellite in the frequency band 7 375-7 750 MHz

7 550-8 215 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
7 550-7 750	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile MARITIME MOBILE-SATELLITE (space-to-Earth) 5.461AA 5.461AB		7 550-7 750 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile MARITIME MOBILE-SATELLITE (space-to-Earth) 5.461AA 5.461AB	1. Microwave radio relay links in the 7.5 GHz and 8 GHz bands in accordance with ITU-R Rec.s F.385 and F.386 2. GSO maritime mobile-satellite in the frequency band 7 375-7 750 MHz
7 750-7 900	FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) 5.461B MOBILE except aeronautical mobile		7 750-7 900 FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) 5.461B MOBILE except aeronautical mobile	1. Microwave radio relay links in the 8 GHz bands in accordance with ITU-R Rec. F.386 2. The meteorological-satellite service (↓) is limited to non-geostationary satellite systems
7 900-8 025	FIXED FIXED-SATELLITE (Earth-to-space) MOBILE 5.461		7 900-8 025 FIXED FIXED-SATELLITE (Earth-to-space) MOBILE 5.461	1. Microwave radio relay links in the 8 GHz bands in accordance with ITU-R Rec.F.386
8 025-8 175	EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED FIXED-SATELLITE (Earth-to-space) MOBILE 5.463 5.462A		8 025-8 175 EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED FIXED-SATELLITE (Earth-to-space) MOBILE 5.463 5.462A	1. Microwave radio relay links in the 8 GHz bands in accordance with ITU-R Rec. F.386 2. Aircraft stations shall not start any course of transmission in the band 8025 – 8400 MHz in the aeronautical mobile service
8 175-8 215	EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED FIXED-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) MOBILE 5.463 5.462A		8 175-8 215 EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED FIXED-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) MOBILE 5.463 5.462A	1. Microwave radio relay links in the 8 GHz bands in accordance with ITU-R Rec. F.386 2. Aircraft stations shall not start any course of transmission in the band 8025 – 8400 MHz in the aeronautical mobile service

8 215-8 750 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
8 215-8 400	EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED FIXED-SATELLITE (Earth-to-space) MOBILE 5.463 5.462A		8 215-8 400 EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED FIXED-SATELLITE (Earth-to-space) MOBILE 5.463 5.462A	1. Microwave radio relay links in the 8 GHz bands in accordance with ITU-R Rec. F.386 2. Aircraft stations shall not start any course of transmission in the band 8025 – 8400 MHz in the aeronautical mobile service 3. Space VLBI service for phase transfer and telemetry (ITU-R Rec. SA.1344)
8 400-8 500	FIXED MOBILE except aeronautical mobile SPACE RESEARCH (space-to-Earth) 5.465 5.466		8 400-8 500 FIXED MOBILE except aeronautical mobile SPACE RESEARCH (space-to-Earth) 5.465	1. Microwave radio relay links in the 8 GHz bands in accordance with ITU-R Rec. F.386 2. The space research service is limited to deep space in the band 8 400-8 450 MHz 3. Space VLBI service for phase transfer and telemetry (ITU-R Rec. SA.1344)
8 500-8 550	RADIOLOCATION 5.468 5.469		8 500-8 550 RADIOLOCATION 5.468	1. Maritime and ground based X-band radars to measure speed and distance in the band 8.5 – 10 GHz
8 550-8 650	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.468 5.469 5.469A		8 550-8 650 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.468 5.469A	1. Maritime and ground based X-band radars to measure speed and distance in the band 8.5 – 10 GHz
8 650-8 750	RADIOLOCATION 5.468 5.469		8 650-8 750 RADIOLOCATION 5.468	1. Maritime and ground based X-band radars to measure speed and distance in the band 8.5 – 10 GHz

8 750-9 500 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
8 750-8 850	RADIOLOCATION AERONAUTICAL RADIONAVIGATION 5.470 5.471		8 750-8 850 RADIOLOCATION AERONAUTICAL RADIONAVIGATION 5.470 5.471	1. Maritime and ground based X-band radars to measure speed and distance in the band 8.5 – 10 GHz 2. ARNS is limited to airborne Doppler navigation aids
8 850-9 000	RADIOLOCATION MARITIME RADIONAVIGATION 5.472 5.473		8 850-9 000 RADIOLOCATION MARITIME RADIONAVIGATION 5.472	1. Maritime and ground based X-band radars to measure speed and distance in the band 8.5 – 10 GHz 2. MRNS is limited to shore-based radars
9 000-9 200	RADIOLOCATION AERONAUTICAL RADIONAVIGATION 5.337 5.471 5.473A		9 000-9 200 RADIOLOCATION AERONAUTICAL RADIONAVIGATION 5.337 5.471 5.473A	1. Ground-based 10 cm (S-band) long-range surveillance primary X-band radar and associated airborne transponders in aeronautical radio navigation service 2. Maritime and ground based radars to measure speed and distance in the band 8.5 – 10 GHz
9 200-9 300	EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION MARITIME RADIONAVIGATION 5.472 5.473 5.474 5.474D		9 200-9 300 EARTH EXPLORATION- SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION MARITIME RADIONAVIGATION 5.472 5.474 5.474D	1. Maritime and ground based X-band radars to measure speed and distance in the band 8.5 – 10 GHz 2. MRNS is limited to shore-based radars in the band 9 200-9 225 MHz 3. SART in the band 9200 – 9500 MHz (RR Article 31 and App. 15) 4. Radar, detection, movement and alert SRD applications in 9.2 – 9.975 GHz
9 300-9 500	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION 5.475 SPACE RESEARCH (active) 5.427 5.474 5.475A 5.475B 5.476A		9 300-9 500 EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION RADIONAVIGATION 5.475 SPACE RESEARCH (active) 5.427 5.474 5.475A 5.475B 5.476A	1. Maritime and ground based X-band radars to measure speed and distance in the band 8.5 – 10 GHz 2. ARNS is limited to airborne weather radars and ground-based radars 3. SART in the band 9200 – 9500 MHz (RR Article 31 and App. 15) 4. Radar, detection, movement and alert SRD applications in 9.2 – 9.975 GHz

9 500-10 400 MHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
9 500-9 800	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION SPACE RESEARCH (active) 5.476A		9 500-9 800 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION SPACE RESEARCH (active) 5.476A	1. Maritime and ground based X-band radars to measure speed and distance in the band 8.5 – 10 GHz 2. Moving target tracking X-band radars 3. Radar, detection, movement and alert SRD applications in 9.2 – 9.975 GHz
9 800-9 900	RADIOLOCATION Earth exploration-satellite (active) Fixed Space research (active) 5.477 5.478 5.478A 5.478B		9 800-9 900 RADIOLOCATION Earth exploration-satellite (active) Fixed Space research (active) 5.477 5.478A 5.478B	1. Maritime and ground based X-band radars to measure speed and distance in the band 8.5 – 10 GHz 2. Moving target tracking X-band radars 3. Complementary fixed systems
9 900-10 000	EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION Fixed 5.474D 5.477 5.478 5.479		9 900-10 000 EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION Fixed 5.474D 5.477 5.479	1. Maritime and ground based X-band radars to measure speed and distance in the band 8.5 – 10 GHz 2. Complementary fixed systems 3. Meteorological-satellite weather radars in the band 9975 – 10025 MHz on a secondary basis 4. Complementary fixed systems
10 000-10 400 EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C FIXED MOBILE RADIOLOCATION Amateur 5.474D 5.479	10 000-10 400 EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION Amateur 5.474D 5.479 5.480	10 000-10 400 EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C FIXED MOBILE RADIOLOCATION Amateur 5.474D 5.479	10 000-10 400 EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C FIXED MOBILE RADIOLOCATION Amateur 5.474D 5.479	1. FWA in the band 10.15 – 10.65 GHz in accordance with ITU-R Rec.s F.747, F.1568 and F.746 2. Meteorological-satellite weather radars in the band 9975 – 10025 MHz on a secondary basis

10.4-10.68 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
10.4-10.45 FIXED MOBILE RADIOLOCATION Amateur	10.4-10.45 RADIOLOCATION Amateur 5.480	10.4-10.45 FIXED MOBILE RADIOLOCATION Amateur	10.4-10.45 FIXED MOBILE RADIOLOCATION Amateur	1. FWA in the band 10.15 – 10.65 GHz in accordance with ITU-R Rec.s F.747, F.1568 and F.746 2. Moving target tracking X-band radars 3. Different remote sensing X-band radars, on-board or ground-based 4. 3 cm amateur band
10.45-10.5	RADIOLOCATION Amateur Amateur-satellite 5.481		10.45-10.5 RADIOLOCATION Amateur Amateur-satellite	1. Moving target tracking X-band radars 2. Different remote sensing X-band radars, on-board or ground-based 3. 3 cm amateur band
10.5-10.55 FIXED MOBILE Radiolocation	10.5-10.55 FIXED MOBILE RADIOLOCATION		10.5-10.55 FIXED MOBILE RADIOLOCATION	1. FWA in the band 10.15 – 10.65 GHz in accordance with ITU-R Rec.s F.747, F.1568 and F.746 2. Moving target tracking X-band radars 3. Different remote sensing X-band radars, on-board or ground-based 4. SRD for detecting movement and alert in the band 10.5 – 10.6 GHz
10.55-10.6	FIXED MOBILE except aeronautical mobile Radiolocation		10.55-10.6 FIXED MOBILE except aeronautical mobile Radiolocation	1. FWA in the band 10.15 – 10.65 GHz in accordance with ITU-R Rec.s F.747, F.1568 and F.746 2. SRD for detecting movement and alert in the band 10.5 – 10.6 GHz
10.6-10.68	EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY SPACE RESEARCH (passive) Radiolocation 5.149 5.482 5.482A		10.6-10.68 EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY SPACE RESEARCH (passive) Radiolocation 5.149 5.482 5.482A	1. Fixed and mobile applications in accordance with RR No. 5.482 2. Very Long Baseline Interferometry (VLBI) observation in the band 10.6 – 10.65 GHz

10.68-11.7 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
10.68-10.7	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.483		10.68-10.7 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	1. All emissions are prohibited in this band 2. Very Long Baseline Interferometry (VLBI) observation 3. Continuum measurements in the band 10.6 – 10.7 GHz.
10.7-10.95 FIXED FIXED-SATELLITE (space-to-Earth) 5.441 (Earth-to-space) 5.484 MOBILE except aeronautical mobile	10.7-10.95 FIXED FIXED-SATELLITE (space-to-Earth) 5.441 MOBILE except aeronautical mobile		10.7-10.95 FIXED FIXED-SATELLITE (space-to-Earth) 5.441 MOBILE except aeronautical mobile	1. Use of the bands 10.7-10.95 MHz (↓) by the fixed-satellite service shall be in accordance with the provisions of RR App.30B 2. FWA in the band 10.7 – 11.7 GHz in accordance with ITU-R Rec. F.387 3. VSAT stations, SNG and SIT
10.95-11.2 FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B (Earth-to-space) 5.484 MOBILE except aeronautical mobile	10.95-11.2 FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B MOBILE except aeronautical mobile		10.95-11.2 FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B MOBILE except aeronautical mobile	1. FWA in the band 10.7 – 11.7 GHz in accordance with ITU-R Rec. F.387 2. VSAT stations, SNG and SIT 3. UAV CNPC GSO FSS links in non-segregated airspace (RR Resolution 155) 4. Non-GSO FSS is subject to the RR No. 9.12 for coordination with other non-GSO FSS
11.2-11.45 FIXED FIXED-SATELLITE (space-to-Earth) 5.441 (Earth-to-space) 5.484 MOBILE except aeronautical mobile	11.2-11.45 FIXED FIXED-SATELLITE (space-to-Earth) 5.441 MOBILE except aeronautical mobile		11.2-11.45 FIXED FIXED-SATELLITE (space-to-Earth) 5.441 MOBILE except aeronautical mobile	1. Use of the bands 11.2-11.45 MHz (↓) by the fixed-satellite service shall be in accordance with the provisions of RR App.30B 2. FWA in the band 10.7 – 11.7 GHz in accordance with ITU-R Rec. F.387 3. VSAT stations, SNG and SIT
11.45-11.7 FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B (Earth-to-space) 5.484 MOBILE except aeronautical mobile	11.45-11.7 FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B MOBILE except aeronautical mobile		11.45-11.7 FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B MOBILE except aeronautical mobile	1. FWA in the band 10.7 – 11.7 GHz in accordance with ITU-R Rec. F.387 2. VSAT stations, SNG and SIT 3. UAV CNPC GSO FSS links in non-segregated airspace (RR Resolution 155) 4. Non-GSO FSS is subject to the RR No. 9.12 for coordination with other non-GSO FSS

11.7-12.75 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
11.7-12.5 FIXED MOBILE except aeronautical mobile BROADCASTING BROADCASTING-SATELLITE 5.492	11.7-12.1 FIXED 5.486 FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.488 Mobile except aeronautical mobile 5.485	11.7-12.2 FIXED MOBILE except aeronautical mobile BROADCASTING BROADCASTING-SATELLITE 5.492	11.7-12.2 FIXED MOBILE except aeronautical mobile BROADCASTING BROADCASTING-SATELLITE 5.492	1. One way point to point systems in 11.7 – 12.5 GHz using§3 Annex 2 ITU-R Rec. F.746 2. Broadcasting-satellite receivers according to regional plan or RR App. 30 3. VSAT stations, SNG and SIT
	12.1-12.2 FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.488 5.485 5.489			
	12.2-12.7 FIXED MOBILE except aeronautical mobile BROADCASTING BROADCASTING-SATELLITE 5.492 5.487 5.487A	12.2-12.5 FIXED FIXED-SATELLITE (space-to-Earth) 5.484B MOBILE except aeronautical mobile BROADCASTING 5.484A 5.487	12.2-12.5 FIXED FIXED-SATELLITE (space-to-Earth) 5.484B MOBILE except aeronautical mobile BROADCASTING 5.484A 5.487	
12.5-12.75 FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B (Earth-to-space) 5.494 5.495 5.496	5.487A 5.488 5.490 12.7-12.75 FIXED FIXED-SATELLITE (Earth-to-space) MOBILE except aeronautical mobile	12.5-12.75 FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B MOBILE except aeronautical mobile BROADCASTING-SATELLITE 5.493	12.5-12.75 FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B MOBILE except aeronautical mobile BROADCASTING-SATELLITE 5.493	1. Point to point systems in 12.2 – 12.7 GHz using§2 Annex 2 ITU-R Rec. F.746 2. VSAT stations, SNG and SIT 3. UAV CNPC GSO FSS links in non-segregated airspace (RR Resolution 155) 4. Non-GSO FSS is subject to the provisions of No. 9.12 for coordination with other non-GSO FSS

12.75-13.65 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
12.75-13.25	FIXED FIXED-SATELLITE (Earth-to-space) 5.441 MOBILE Space research (deep space) (space-to-Earth)		12.75-13.25 FIXED FIXED-SATELLITE (Earth-to-space) 5.441 MOBILE Space research (deep space) (space-to-Earth)	1. Use of the bands 12.75-13.25 MHz (†) by the fixed-satellite service shall be in accordance with the provisions of RR App. 30B 2. FWA in the 13 GHz band in accordance with ITU-R Rec. F.497 3. VSAT stations, SNG and SIT
13.25-13.4	EARTH EXPLORATION-SATELLITE (active) AERONAUTICAL RADIONAVIGATION 5.497 SPACE RESEARCH (active) 5.498A 5.499		13.25-13.4 EARTH EXPLORATION-SATELLITE (active) AERONAUTICAL RADIONAVIGATION 5.497 SPACE RESEARCH (active) 5.498A	1. Doppler navigation aid in aeronautical radionavigation service in the band 13.25 14 GHz 2. Spectral-line observations in the band 12- 16 GHz
13.4-13.65 EARTH EXPLORATION-SATELLITE (active) FIXED-SATELLITE (space-to-Earth) 5.499A 5.499B RADIOLOCATION SPACE RESEARCH 5.499C 5.499D Standard frequency and time signal-satellite (Earth-to-space) 5.499E 5.500 5.501 5.501B	13.4-13.65 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH 5.499C 5.499D Standard frequency and time signal-satellite (Earth-to-space) 5.499 5.500 5.501 5.501B		13.4-13.65 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH 5.499C 5.499D Standard frequency and time signal-satellite (Earth-to-space) 5.500 5.501B	1. Doppler navigation aid in aeronautical radionavigation service in the band 13.25 14 GHz 2. SRD equipment for detecting movement and alert in the band 13.4 – 14 GHz

13.65-14.3 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
13.65-13.75	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH 5.501A Standard frequency and time signal-satellite (Earth-to-space) 5.499 5.500 5.501 5.501B		13.65-13.75 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH 5.501A Standard frequency and time signal-satellite (Earth-to-space) 5.500 5.501B	1. Doppler navigation aid in aeronautical radionavigation service in the band 13.25 – 14 GHz 2. SRD equipment for detecting movement and alert in the band 13.4 – 14 GHz
13.75-14	FIXED-SATELLITE (Earth-to-space) 5.484A RADIOLOCATION Earth exploration-satellite Standard frequency and time signal-satellite (Earth-to-space) Space research 5.499 5.500 5.501 5.502 5.503		13.75-14 FIXED-SATELLITE (Earth-to-space) 5.484A RADIOLOCATION Earth exploration-satellite Standard frequency and time signal-satellite (Earth-to-space) Space research 5.500 5.502 5.503	1. Doppler navigation aid in aeronautical radionavigation service in the band 13.25 – 14 GHz 2. SRD equipment for detecting movement and alert in the band 13.4 – 14 GHz 3. SNG 4. Non-GSO FSS is subject to RR No. 9.12 for coordination with other non-GSO FSS
14-14.25	FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B RADIONAVIGATION 5.504 Mobile-satellite (Earth-to-space) 5.504B 5.504C 5.506A Space research 5.504A 5.505		14-14.25 FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.484B 5.506 5.506B RADIONAVIGATION 5.504 Mobile-satellite (Earth-to-space) 5.506A Space research 5.504A 5.505	1. UAV CNPC GSO FSS links in non-segregated airspace (RR Resolution 155) 2. ESV in 14 – 14.5 GHz (RR Resolution 902) 3. Feeder links of broadcasting-satellite service in 14 – 14.5 GHz subject to coordination 4. Non-GSO FSS is subject to RR No. 9.12 for coordination with other non-GSO FSS 5. Ship earth station similar to ESV under condition ITU-R Resolution 902
14.25-14.3	FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B RADIONAVIGATION 5.504 Mobile-satellite (Earth-to-space) 5.504B 5.506A 5.508A Space research 5.504A 5.505 5.508		14.25-14.3 FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.484B 5.506 5.506B RADIONAVIGATION 5.504 Mobile-satellite (Earth-to-space) 5.506A Space research 5.504A 5.505	1. Feeder links of broadcasting-satellite service in 14 – 14.5 GHz subject to coordination 2.. Non-GSO FSS is subject to the provisions of No. 9.12 for coordination with other non-GSO FSS 3. UAV CNPC GSO FSS links in non-segregated airspace (RR Resolution 155) 4. Ship earth station similar to ESV under condition ITU-R Resolution 902

14.3-14.5 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
<p>14.3-14.4 FIXED FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.504B 5.506A 5.509A Radionavigation-satellite 5.504A</p>	<p>14.3-14.4 FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.484B 5.506 5.506B Mobile-satellite (Earth-to-space) 5.506A Radionavigation-satellite 5.504A</p>	<p>14.3-14.4 FIXED FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.484B 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.504B 5.506A 5.509A Radionavigation-satellite 5.504A</p>	<p>14.3-14.4 FIXED FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.484B 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.506A Radionavigation-satellite 5.504A</p>	<ol style="list-style-type: none"> 1. Feeder links of broadcasting-satellite service in 14 – 14.5 GHz subject to coordination 2. UAV CNPC GSO FSS links in non-segregated airspace (RR Resolution 155) 3. Non-GSO FSS is subject to the provisions of No. 9.12 for coordination with other non-GSO FSS 4. Microwave radio relay links in the 14.3 GHz band similar to ITU-R Rec. F.746 examples 5. Ship earth station similar to ESV under condition ITU-R Resolution 902
<p>14.4-14.47</p>	<p>FIXED FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.504B 5.506A 5.509A Space research (space-to-Earth) 5.504A</p>	<p>14.4-14.47 FIXED FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.484B 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.506A Space research (space-to-Earth) 5.504A</p>	<p>14.4-14.47 FIXED FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.484B 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.506A Space research (space-to-Earth) 5.504A</p>	<ol style="list-style-type: none"> 1. Microwave radio relay links in the 14.3 GHz band similar to ITU-R Rec. F.746 examples 2. Feeder links of broadcasting-satellite service in 14 – 14.5 GHz subject to coordination 3. UAV CNPC GSO FSS links in non-segregated airspace (RR Resolution 155) 4. Non-GSO FSS is subject to RR No. 9.12 for coordination with other non-GSO FSS 5. Ship earth station similar to ESV under condition ITU-R Resolution 902
<p>14.47-14.5</p>	<p>FIXED FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.504B 5.506A 5.509A Radio astronomy 5.149 5.504A</p>	<p>14.47-14.5 FIXED FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.506A Radio astronomy 5.149 5.504A</p>	<p>14.47-14.5 FIXED FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.506A Radio astronomy 5.149 5.504A</p>	<ol style="list-style-type: none"> 1. Feeder links of broadcasting-satellite service in 14 – 14.5 GHz subject to coordination 2. Non-GSO FSS is subject to RR No. 9.12 for coordination with other non-GSO FSS 3. Microwave radio relay links in the 14.3 GHz band similar to ITU-R Rec. F.746 examples 4. Ship earth station similar to ESV under condition ITU-R Resolution 902 5. Ship earth station similar to ESV under condition ITU-R Resolution 902 6. Spectral-line observations for formaldehyde line (H₂CO) on 14.488 GHz

14.5-15.43 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
14.5-14.75	FIXED FIXED-SATELLITE (Earth-to-space) 5.509B 5.509C 5.509D 5.509E 5.509F 5.510 MOBILE Space research 5.509G		14.5-14.75 FIXED FIXED-SATELLITE (Earth-to-space) 5.509B 5.509C 5.509D 5.509E 5.509F 5.510 MOBILE Space research 5.509G	1. Microwave radio relay links in the 15 GHz band in accordance to ITU-R Rec. F.636 2.FSS (↑) in 14.5-14.8 GHz is limited to feeder links for the broadcasting-satellite service 3. Space VLBI service in the band 14.5 – 15.35 GHz
14.75-14.8	FIXED FIXED-SATELLITE (Earth-to-space) 5.510 MOBILE Space research 5.509G	14.75-14.8 FIXED FIXED-SATELLITE (Earth-to-space) 5.509B 5.509C 5.509D 5.509E 5.509F 5.510 MOBILE Space research 5.509G	14.75-14.8 FIXED FIXED-SATELLITE (Earth-to-space) 5.509B 5.509C 5.509D 5.509E 5.509F 5.510 MOBILE Space research 5.509G	1. Microwave radio relay links in the 15 GHz band in accordance to ITU-R Rec. F.636 2.FSS (↑) in 14.5-14.8 GHz is limited to feeder links for the broadcasting-satellite service 3. Space VLBI service in the band 14.5 – 15.35 GHz
14.8-15.35	FIXED MOBILE Space research 5.339		14.8-15.35 FIXED MOBILE Space research 5.339	1. Microwave radio relay links in the 15 GHz band in accordance to ITU-R Rec. F.636 2. Space VLBI service in the band 14.5 – 15.35 GHz
15.35-15.4	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.511		15.35-15.4 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	1. All emissions are prohibited in this band 2. Spectral-line observation for the study of the formaldehyde line (H ₂ CO) and of quasars
15.4-15.43	RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION		15.4-15.43 RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION	1. ALS 2. General purpose radars (MPR) used in aircrafts 3. Airborne RSME 4. Primary radar particularly ASDE (for 1 to 4 see ITU-R Rec. S.1340)

15.43-17.3 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
15.43-15.63	FIXED-SATELLITE (Earth-to-space) 5.511A RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION 5.511C		15.43-15.63 FIXED-SATELLITE (Earth-to-space) 5.511A RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION 5.511C	1. ALS 2. General purpose radars (MPR) used in aircrafts 3. Airborne RSME 4. Primary radar particularly ASDE 5. Non-GSO MSS feeder link as FSS (↑) (for 1 to 4 see ITU-R Rec. S.1340)
15.63-15.7	RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION		15.63-15.7 RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION	1. ALS 2. General purpose radars (MPR) used in aircrafts 3. Airborne RSME 4. Primary radar particularly ASDE (for 1 to 4 see ITU-R Rec. S.1340)
15.7-16.6	RADIOLOCATION 5.512 5.513		15.7-16.6 RADIOLOCATION 5.512	1. ASDE 2. Airborne radars with different functions including forward looking and terrain tracking
16.6-17.1	RADIOLOCATION Space research (deep space) (Earth-to-space) 5.512 5.513		16.6-17.1 RADIOLOCATION Space research (deep space) (Earth-to-space) 5.512	1. ASDE 2. Airborne radars with different functions including forward looking and terrain tracking
17.1-17.2	RADIOLOCATION 5.512 5.513		17.1-17.2 RADIOLOCATION 5.512	1. ASDE 2. Airborne radars with different functions including forward looking and terrain tracking 3. SRD data transmission and HiperLAN and radars for Detecting Movement and Alert in 17.1–17.3GHz
17.2-17.3	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.512 5.513 5.513A		17.2-17.3 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.512 5.513A	1. ASDE 2. Airborne radars with different functions including forward looking and terrain tracking 3. SRD data transmission and HiperLAN and radars for Detecting Movement and Alert in 17.1–17.3 GHz

17.3-18.4 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
17.3-17.7 FIXED-SATELLITE (Earth-to-space) 5.516 (space-to-Earth) 5.516A 5.516B Radiolocation 5.514	17.3-17.7 FIXED-SATELLITE (Earth-to-space) 5.516 BROADCASTING-SATELLITE Radiolocation 5.514 5.515	17.3-17.7 FIXED-SATELLITE (Earth-to-space) 5.516 Radiolocation 5.514	17.3-17.7 FIXED-SATELLITE (Earth-to-space) 5.516 Radiolocation	1. Short-range microwave FWA systems 2. GSO FSS in 17.3 – 18.1 GHz is limited to feeder links of broadcasting-satellite service (RR App. 30A) 3. Non-GSO FSS in 17.3 – 18.1 GHz subject to coordination with other non-GSO FSS under RR No. 9.12
17.7-18.1 FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.517A (Earth-to-space) 5.516 MOBILE	17.7-17.8 FIXED FIXED-SATELLITE (space-to-Earth) 5.517 5.517A (Earth-to-space) 5.516 BROADCASTING-SATELLITE Mobile 5.515	17.7-18.1 FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.517A (Earth-to-space) 5.516 MOBILE	17.7-18.1 FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.517A (Earth-to-space) 5.516 MOBILE	1. Microwave radio relay links in the 18 GHz band (17.7 – 19.7 GHz) in accordance to ITU-R Rec. F.595 2 GSO FSS in 17.3 – 18.1 GHz is limited to feeder links of broadcasting-satellite service (RR App. 30A) 3. Non-GSO FSS in 17.3 – 18.1 GHz subject to coordination with other non-GSO FSS under RR No. 9.12
	17.8-18.1 FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.517A (Earth-to-space) 5.516 MOBILE 5.519			
18.1-18.4	FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.516B 5.517A (Earth-to-space) 5.520 MOBILE 5.519 5.521	18.1-18.4 FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.517A (Earth-to-space) 5.520 MOBILE METEOROLOGICAL-SATELLITE (space-to-Earth) 5.519	1. Microwave radio relay links in the 18 GHz band (17.7 – 19.7 GHz) in accordance to ITU-R Rec. F.595 2. Non-GSO FSS is subject to RR No. 9.12 for coordination with other non-GSO FSS 3. GSO FSS in 18.1 – 18.4 GHz is limited to feeder links of broadcasting-satellite service 4. Meteorological satellite is limited to GSO satellites 5. VLBI observation on 18.343 GHz for Cyclopropenylidene (C ₃ H ₂) (ITU-R Rec. RA.479)	

18.4-20.1 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
18.4-18.6	FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.516B 5.517A MOBILE		18.4-18.6 FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.517A MOBILE	1. Microwave radio relay links in the 18 GHz band (17.7 – 19.7 GHz) in accordance to ITU-R Rec. F.595 2. Non-GSO FSS is subject to the provisions of No. 9.12 for coordination with other non-GSO FSS
18.6-18.8 EARTH EXPLORATION-SATELLITE (passive) FIXED FIXED-SATELLITE (space-to-Earth) 5.517A 5.522B MOBILE except aeronautical mobile Space research (passive) 5.522A 5.522C	18.6-18.8 EARTH EXPLORATION-SATELLITE (passive) FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.517A 5.522B MOBILE except aeronautical mobile SPACE RESEARCH (passive) 5.522A	18.6-18.8 EARTH EXPLORATION-SATELLITE (passive) FIXED FIXED-SATELLITE (space-to-Earth) 5.517A 5.522B MOBILE except aeronautical mobile Space research (passive) 5.522A	18.6-18.8 EARTH EXPLORATION-SATELLITE (passive) FIXED FIXED-SATELLITE (space-to-Earth) 5.517A 5.522B MOBILE except aeronautical mobile Space research (passive) 5.522A	1. Microwave radio relay links in the 18 GHz band (17.7 – 19.7 GHz) in accordance to ITU-R Rec. F.595 2. Emissions of fixed service and FSS in this band with other conditions are provided in No.s 5.522A and 5.522B
18.8-19.3	FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.517A 5.523A MOBILE		18.8-19.3 FIXED FIXED-SATELLITE (space-to-Earth) 5.517A 5.523A MOBILE	1. Microwave radio relay links in the 18 GHz band (17.7 – 19.7 GHz) in accordance to ITU-R Rec. F.595
19.3-19.7	FIXED FIXED-SATELLITE (space-to-Earth) (Earth-to-space) 5.517A 5.523B 5.523C 5.523D 5.523E MOBILE		19.3-19.7 FIXED FIXED-SATELLITE (space-to-Earth) (Earth-to-space) 5.517A 5.523B 5.523C 5.523D 5.523E MOBILE	1. Microwave radio relay links in the 18 GHz band (17.7 – 19.7 GHz) in accordance to ITU-R Rec. F.595 2. FSS (↑) is limited to feeder links for non-GSO systems in the MSS
19.7-20.1 FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B 5.527A Mobile-satellite (space-to-Earth) 5.524	19.7-20.1 FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B 5.527A MOBILE-SATELLITE (space-to-Earth) 5.524 5.525 5.526 5.527 5.528 5.529	19.7-20.1 FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B 5.527A Mobile-satellite (space-to-Earth) 5.524	19.7-20.1 FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B 5.527A Mobile-satellite (space-to-Earth)	1. HDFSS (↓) via satellite receives in the band 19.7 – 20.2 (RR Resolution 143) 2. UAV CNPC GSO FSS links in non-segregated airspace (RR Resolution 155) 3. Non-GSO FSS is subject to RR No. 9.12 for coordination with other non-GSO FSS 4. FSS in motion subject to RR Resolution 156

20.1-22.21 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
20.1-20.2	FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B 5.527A MOBILE-SATELLITE (space-to-Earth) 5.524 5.525 5.526 5.527 5.528		20.1-20.2 FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B 5.527A MOBILE-SATELLITE (space-to-Earth) 5.525 5.526 5.527 5.528	1. HDFSS (↓) via satellite receives in the band 19.7 – 20.2 (RR Resolution 143) 2. UAV CNPC GSO FSS links in non-segregated airspace (RR Resolution 155) 3. Non-GSO FSS is subject to RR No. 9.12 for coordination with other non-GSO FSS 4. FSS in motion subject to RR Resolution 156
20.2-21.2	FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) Standard frequency and time signal-satellite (space-to-Earth) 5.524		20.2-21.2 FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) Standard frequency and time signal-satellite (space-to-Earth)	1. Ka-band downlink FSS and MSS VSATs
21.2-21.4	EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive)		21.2-21.4 EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive)	1. Microwave fixed wireless system in the 23 GHz band (21.2 – 23.6 GHz) in accordance to the arrangements and examples in ITU-R Rec. F.637 2. Temporary service ancillary to broadcasting and program making (SAB/SAP)
21.4-22 FIXED MOBILE BROADCASTING-SATELLITE 5.208B 5.530A 5.530B	21.4-22 FIXED 5.530E MOBILE 5.530A	21.4-22 FIXED MOBILE BROADCASTING-SATELLITE 5.208 5.530A 5.530B 5.531	21.4-22 FIXED MOBILE BROADCASTING-SATELLITE 5.208B 5.530A 5.530B	1. Microwave point to point system in the 23 GHz band (21.2 – 23.6 GHz) in accordance to the arrangements and examples in ITU-R Rec. F.637 2. Future High-definition television (HDTV) BSS in accordance with RR Resolution 555
22-22.21	FIXED MOBILE except aeronautical mobile 5.149		22-22.21 FIXED MOBILE except aeronautical mobile 5.149	1. Microwave fixed wireless system in the 23 GHz band (21.2 – 23.6 GHz) in accordance to the arrangements and examples in ITU-R Rec. F.637

22.21-24 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
22.21-22.5	EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY SPACE RESEARCH (passive) 5.149 5.532		22.21-22.5 EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY SPACE RESEARCH (passive) 5.149 5.532	1. Microwave fixed wireless system in the 23 GHz band (21.2 – 23.6 GHz) in accordance to the arrangements and examples in ITU-R Rec. F.637 2. Temporary service ancillary to broadcasting and program making (SAB/SAP) 3. VLBI observation on 22.235 GHz (Water vapour (H ₂ O)) 4. Continuum measurement (ITU-R Rec. RA.314)
22.5-22.55	FIXED MOBILE		22.5-22.55 FIXED MOBILE	1. Microwave fixed wireless system in the 23 GHz band (21.2 – 23.6 GHz) in accordance to the arrangements and examples in ITU-R Rec. F.637
22.55-23.15	FIXED INTER-SATELLITE 5.338A MOBILE SPACE RESEARCH (Earth-to-space) 5.532A 5.149		22.55-23.15 FIXED INTER-SATELLITE 5.338A MOBILE SPACE RESEARCH (Earth-to-space) 5.532A 5.149	1. Microwave fixed wireless system in the 23 GHz band (21.2 – 23.6 GHz) in accordance to the arrangements and examples in ITU-R Rec. F.637 2. Temporary service ancillary to broadcasting and program making (SAB/SAP) 3. Spectral line observations in 22.6 – 23.55 GHz in radio astronomy service
23.15-23.55	FIXED INTER-SATELLITE 5.338A MOBILE		23.15-23.55 FIXED INTER-SATELLITE 5.338A MOBILE	1. Microwave fixed wireless system in the 23 GHz band (21.2 – 23.6 GHz) in accordance to the arrangements and examples in ITU-R Rec. F.637 2. Spectral line observations in 22.6 – 23.55 GHz in radio astronomy service
23.55-23.6	FIXED MOBILE		23.55-23.6 FIXED MOBILE	1. Microwave fixed wireless system in the 23 GHz band (21.2 – 23.6 GHz) in accordance to the arrangements and examples in ITU-R Rec. F.637
23.6-24	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340		23.6-24 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	1. All emissions are prohibited in this band 2. Spectral-line observation for the study of the Ammonia (NH ₃) three lines in 23.694 GHz, 23.870 GHz and 23.723 GHz (ITU-R Rec. RA.314)

24-24.65 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
24-24.05	AMATEUR AMATEUR-SATELLITE 5.150		24-24.05 AMATEUR AMATEUR-SATELLITE 5.150	1. 12 mm amateur band 2. ISM applications in the band 24 – 24.25 GHz 3. Non-specific SRD devices in the band 24 – 24.25 GHz
24.05-24.25	RADIOLOCATION Amateur Earth exploration-satellite (active) 5.150		24.05-24.25 RADIOLOCATION Amateur Earth exploration-satellite (active) 5.150	1. Primary radars and ASDE 2. Various types of automotive SRD radars in 24.075 – 26.65 GHz 3. Various types of LPR, detecting movement and Alert and non-specific SRDs in 24.05 – 27 GHz
24.25-24.45 FIXED MOBILE except aeronautical mobile 5.338A 5.532AB	24.25-24.45 FIXED 5.532AA MOBILE except aeronautical mobile 5.338A 5.532AB RADIONAVIGATION	24.25-24.45 FIXED MOBILE 5.338A 5.532AB RADIONAVIGATION	24.25-24.45 FIXED MOBILE 5.338A 5.532AB RADIONAVIGATION TLS12	1. Millimetre-wave TD-IMT in 24.25-27.5 GHz 2. Various types of automotive SRD radars in 24.075 – 26.65 GHz 3. Various types of LPR and detecting movement and Alert SRDs in 24.05–27 GHz 4. Microwave radio relay links in the 24.25 – 29.5 GHz in accordance to arrangement in ITU-R Rec. F.748, wherever not interfering with IMT
24.45-24.65 FIXED INTER-SATELLITE MOBILE except aeronautical mobile 5.338A 5.532AB	24.45-24.65 FIXED 5.532AA INTER-SATELLITE MOBILE except aeronautical mobile 5.338A 5.532AB RADIONAVIGATION 5.533	24.45-24.65 FIXED INTER-SATELLITE MOBILE 5.338A 5.532AB RADIONAVIGATION 5.533	24.45-24.65 FIXED INTER-SATELLITE MOBILE 5.338A 5.532AB RADIONAVIGATION 5.533 TLS12	1. Millimetre-wave TD-IMT in 24.25-27.5 GHz 2. Various types of automotive SRD radars in 24.075 – 26.65 GHz 3. Various types of LPR and detecting movement and Alert SRDs in 24.05 – 27GHz 4. Microwave radio relay links in the 24.25 – 29.5 GHz in accordance to arrangement in ITU-R Rec. F.748, wherever not interfering with IMT

24.65-27 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
24.65-24.75 FIXED FIXED-SATELLITE (Earth-to-space) 5.532B INTER-SATELLITE MOBILE except aeronautical mobile 5.338A 5.532AB	24.65-24.75 FIXED 5.532AA INTER-SATELLITE MOBILE except aeronautical mobile 5.338A 5.532AB RADIOLOCATION- SATELLITE (Earth-to-space)	24.65-24.75 FIXED FIXED-SATELLITE (Earth-to-space) 5.532B INTER-SATELLITE MOBILE 5.338A 5.532AB 5.533	24.65-24.75 FIXED FIXED-SATELLITE (Earth-to-space) 5.532B INTER-SATELLITE MOBILE 5.338A 5.532AB 5.533 TLS12	1. Millimetre-wave TD-IMT in 24.25-27.5 GHz 2. Microwave radio relay links in the 24.25 – 29.5 GHz in accordance to arrangement in ITU-R Rec. F.748, wherever not interfering with IMT 3. Various types of LPR and detecting movement and Alert SRDs in 24.05 – 27GHz
24.75-25.25 FIXED FIXED-SATELLITE (Earth-to-space) 5.532B MOBILE except aeronautical mobile 5.338A 5.532AB	24.75-25.25 FIXED 5.532AA FIXED-SATELLITE (Earth-to-space) 5.535 MOBILE except aeronautical mobile 5.338A 5.532AB	24.75-25.25 FIXED FIXED-SATELLITE (Earth-to-space) 5.535 MOBILE 5.338A 5.532AB	24.75-25.25 FIXED FIXED-SATELLITE (Earth-to-space) 5.535 MOBILE 5.338A 5.532AB TLS12	1. Millimetre-wave TD-IMT in 24.25-27.5 GHz 2. Microwave radio relay links in the 24.25 – 29.5 GHz in accordance to arrangement in ITU-R Rec. F.748, wherever not interfering with IMT 3. Various types of LPR and detecting movement and Alert SRDs in 24.05 – 27 GHz
25.25-25.5	FIXED 5.534A INTER-SATELLITE 5.536 MOBILE 5.338A 5.532AB Standard frequency and time signal-satellite (Earth-to-space)		25.25-25.5 FIXED 5.534A INTER-SATELLITE 5.536 MOBILE 5.338A 5.532AB Standard frequency and time signal-satellite (Earth-to-space) TLS12	1. Millimetre-wave TD-IMT in 24.25-27.5 GHz 2. Microwave radio relay links in the 24.25 – 29.5 GHz in accordance to arrangement in ITU-R Rec. F.748, wherever not interfering with IMT 3. Various types of LPR and detecting movement and Alert SRDs in 24.05 – 27GHz
25.5-27	EARTH EXPLORATION-SATELLITE (space-to Earth) 5.536B FIXED 5.534A INTER-SATELLITE 5.536 MOBILE 5.338A 5.532AB SPACE RESEARCH (space-to-Earth) 5.536C Standard frequency and time signal-satellite (Earth-to-space) 5.536A		25.5-27 EARTH EXPLORATION-SATELLITE (space-to Earth) FIXED 5.534A INTER-SATELLITE 5.536 MOBILE 5.338A 5.532AB SPACE RESEARCH (space-to-Earth) Standard frequency and time signal-satellite (Earth-to-space) 5.536A TLS12	1. Millimetre-wave TD-IMT in 24.25-27.5 GHz 2. Microwave radio relay links in the 24.25 – 29.5 GHz in accordance to arrangement in ITU-R Rec. F.748, wherever not interfering with IMT 3. Various types of LPR and detecting movement and Alert SRDs in 24.05 – 27GHz

27-29.5 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
27-27.5 FIXED INTER-SATELLITE 5.536 MOBILE 5.338A 5.532AB	27-27.5 FIXED 5.534A FIXED-SATELLITE (Earth-to-space) INTER-SATELLITE 5.536 5.537 MOBILE 5.338A 5.532AB		27-27.5 FIXED 5.534A FIXED-SATELLITE (Earth-to-space) INTER-SATELLITE 5.536 5.537 MOBILE 5.338A 5.532AB TLS12	1. Millimetre-wave TD-IMT in 24.25-27.5 GHz 2. Microwave radio relay links in the 24.25 – 29.5 GHz in accordance to arrangement in ITU-R Rec. F.748, wherever not interfering with IMT
27.5-28.5	FIXED 5.537A FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.517A 5.539 MOBILE 5.538 5.540		27.5-28.5 FIXED 5.537A FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.517A 5.539 MOBILE 5.538 5.540	1. Non-GSO FSS is subject to the provisions of No. 9.12 for coordination with other non-GSO FSS 2. Microwave radio relay links in the 24.25 – 29.5 GHz in accordance to arrangement in ITU-R Rec. F.748, wherever not interfering with IMT in 24.25-27.5 GHz 3. HDFSS (†) via satellite receives in the band 28.45 – 28.94 (RR Resolution 143)
28.5-29.1	FIXED FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.517A 5.523A 5.539 MOBILE Earth exploration-satellite (Earth-to-space) 5.541 5.540		28.5-29.1 FIXED FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.517A 5.523A 5.539 MOBILE Earth exploration-satellite (Earth-to-space) 5.541 5.540	1. Non-GSO FSS is subject to the provisions of No. 9.12 for coordination with other non-GSO FSS 2. Microwave radio relay links in the 24.25 – 29.5 GHz in accordance to arrangement in ITU-R Rec. F.748, wherever not interfering with IMT in 24.25-27.5 GHz 3. HDFSS (†) via satellite receives in the band 28.45 – 29.1 (RR Resolution 143)
29.1-29.5	FIXED FIXED-SATELLITE (Earth-to-space) 5.516B 5.517A 5.523C 5.523E 5.535A 5.539 5.541A MOBILE Earth exploration-satellite (Earth-to-space) 5.541 5.540		29.1-29.5 FIXED FIXED-SATELLITE (Earth-to-space) 5.516B 5.517A 5.523C 5.523E 5.535A 5.539 5.541A MOBILE Earth exploration-satellite (Earth-to-space) 5.541 5.540	1. Microwave radio relay links in the 24.25 – 29.5 GHz in accordance to arrangement in ITU-R Rec. F.748, wherever not interfering with IMT in 24.25-27.5 GHz 2. HDFSS (†) via satellite receives in the band 29.46 – 30 (RR Resolution 143)

29.5-31.3 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
<p>29.5-29.9 FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.527A 5.539 Earth exploration-satellite (Earth-to-space) 5.541 Mobile-satellite (Earth-to-space) 5.540 5.542</p>	<p>29.5-29.9 FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.527A 5.539 MOBILE-SATELLITE (Earth-to-space) Earth exploration-satellite (Earth-to-space) 5.541 5.525 5.526 5.527 5.529 5.540</p>	<p>29.5-29.9 FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.527A 5.539 Earth exploration-satellite (Earth-to-space) 5.541 Mobile-satellite (Earth-to-space) 5.540 5.542</p>	<p>29.5-29.9 FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.527A 5.539 Earth exploration-satellite (Earth-to-space) 5.541 Mobile-satellite (Earth-to-space) 5.540</p>	<ol style="list-style-type: none"> 1. UAV CNPC GSO FSS links in non-segregated airspace (RR Resolution 155) 2. Non-GSO FSS is subject to the provisions of No. 9.12 for coordination with other non-GSO FSS 3. HDFSS (↑) via satellite receives in the band 29.46 – 30 (RR Resolution 143) 4. Earth stations in motion communicating with the FSS is subject to RR Resolution 156
<p>29.9-30</p>	<p>FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.527A 5.539 MOBILE-SATELLITE (Earth-to-space) Earth exploration-satellite (Earth-to-space) 5.541 5.543 5.525 5.526 5.527 5.538 5.540 5.542</p>	<p>29.9-30 FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.527A 5.539 MOBILE-SATELLITE (Earth-to-space) Earth exploration-satellite (Earth-to-space) 5.541 5.543 5.525 5.526 5.527 5.538 5.540</p>	<p>29.9-30 FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.527A 5.539 MOBILE-SATELLITE (Earth-to-space) Earth exploration-satellite (Earth-to-space) 5.541 5.543 5.525 5.526 5.527 5.538 5.540</p>	<ol style="list-style-type: none"> 1. UAV CNPC GSO FSS links in non-segregated airspace (RR Resolution 155) 2. Non-GSO FSS is subject to RR No. 9.12 for coordination with other non-GSO FSS 3. HDFSS (↑) via satellite receives in the band 29.46 – 30 (RR Resolution 143) 4. Earth stations in motion communicating with the FSS is subject to RR Resolution 156 5. Spectral line observation for Sulphur monoxide (SO) on 30.002 GHz
<p>30-31</p>	<p>FIXED-SATELLITE (Earth-to-space) 5.338A MOBILE-SATELLITE (Earth-to-space) Standard frequency and time signal-satellite (space-to-Earth) 5.542</p>	<p>30-31 FIXED-SATELLITE (Earth-to-space) 5.338A MOBILE-SATELLITE (Earth-to-space) Standard frequency and time signal-satellite (space-to-Earth)</p>	<p>30-31 FIXED-SATELLITE (Earth-to-space) 5.338A MOBILE-SATELLITE (Earth-to-space) Standard frequency and time signal-satellite (space-to-Earth)</p>	<ol style="list-style-type: none"> 1. Ka-band FSS uplink paired with 20.2 – 21.2 GHz 2. Spectral line observation for Sulphur monoxide (SO) on 30.002 GHz
<p>31-31.3</p>	<p>FIXED 5.338A 5.543B MOBILE Standard frequency and time signal-satellite (space-to-Earth) Space research 5.544 5.545 5.149</p>	<p>31-31.3 FIXED 5.338A 5.543B MOBILE Standard frequency and time signal-satellite (space-to-Earth) Space research 5.544 5.149</p>	<p>31-31.3 FIXED 5.338A 5.543B MOBILE Standard frequency and time signal-satellite (space-to-Earth) Space research 5.544 5.149</p>	<ol style="list-style-type: none"> 1. FWA and microwave links in the band 31 – 31.3 GHz in accordance with ITU-R Rec. F.746 annexes 5 and 6

31.3-33 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
31.3-31.5	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340		31.3-31.5 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	1. All emissions are prohibited in this band 2. Continuum measurement in the band 31.3-31.8 GHz (ITU-R Rec. RA.314)
31.5-31.8 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149 5.546	31.5-31.8 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	31.5-31.8 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149	31.5-31.8 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149	1. FWA and microwave links in the band 31.5 – 31.8 GHz in accordance with ITU-R Rec. F.746 annexes 5 and 6 but with 500 MHz higher f_r 2. Continuum measurement in the band 31.3-31.8 GHz (ITU-R Rec. RA.314)
31.8-32	FIXED 5.547A RADIONAVIGATION SPACE RESEARCH (deep space) (space-to-Earth) 5.547 5.547B 5.548		31.8-32.3 FIXED 5.547A RADIONAVIGATION SPACE RESEARCH (deep space) (space-to-Earth) 5.547 5.548	1. Worldwide high-density applications in the fixed service (RR Resolution 75) in the band 31.8 – 33.4 GHz in accordance with ITU-R Rec. F.1520 2. Airborne precision ground mapping, weather avoidance and navigation radars in the band 31.8 – 33.4 GHz in radionavigation service
32-32.3	FIXED 5.547A RADIONAVIGATION SPACE RESEARCH (deep space) (space-to-Earth) 5.547 5.547C 5.548			
32.3-33	FIXED 5.547A INTER-SATELLITE RADIONAVIGATION 5.547 5.547D 5.548		32.3-33 FIXED 5.547A INTER-SATELLITE RADIONAVIGATION 5.547 5.548	1. Worldwide high-density applications in the fixed service (RR Resolution 75) in the band 31.8 – 33.4 GHz in accordance with ITU-R Rec. F.1520 2. Airborne precision ground mapping, weather avoidance and navigation radars in the band 31.8 – 33.4 GHz in radionavigation service

33-35.5 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
33-33.4	FIXED 5.547A RADIO NAVIGATION 5.547 5.547E		33-33.4 FIXED 5.547A RADIO NAVIGATION 5.547	1. Worldwide high-density applications in the fixed service (RR Resolution 75) in the band 31.8 – 33.4 GHz in accordance with ITU-R Rec. F.1520 2. Airborne precision ground mapping, weather avoidance and navigation radars in the band 31.8 – 33.4 GHz in radionavigation service
33.4-34.2	RADIOLOCATION 5.549		33.4-34.2 RADIOLOCATION 5.549	1. Millimetre wave phased array radars
34.2-34.7	RADIOLOCATION SPACE RESEARCH (deep space) (Earth-to-space) 5.549		34.2-34.7 RADIOLOCATION SPACE RESEARCH (deep space) (Earth-to-space) 5.549	1. Different types of millimetre wave SRD radars such as detectors, police handheld radars, etc.
34.7-35.2	RADIOLOCATION Space research 5.550 5.549		34.7-35.2 RADIOLOCATION Space research 5.549	1. Different types of millimetre wave SRD radars such as detectors, police handheld radars, etc.
35.2-35.5	METEOROLOGICAL AIDS RADIOLOCATION 5.549		35.2-35.5 METEOROLOGICAL AIDS RADIOLOCATION 5.549	1. Different types of millimetre wave SRD radars such as detectors, police handheld radars, etc.

35.5-38 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
35.5-36	METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.549 5.549A		35.5-36 METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.549 5.549A	1. Different types of millimetre wave SRD radars such as detectors, police handheld radars, etc.
36-37	EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive) 5.149 5.550A		36-37 EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive) 5.149 5.550A	1. Radio relay systems in the band 36 – 37 GHz in accordance with ITU-R Rec. F.749 2. Spectral line observation in the band 36.13 – 36.21 GHz for Methanol (CH ₃ OH) (ITU-R Rec. RA.314)
37-37.5	FIXED MOBILE except aeronautical mobile 5.550B SPACE RESEARCH (space-to-Earth) 5.547		37-37.5 FIXED MOBILE except aeronautical mobile 5.550B SPACE RESEARCH (space-to-Earth) 5.547 TLS12	1. Millimetre-wave TD-IMT in 37-43.5 GHz 2. Worldwide high-density applications in the fixed service (RR Resolution 75) in the band 37 – 40 GHz in accordance with block arrangements in ITU-R Rec. F.749, wherever not interfering with IMT 3. Radio relay systems in the band 37 – 38 GHz in accordance with ITU-R Rec. F.749, wherever not interfering with IMT
37.5-38	FIXED FIXED-SATELLITE (space-to-Earth) 5.550C MOBILE except aeronautical mobile 5.550B SPACE RESEARCH (space-to-Earth) Earth exploration-satellite (space-to-Earth) 5.547		37.5-38 FIXED FIXED-SATELLITE (space-to-Earth) 5.550C MOBILE except aeronautical mobile 5.550B SPACE RESEARCH (space-to-Earth) Earth exploration-satellite (space-to-Earth) 5.547 TLS12	1. Millimetre-wave TD-IMT in 37-43.5 GHz 2. Worldwide high-density applications in the fixed service (RR Resolution 75 for 37 – 38 GHz) in the band 37 – 40 GHz in accordance with block arrangements in ITU-R Rec. F.749, wherever not interfering with IMT 3. Radio relay systems in the band 37 – 38 GHz in accordance with ITU-R Rec. F.749, wherever not interfering with IMT 4. The frequency band 37.5 – 39.5 GHz (↓) paired with the frequency bands 42.5 – 43.5 GHz (↑) and 49.2 – 50.2 GHz (↑)

38-40.5 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
38-39.5	FIXED 5.550D FIXED-SATELLITE (space-to-Earth) 5.550C MOBILE 5.550B Earth exploration-satellite (space-to-Earth) 5.547		38-39.5 FIXED FIXED-SATELLITE (space-to-Earth) 5.550C MOBILE 5.550B Earth exploration-satellite (space-to-Earth) 5.547 TLS12	<ol style="list-style-type: none"> 1. Millimetre-wave TD-IMT in 37-43.5 GHz 2. Worldwide high-density applications in the fixed service in the band 37 – 40 GHz in accordance with block arrangements in ITU-R Rec. F.749, wherever not interfering with IMT 3. Radio relay systems in the bands 38 – 39.5 GHz and 38.6 – 40 GHz in accordance with ITU-R Rec. F.749, wherever not interfering with IMT 4. The frequency band 37.5 – 39.5 GHz (↓) paired with the frequency bands 42.5 – 43.5 GHz (↑) and 49.2 – 50.2 GHz (↑)
39.5-40	FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.550C MOBILE 5.550B MOBILE-SATELLITE (space-to-Earth) Earth exploration-satellite (space-to-Earth) 5.547 5.550E		39.5-40 FIXED FIXED-SATELLITE (space-to-Earth) 5.550C MOBILE 5.550B MOBILE-SATELLITE (space-to-Earth) Earth exploration-satellite (space-to-Earth) 5.547 5.550E TLS12	<ol style="list-style-type: none"> 1. Millimetre-wave TD-IMT in 37-43.5 GHz 2. Worldwide high-density applications in the fixed service in the band 37 – 40 GHz in accordance with block arrangements in ITU-R Rec. F.749, wherever not interfering with IMT 3. Radio relay systems in the band 38.6 – 40 GHz in accordance with ITU-R Rec. F.749, wherever not interfering with IMT
40-40.5	EARTH EXPLORATION-SATELLITE (Earth-to-space) FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.550C MOBILE 5.550B MOBILE-SATELLITE (space-to-Earth) SPACE RESEARCH (Earth-to-space) Earth exploration-satellite (space-to-Earth) 5.550E		40-40.5 EARTH EXPLORATION-SATELLITE (Earth-to-space) FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.550C MOBILE 5.550B MOBILE-SATELLITE (space-to-Earth) SPACE RESEARCH (Earth-to-space) Earth exploration-satellite (space-to-Earth) 5.550E TLS12	<ol style="list-style-type: none"> 1. Millimetre-wave TD-IMT in 37-43.5 GHz 2. Radio relay systems in the band 39.5 – 40.5 GHz in accordance with ITU-R Rec. F.749, wherever not interfering with IMT 3. HDFSS (↓) via satellite receives in the band 40 – 40.5 (RR Resolution 143)

40.5-43.5 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
40.5-41 FIXED FIXED-SATELLITE (space-to-Earth) 5.550C LAND MOBILE 5.550B BROADCASTING BROADCASTING-SATELLITE Aeronautical mobile Maritime mobile 5.547	40.5-41 FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.550C LAND MOBILE 5.550B BROADCASTING BROADCASTING-SATELLITE Aeronautical mobile Maritime mobile Mobile-satellite (space-to-Earth) 5.547	40.5-41 FIXED FIXED-SATELLITE (space-to-Earth) 5.550C LAND MOBILE 5.550B BROADCASTING BROADCASTING-SATELLITE Aeronautical mobile Maritime mobile 5.547	40.5-41 FIXED FIXED-SATELLITE (space-to-Earth) 5.550C LAND MOBILE 5.550B BROADCASTING BROADCASTING-SATELLITE Aeronautical mobile Maritime mobile 5.547 TLS12	1. Millimetre-wave TD-IMT in 37-43.5 GHz 2. Worldwide high-density applications in the fixed service in the band 40.5 –43.5 GHz, wherever not interfering with IMT 3. BFWA and radio relay systems in the band 40.5 – 43.5 GHz in accordance with ITU-R Rec. F.2005, , wherever not interfering with IMT 4. The frequency band 47.2 – 49.2 GHz in FSS (feeder link) is reserved for broadcasting-satellite service in the band 40.5 – 42.5 GHz
41-42.5	FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.550C LAND MOBILE 5.550B BROADCASTING BROADCASTING-SATELLITE Aeronautical mobile Maritime mobile 5.547 5.551F 5.551H 5.551I	41-42.5 FIXED FIXED-SATELLITE (space-to-Earth) 5.550C LAND MOBILE 5.550B BROADCASTING BROADCASTING-SATELLITE Aeronautical mobile Maritime mobile 5.547 5.551H 5.551I TLS12	41-42.5 FIXED FIXED-SATELLITE (space-to-Earth) 5.550C LAND MOBILE 5.550B BROADCASTING BROADCASTING-SATELLITE Aeronautical mobile Maritime mobile 5.547 5.551H 5.551I TLS12	1. Millimetre-wave TD-IMT in 37-43.5 GHz 2. Worldwide high-density applications in the fixed service in the band 40.5 –43.5 GHz, wherever not interfering with IMT 3. BFWA and radio relay systems in the band 40.5–43.5 GHz in accordance with ITU-R Rec. F.2005, wherever not interfering with IMT 4. The frequency band 47.2 – 49.2 GHz in FSS (feeder link) is reserved for broadcasting-satellite service in the band 40.5 – 42.5 GHz
42.5-43.5	FIXED FIXED-SATELLITE (Earth-to-space) 5.552 MOBILE except aeronautical mobile 5.550B RADIO ASTRONOMY 5.149 5.547	42.5-43.5 FIXED FIXED-SATELLITE (Earth-to-space) 5.552 MOBILE except aeronautical mobile 5.550B RADIO ASTRONOMY 5.149 5.547 TLS12	42.5-43.5 FIXED FIXED-SATELLITE (Earth-to-space) 5.552 MOBILE except aeronautical mobile 5.550B RADIO ASTRONOMY 5.149 5.547 TLS12	1. Millimetre-wave TD-IMT in 37-43.5 GHz 2. Worldwide high-density applications in the fixed service in the band 40.5 –43.5 GHz, wherever not interfering with IMT 3. BFWA and radio relay systems in the band 40.5 – 43.5 GHz in accordance with ITU-R Rec. F.2005, wherever not interfering with IMT 4. Spectral line observation on 42.861 GHz and 43.122 GHz for Silicon monoxide (SiO) 5. The frequency band 37.5 – 39.5 GHz (↓) paired with the frequency bands 42.5 – 43.5 GHz (↑) and 49.2 – 50.2 GHz (↑)

43.5-51.4 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
43.5-47	MOBILE 5.553 5.553A MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.554		43.5-47 MOBILE 5.553 MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.554	1. This band designated for space communications and terrestrial services are acting as complementary services 2. Land mobile service may be operated subject to not causing harmful interference to the space radiocommunication services 3. Spectral line observation on 45.379 GHz for Dicarbonmonosulphide (CCS)
47-47.2	AMATEUR AMATEUR-SATELLITE		47-47.2 AMATEUR AMATEUR-SATELLITE	1. 6 millimetres amateur band
47.2-47.5	FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.553B 5.552A		47.2-47.5 FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.552A	1. Fixed systems in the band 47.2 – 50.2 GHz with separation distance to HAPS in accordance with ITU-R Rec. F.1608 2. The band 47.2 – 47.5 GHz designated for HAPS operation in fixed service 3. Service ancillary to program making and broadcasting (SAP/SAB) in the band 47.2 – 50.2 GHz 4. The frequency band 47.2 – 49.2 GHz in FSS (feeder link) is reserved for broadcasting-satellite service in the band 40.5 – 42.5 GHz
47.5-47.9 FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 (space-to-Earth) 5.516B 5.554A MOBILE 5.553B	47.5-47.9 FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.553B		47.5-47.9 FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE	1. Fixed systems in the band 47.2 – 50.2 GHz 2. Service ancillary to program making and broadcasting (SAP/SAB) in the band 47.2 – 50.2 GHz 3. The frequency band 47.2 – 49.2 GHz in FSS (feeder link) is reserved for broadcasting-satellite service in the band 40.5 – 42.5 GHz
47.9-48.2	FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.553B 5.552A		47.9-48.2 FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.552A	1. Fixed systems in the band 47.2 – 50.2 GHz with separation distance to HAPS in accordance with ITU-R Rec. F.1608 2. The band 47.9 – 48.2 GHz designated for HAPS operation in fixed service 3. The frequency band 47.2 – 49.2 GHz in FSS (feeder link) is reserved for broadcasting-satellite service in the band 40.5 – 42.5 GHz

48.2-54.25 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
48.2-48.54 FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 (space-to-Earth) 5.516B 5.554A 5.555B MOBILE	48.2-50.2 FIXED FIXED-SATELLITE (Earth-to-space) 5.338A 5.516B 5.550C 5.552 MOBILE 5.149 5.340 5.555		48.2-50.2 FIXED FIXED-SATELLITE (Earth-to-space) 5.338A 5.550C 5.552 MOBILE 5.149 5.340 5.555	1. Emissions from airborne stations are prohibited in the 48.94 – 49.04 GHz 2. The frequency band 37.5 – 39.5 GHz (↓) paired with the frequency bands 42.5 – 43.5 GHz (↑) and 49.2 – 50.2 GHz (↑) 3. Spectral line observation on 48.991GHz for Carbon monosulphide (CS) 4. The frequency band 47.2 – 49.2 GHz in FSS (feeder link) is reserved for broadcasting-satellite service in the band 40.5 – 42.5 GHz
48.54-49.44 FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.149 5.340 5.555				
49.44-50.2 FIXED FIXED-SATELLITE (Earth-to-space) 5.338A 5.550C 5.552 (space-to-Earth) 5.516B 5.554A 5.555B MOBILE				
50.2-50.4	EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340		50.2-50.4 EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340	1. All emissions are prohibited in this band
50.4-51.4	FIXED FIXED-SATELLITE (Earth-to-space) 5.338A 5.550C MOBILE Mobile-satellite (Earth-to-space)		50.4-51.4 FIXED FIXED-SATELLITE (Earth-to-space) 5.338A 5.550C MOBILE Mobile-satellite (Earth-to-space)	Reserved for future

51.4-56.9 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
51.4-52.4	FIXED FIXED-SATELLITE (Earth-to-space) 5.555C MOBILE 5.338A 5.547 5.556		51.4-52.4 FIXED FIXED-SATELLITE (Earth-to-space) 5.555C MOBILE 5.338A 5.547 5.556	1. Worldwide high-density FWS applications in the fixed service in the band 51.4 –52.6 GHz in accordance with ITU-R Rec. F.1496
52.4-52.6	FIXED 5.338A MOBILE 5.547 5.556		52.4-52.6 FIXED 5.338A MOBILE 5.547 5.556	1. Worldwide high-density FWS applications in the fixed service in the band 51.4 –52.6 GHz in accordance with ITU-R Rec. F.1496
52.6-54.25	EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340 5.556		52.6-54.25 EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340 5.556	1. Currently all emissions are prohibited in this band
54.25-55.78	EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.556A SPACE RESEARCH (passive) 5.556B		54.25-55.78 EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.556A SPACE RESEARCH (passive)	1. Currently all emissions from terrestrial stations are prohibited in this band
55.78-56.9	EARTH EXPLORATION-SATELLITE (passive) FIXED 5.557A INTER-SATELLITE 5.556A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557		55.78-56.9 EARTH EXPLORATION-SATELLITE (passive) FIXED 5.557A INTER-SATELLITE 5.556A MOBILE 5.558 SPACE RESEARCH (passive) 5.547	1. Worldwide high-density applications in the fixed service in the band 55.78 –59 GHz under the conditions of No. 5.557A 2.FWS in the band 55.78 – 57 GHz in accordance with ITU-R Rec. F.1497 3. Spectral line observation on 61.1GHz for Oxygen (O ₂)

56.9-59.3 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
56.9-57	EARTH EXPLORATION-SATELLITE (passive) FIXED INTER-SATELLITE 5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557		56.9-57 EARTH EXPLORATION-SATELLITE (passive) FIXED INTER-SATELLITE 5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547	1. Worldwide high-density applications in the fixed service in the band 55.78 –59 GHz 2.FWS in the band 55.78 – 57 GHz in accordance with ITU-R Rec. F.1497 3. Spectral line observation on 61.1GHz for Oxygen (O ₂)
57-58.2	EARTH EXPLORATION-SATELLITE (passive) FIXED INTER-SATELLITE 5.556A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557		57-58.2 EARTH EXPLORATION-SATELLITE (passive) FIXED INTER-SATELLITE 5.556A MOBILE 5.558 SPACE RESEARCH (passive) 5.547	1. Worldwide high-density applications in the fixed service in the band 55.78 –59 GHz 2. Non-specific, LPR and wideband data transmission SRD applications in the frequency band 57 – 64 GHz 3. Spectral line observation on 61.1GHz for Oxygen (O ₂)
58.2-59	EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive) 5.547 5.556		58.2-59 EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive) 5.547 5.556	1. Worldwide high-density applications in the fixed service in the band 55.78 –59 GHz 2. Non-specific, LPR and wideband data transmission SRD applications in the frequency band 57 – 64 GHz 3. Spectral line observation on 61.1GHz for Oxygen (O ₂)
59-59.3	EARTH EXPLORATION-SATELLITE (passive) FIXED INTER-SATELLITE 5.556A MOBILE 5.558 RADIOLOCATION 5.559 SPACE RESEARCH (passive)		59-59.3 EARTH EXPLORATION-SATELLITE (passive) FIXED INTER-SATELLITE 5.556A MOBILE 5.558 RADIOLOCATION 5.559 SPACE RESEARCH (passive)	1. Non-specific, LPR and wideband data transmission SRD applications in the frequency band 57 – 64 GHz 2. Airborne radars in the band 59 – 64 GHz 3. Spectral line observation on 61.1GHz for Oxygen (O ₂)

59.3-71 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
59.3-64	FIXED INTER-SATELLITE MOBILE 5.558 RADIOLOCATION 5.559 5.138		59.3-64 FIXED INTER-SATELLITE MOBILE 5.558 RADIOLOCATION 5.559 5.138	1. ISM applications in the band 61 – 61.5GHz 2. Non-specific, LPR and wideband data transmission SRD applications in the frequency band 57 – 64 GHz 3. Airborne radars in the band 59 – 64 GHz 4. Spectral line observation on 61.1GHz for Oxygen (O ₂)
64-65	FIXED INTER-SATELLITE MOBILE except aeronautical mobile 5.547 5.556		64-65 FIXED INTER-SATELLITE MOBILE except aeronautical mobile 5.547 5.556	1. Worldwide high-density applications in the fixed service in the band 64 –66 GHz 2.FWS in the band 64 – 66 GHz in accordance with ITU-R Rec. F. 1497
65-66	EARTH EXPLORATION-SATELLITE FIXED INTER-SATELLITE MOBILE except aeronautical mobile SPACE RESEARCH 5.547		65-66 EARTH EXPLORATION-SATELLITE FIXED INTER-SATELLITE MOBILE except aeronautical mobile SPACE RESEARCH 5.547	1. Worldwide high-density applications in the fixed service in the band 64 –66 GHz 2.FWS in the band 64 – 66 GHz in accordance with ITU-R Rec. F. 1497
66-71	INTER-SATELLITE MOBILE 5.553 5.558 5.559AA MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.554		66-71 INTER-SATELLITE MOBILE 5.553 5.558 5.559AA MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.554 TLS12	1. Millimetre-wave TD-IMT in 66-71 GHz 2. This band designated for space communications and terrestrial services are acting as complementary services 3. Land mobile service may be operated subject to not causing harmful interference to the space radiocommunication services 4. in This band the aeronautical mobile service may be operated subject to not causing harmful interference to the inter-satellite service

71-79 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
71-74	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (space-to-Earth)		71-74 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (space-to-Earth)	1. FWS for large capacity transport in the frequency band 71 – 76 GHz paired with 81 – 86 GHz in accordance with ITU-R Rec. F.2006
74-76	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE BROADCASTING BROADCASTING-SATELLITE Space research (space-to-Earth) 5.561		74-76 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE BROADCASTING BROADCASTING-SATELLITE Space research (space-to-Earth) 5.561	1. FWS for large capacity transport in the frequency band 71 – 76 GHz paired with 81 – 86 GHz in accordance with ITU-R Rec. F.2006 2. LPR SRD applications in the frequency band 75 – 85 GHz
76-77.5	RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space research (space-to-Earth) 5.149		76-77.5 RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space research (space-to-Earth) 5.149	1. Railway in 76 – 77 GHz and TTT in 76 – 81 GHz and LPR in 75 – 85 GHz SRD applications 2. 4 millimetres amateur band
77.5-78	AMATEUR AMATEUR-SATELLITE RADIOLOCATION 5.559B Radio astronomy Space research (space-to-Earth) 5.149		77.5-78 AMATEUR AMATEUR-SATELLITE RADIOLOCATION 5.559B Radio astronomy Space research (space-to-Earth) 5.149	1. TTT in 76 – 81 GHz and LPR in 75 – 85 GHz SRD applications 2. Radiolocation service in the band 77.5 – 78 GHz is limited to short-range radar for ground-based applications, including automotive radars 3. 4 millimetres amateur band
78-79	RADIOLOCATION Amateur Amateur-satellite Radio astronomy Space research (space-to-Earth) 5.149 5.560		78-79 RADIOLOCATION Amateur Amateur-satellite Radio astronomy Space research (space-to-Earth) 5.149 5.560	1. TTT in 76 – 81 GHz and LPR in 75 – 85 GHz SRD applications 2. 4 millimetres amateur band

79-92 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
79-81	RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space research (space-to-Earth) 5.149		79-81 RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space research (space-to-Earth) 5.149	1. TTT in 76 – 81 GHz and LPR in 75 – 85 GHz SRD applications 2. 4 millimetres amateur band 3. Spectral line observation on 80.578 GHz for Deuterated water (HDO)
81-84	FIXED 5.338A FIXED-SATELLITE (Earth-to-space) MOBILE MOBILE-SATELLITE (Earth-to-space) RADIO ASTRONOMY Space research (space-to-Earth) 5.149 5.561A		81-84 FIXED 5.338A FIXED-SATELLITE (Earth-to-space) MOBILE MOBILE-SATELLITE (Earth-to-space) RADIO ASTRONOMY Space research (space-to-Earth) 5.149 5.561A	1. FWS for large capacity transport in the frequency band 71 – 76 GHz paired with 81 – 86 GHz in accordance with ITU-R Rec. F.2006 2. LPR SRD applications in the frequency band 75 – 85 GHz
84-86	FIXED 5.338A FIXED-SATELLITE (Earth-to-space) 5.561B MOBILE RADIO ASTRONOMY 5.149		84-86 FIXED 5.338A FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY 5.149	1. FWS for large capacity transport in the frequency band 71 – 76 GHz paired with 81 – 86 GHz in accordance with ITU-R Rec. F.2006 2. LPR SRD applications in the frequency band 75 – 85 GHz 3. Spectral line observation on 85.339GHz for Cyclopropenylidene (C ₃ H ₂)
86-92	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340		86-92 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	1. All emissions are prohibited in this band 2. Precipitation sensing (clouds, oil spills, ice, snow, rain, etc.) 3. Spectral line observation on 86.243GHz for Silicon monoxide (SiO), 86.754 GHz for Formylium (HCO ⁺), 86.847 for Silicon monoxide (SiO), 87.3 GHz for Ethynyl radical (C ₂ H), 88.632 GHz for Hydrogen cyanide (HCN), 89.189 GHz for Formylium (HCO ⁺) and 90.664 GHz for Hydrogen isocyanide (HNC)

92-102 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
92-94 MOBILE RADIO ASTRONOMY RADIOLOCATION	FIXED 5.338A 5.149		92-94 FIXED 5.338A MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149	1. FWS in the band 92 – 95 GHz in accordance with ITU-R Rec. F.2004 (FDD and TDD types) 2. Spectral line observation on 93.171 GHz for Diazenylium (N ₂ H ⁺)
94-94.1	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) Radio astronomy 5.562 5.562A		94-94.1 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) Radio astronomy 5.562 5.562A	1. Short range radar in radiolocation service 2. Cloud measurement radars 3. Continuum observation in the band 76 – 116 GHz (ITU-R Rec. RA.314)
94.1-95	FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149		94.1-95 FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149	1. FWS in the band 92 – 95 GHz in accordance with ITU-R Rec. F.2004 (FDD and TDD types)
95-100	FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.149 5.554		95-100 FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.149 5.554	1. Reserved for future 2. Extended FWS to 92 – 95 GHz 3. Stations acting under three complementary services radiolocation, radionavigation and radionavigation satellite 4. Spectral line observation on 97.981 GHz for Carbon monosulphide (CS) and on 99.3 GHz for Sulphur monoxide (SO)
100-102	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341		100-102 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	1. All emissions are prohibited in this band 2. Limb sounding of atmospheric constituents

102-116 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
102-105	FIXED MOBILE RADIO ASTRONOMY 5.149 5.341		102-105 FIXED MOBILE RADIO ASTRONOMY 5.149 5.341	1. Reserved for future 2. FWS in the band 102 – 109.5 GHz 3. Spectral line observation on 107.014 GHz for Methanol (CH ₃ OH)
105-109.5	FIXED MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341		105-109.5 FIXED MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341	1. Reserved for future 2. FWS in the band 102 – 109.5 GHz 3. Spectral line observation on 107.014 GHz for Methanol (CH ₃ OH)
109.5-111.8	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341		109.5-111.8 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	1. All emissions are prohibited in this band 2. Spectral line observation on 109.782 GHz for Carbon monoxide (C ¹⁸ O) and on 110.201 GHz for Carbon monoxide (¹³ CO)
111.8-114.25	FIXED MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341		111.8-114.25 FIXED MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341	1. Reserved for future 2. Spectral line observation on 112.359 GHz for Carbon monoxide (C ¹⁷ O) and on 113.5 GHz for Cyano radical (CN)
114.25-116	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341		114.25-116 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	1. All emissions are prohibited in this band 2. Spectral line observation on 115.271 GHz for Carbon monoxide (CO)

116-134 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
116-119.98	EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562C SPACE RESEARCH (passive) 5.341		116-119.98 EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562C SPACE RESEARCH (passive) 5.341	1. Currently all emissions from terrestrial stations are prohibited in this band 2. Spectral line observation on 118.750 GHz for Oxygen (O ₂)
119.98-122.25	EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562C SPACE RESEARCH (passive) 5.138 5.341		119.98-122.25 EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562C SPACE RESEARCH (passive) 5.138 5.341	1. ISM applications in the band 122 – 123 GHz 2. Non-specific SRD applications in the frequency band 122 – 123 GHz
122.25-123	FIXED INTER-SATELLITE MOBILE 5.558 Amateur 5.138		122.25-123 FIXED INTER-SATELLITE MOBILE 5.558 Amateur 5.138	1. ISM applications in the band 122 – 123 GHz 2. Non-specific SRD applications in the frequency band 122 – 123 GHz
123-130	FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) RADIONAVIGATION RADIONAVIGATION-SATELLITE Radio astronomy 5.562D 5.149 5.554		123-130 FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) RADIONAVIGATION RADIONAVIGATION-SATELLITE Radio astronomy 5.149 5.554	1. Reserved for future
130-134	EARTH EXPLORATION-SATELLITE (active) 5.562E FIXED INTER-SATELLITE MOBILE 5.558 RADIO ASTRONOMY 5.149 5.562A		130-134 EARTH EXPLORATION-SATELLITE (active) 5.562E FIXED INTER-SATELLITE MOBILE 5.558 RADIO ASTRONOMY 5.149 5.562A	1. Reserved for future

134-158.5 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
134-136	AMATEUR AMATEUR-SATELLITE Radio astronomy		134-136 AMATEUR AMATEUR-SATELLITE Radio astronomy	1. 2 millimetres amateur band
136-141	RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.149		136-141 RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.149	1. Reserved for future 2. 2 millimeters amateur band 3. Spectral line observation on 137.450 GHz for Oxygen (O ₂) and on 140.84 GHz for Formaldehyde (H ₂ CO)
141-148.5	FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149		141-148.5 FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149	1. Reserved for future 2. Spectral line observation on 146.969 GHz for Carbon monosulphide (CS)
148.5-151.5	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340		148.5-151.5 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	1. All emissions are prohibited in this band 2. Spectral line observation on 150.4 GHz for Nitric oxide (NO)
151.5-155.5	FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149		151.5-155.5 FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149	1. Reserved for future
155.5-158.5	FIXED MOBILE RADIO ASTRONOMY 5.149		155.5-158.5 FIXED MOBILE RADIO ASTRONOMY 5.149	1. Reserved for future 2. Spectral line observation on 156.602 GHz for Methanol (CH ₃ OH)

158.5-185 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
158.5-164	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (space-to-Earth)		158.5-164 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (space-to-Earth)	1. Reserved for future
164-167	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340		164-167 EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	1. All emissions are prohibited in this band 2. Continuum observation in the band 164 – 167 GHz (ITU-R Rec. RA.314)
167-174.5	FIXED FIXED-SATELLITE (space-to-Earth) INTER-SATELLITE MOBILE 5.558 5.149 5.562D		167-174.5 FIXED FIXED-SATELLITE (space-to-Earth) INTER-SATELLITE MOBILE 5.558 5.149	1. Reserved for future
174.5-174.8	FIXED INTER-SATELLITE MOBILE 5.558		174.5-174.8 FIXED INTER-SATELLITE MOBILE 5.558	1. Reserved for future
174.8-182	EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)		174.8-182 EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)	1. Currently all emissions from terrestrial stations are prohibited in this band
182-185	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340		182-185 EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	1. All emissions are prohibited in this band 2. Spectral line observation on 183.310 GHz for Water vapour (H ₂ O)

185-217 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
185-190	EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)		185-190 EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)	1. Currently all emissions from terrestrial stations are prohibited in this band
190-191.8	EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340		190-191.8 EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340	1. All emissions are prohibited in this band 2. Continuum measurement and Spectral observation
191.8-200	FIXED INTER-SATELLITE MOBILE 5.558 MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.149 5.341 5.554		191.8-200 FIXED INTER-SATELLITE MOBILE 5.558 MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.149 5.341 5.554	1. Reserved for future
200-209	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341 5.563A		200-209 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341 5.563A	1. All emissions are prohibited in this band 2. Continuum observation in the band 200 – 231.5 GHz (ITU-R Rec. RA.314) 3. Ground-based passive atmospheric sensing to monitor atmospheric constituents
209-217	FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY 5.149 5.341		209-217 FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY 5.149 5.341	1. Reserved for future 2. Continuum observation in the band 200 – 231.5 GHz (ITU-R Rec. RA.314)

217-238 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
217-226	FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341		217-226 FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341	1. Reserved for future 2. Continuum observation in the band 200 – 231.5 GHz (ITU-R Rec. RA.314)
226-231.5	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340		226-231.5 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	1. All emissions are prohibited in this band 2. Spectral line observation on 226.6 GHz and on 226.8 GHz for Cyano radical (CN), and on 230.538 GHz for Carbon monoxide (CO) 3. Continuum observation in the band 200 – 231.5 GHz (ITU-R Rec. RA.314)
231.5-232	FIXED MOBILE Radiolocation		231.5-232 FIXED MOBILE Radiolocation	1. Reserved for future
232-235	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE Radiolocation		232-235 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE Radiolocation	1. Reserved for future
235-238	EARTH EXPLORATION-SATELLITE (passive) FIXED-SATELLITE (space-to-Earth) SPACE RESEARCH (passive) 5.563A 5.563B		235-238 EARTH EXPLORATION-SATELLITE (passive) FIXED-SATELLITE (space-to-Earth) SPACE RESEARCH (passive) 5.563A 5.563B	1. Currently all emissions from terrestrial stations are prohibited in this band

238-252 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
238-240	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE		238-240 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE	1. Reserved for future
240-241	FIXED MOBILE RADIOLOCATION		240-241 FIXED MOBILE RADIOLOCATION	1. Reserved for future
241-248	RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.138 5.149		241-248 RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.138 5.149	1. ISM applications in the band 244 – 246GHz 2. Non-specific SRD applications in the frequency band 244 – 246 GHz 3. 1 millimetre amateur band 4. Spectral line observation on 244.953 GHz for Carbon monosulphide (CS)
248-250	AMATEUR AMATEUR-SATELLITE Radio astronomy 5.149		248-250 AMATEUR AMATEUR-SATELLITE Radio astronomy 5.149	1. 1 millimetre amateur band 2. . Continuum observation in the band 241 – 275 GHz (ITU-R Rec. RA.314)
250-252	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.563A		250-252 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.563A	1. All emissions are prohibited in this band 2. Spectral line observation on 250.6 GHz for Nitric oxide (NO) 3. Ground-based passive atmospheric sensing to monitor atmospheric constituents 4. Continuum observation in the band 241 – 275 GHz (ITU-R Rec. RA.314)

252-3 000 GHz

Allocation to services by ITU			National Allocations	Usage
Region 1	Region 2	Region 3		
252-265	FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) RADIO ASTRONOMY RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.149 5.554		252-265 FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) RADIO ASTRONOMY RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.149 5.554	1. Reserved for future 2. Spectral line observation on 262.0 GHz for Ethynyle radical (C ₂ H) 3. Continuum observation in the band 241 – 275 GHz (ITU-R Rec. RA.314)
265-275	FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY 5.149 5.563A		265-275 FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY 5.149 5.563A	1. Reserved for future 2. Spectral line observation on 265.886 GHz for Hydrogen cyanide (HCN) on 267.557 GHz for Formylium (HCO ⁺), and on 271.981 GHz for Hydrogen isocyanide (HNC) 3. Continuum observation in the band 241 – 275 GHz (ITU-R Rec. RA.314) 4. Ground-based passive atmospheric sensing to monitor atmospheric constituents
275-3 000	(Not allocated) 5.564A 5.565		275-3 000 (Not allocated) 5.564A 5.565	-

5.53 Administrations authorizing the use of frequencies below 8.3 kHz shall ensure that no harmful interference is caused to services to which the bands above 8.3 kHz are allocated. (WRC-12)

5.54 Administrations conducting scientific research using frequencies below 8.3 kHz are urged to advise other administrations that may be concerned in order that such research may be afforded all practicable protection from harmful interference. (WRC-12)

5.54A Use of the 8.3-11.3 kHz frequency band by stations in the meteorological aids service is limited to passive use only. In the band 9-11.3 kHz, meteorological aids stations shall not claim protection from stations of the radionavigation service submitted for notification to the Bureau prior to 1 January 2013. For sharing between stations of the meteorological aids service and stations in the radionavigation service submitted for notification after this date, the most recent version of Recommendation ITU-R RS.1881 should be applied. (WRC-12)

5.54B *Additional allocation:* in Algeria, Saudi Arabia, Bahrain, Egypt, the United Arab Emirates, the Russian Federation, Iran (Islamic Republic of), Iraq, Kuwait, Lebanon, Morocco, Qatar, the Syrian Arab Republic, Sudan and Tunisia, the frequency band 8.3-9 kHz is also allocated to the radionavigation, fixed and mobile services on a primary basis. (WRC-15)

5.54C *Additional allocation:* in China, the frequency band 8.3-9 kHz is also allocated to the maritime radionavigation and maritime mobile services on a primary basis. (WRC-12)

5.55 *Additional allocation:* in Armenia, the Russian Federation, Georgia, Kyrgyzstan, Tajikistan and Turkmenistan, the frequency band 14-17 kHz is also allocated to the radionavigation service on a primary basis. (WRC-15)

5.56 The stations of services to which the bands 14-19.95 kHz and 20.05-70 kHz and in Region 1 also the bands 72-84 kHz and 86-90 kHz are allocated may transmit standard frequency and time signals. Such stations shall be afforded protection from harmful interference. In Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Kyrgyzstan, Tajikistan and Turkmenistan, the frequencies 25 kHz and 50 kHz will be used for this purpose under the same conditions. (WRC-12)

5.57 The use of the bands 14-19.95 kHz, 20.05-70 kHz and 70-90 kHz (72-84 kHz and 86-90 kHz in Region 1) by the maritime mobile service is limited to coast radiotelegraph stations (A1A and F1B only). Exceptionally, the use of class J2B or J7B emissions is authorized subject to the necessary bandwidth not exceeding that normally used for class A1A or F1B emissions in the band concerned.

5.58 *Additional allocation:* in Armenia, Azerbaijan, the Russian Federation, Georgia, Kazakhstan, Kyrgyzstan, Tajikistan and Turkmenistan, the band 67-70 kHz is also allocated to the radionavigation service on a primary basis. (WRC-2000)

5.59 *Different category of service:* in Bangladesh and Pakistan, the allocation of the bands 70-72 kHz and 84-86 kHz to the fixed and maritime mobile services is on a primary basis (see No. **5.33**). (WRC-2000)

5.60 In the bands 70-90 kHz (70-86 kHz in Region 1) and 110-130 kHz (112-130 kHz in Region 1), pulsed radionavigation systems may be used on condition that they do not cause harmful interference to other services to which these bands are allocated.

5.61 In Region 2, the establishment and operation of stations in the maritime radionavigation service in the bands 70-90 kHz and 110-130 kHz shall be subject to agreement obtained under No. **9.21** with administrations whose services, operating in accordance with the Table, may be affected. However, stations of the fixed, maritime mobile and radiolocation services shall not cause harmful interference to stations in the maritime radionavigation service established under such agreements.

5.62 Administrations which operate stations in the radionavigation service in the band 90-110 kHz are urged to coordinate technical and operating characteristics in such a way as to avoid harmful interference to the services provided by these stations.

5.64 Only classes A1A or F1B, A2C, A3C, F1C or F3C emissions are authorized for stations of the fixed service in the bands allocated to this service between 90 kHz and 160 kHz (148.5 kHz in Region 1) and for stations of the maritime mobile service in the bands allocated to this service between 110 kHz and 160 kHz (148.5 kHz in Region 1). Exceptionally, class J2B or J7B emissions are also authorized in the bands between 110 kHz and 160 kHz (148.5 kHz in Region 1) for stations of the maritime mobile service.

5.65 *Different category of service:* in Bangladesh, the allocation of the bands 112-117.6 kHz and 126-129 kHz to the fixed and maritime mobile services is on a primary basis (see No. **5.33**). (WRC-2000)

5.66 *Different category of service:* in Germany, the allocation of the band 115-117.6 kHz to the fixed and maritime mobile services is on a primary basis (see No. **5.33**) and to the radionavigation service on a secondary basis (see No. **5.32**).

5.67 *Additional allocation:* in Kyrgyzstan and Turkmenistan, the frequency band 130-148.5 kHz is also allocated to the radionavigation service on a secondary basis. Within and between these countries this service shall have an equal right to operate. (WRC-19)

5.67A Stations in the amateur service using frequencies in the band 135.7-137.8 kHz shall not exceed a maximum radiated power of 1 W (e.i.r.p.) and shall not cause harmful interference to stations of the radionavigation service operating in countries listed in No. **5.67**. (WRC-07)

5.67B The use of the frequency band 135.7-137.8 kHz in Algeria, Egypt, Iraq, Lebanon, Syrian Arab Republic, Sudan, South Sudan and Tunisia is limited to the fixed and maritime mobile services. The amateur service shall not be used in the above-mentioned countries in the frequency band 135.7-137.8 kHz, and this should be taken into account by the countries authorizing such use. (WRC-19)

5.68 *Alternative allocation:* in Congo (Rep. of the), the Dem. Rep. of the Congo and South Africa, the frequency band 160-200 kHz is allocated to the fixed service on a primary basis. (WRC-15)

5.69 *Additional allocation:* in Somalia, the band 200-255 kHz is also allocated to the aeronautical radionavigation service on a primary basis.

5.70 *Alternative allocation:* in Angola, Botswana, Burundi, the Central African Rep., Congo (Rep. of the), Eswatini, Ethiopia, Kenya, Lesotho, Madagascar, Malawi, Mozambique, Namibia, Nigeria, Oman, the Dem. Rep. of the Congo, South Africa, Tanzania, Chad, Zambia and Zimbabwe, the frequency band 200-283.5 kHz is allocated to the aeronautical radionavigation service on a primary basis. (WRC-19)

5.73 The band 285-325 kHz (283.5-325 kHz in Region 1) in the maritime radionavigation service may be used to transmit supplementary navigational information using narrow-band techniques, on condition that no harmful interference is caused to radiobeacon stations operating in the radionavigation service. (WRC-97)

5.74 *Additional Allocation:* in Region 1, the frequency band 285.3-285.7 kHz is also allocated to the maritime radionavigation service (other than radiobeacons) on a primary basis.

5.75 *Different category of service:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Moldova, Kyrgyzstan, Tajikistan, Turkmenistan, Ukraine and the Black Sea areas of Romania, the allocation of the band 315-325 kHz to the maritime radionavigation service is on a primary basis under the condition that in the Baltic Sea area, the assignment of frequencies in this band to new stations in the maritime or aeronautical radionavigation services shall be subject to prior consultation between the administrations concerned. (WRC-07)

5.76 The frequency 410 kHz is designated for radio direction-finding in the maritime radionavigation service. The other radionavigation services to which the band 405-415 kHz is allocated shall not cause harmful interference to radio direction-finding in the band 406.5-413.5 kHz.

5.77 *Different category of service:* in Australia, China, the French overseas communities of Region 3, Korea (Rep. of), India, Iran (Islamic Republic of), Japan, Pakistan, Papua New Guinea, the Dem. People's Rep. of Korea and Sri Lanka, the allocation of the frequency band 415-495 kHz to the aeronautical radionavigation service is on a primary basis. In Armenia, Azerbaijan, Belarus, the Russian Federation, Kazakhstan, Latvia, Uzbekistan and Kyrgyzstan, the allocation of the frequency band 435-495 kHz to the aeronautical radionavigation service is on a primary basis. Administrations in all the aforementioned countries shall take all practical steps necessary to ensure that aeronautical radionavigation stations in the frequency band 435-495 kHz do not cause interference to reception by coast stations of transmissions from ship stations on frequencies designated for ship stations on a worldwide basis. (WRC-19)

5.78 *Different category of service:* in Cuba, the United States of America and Mexico, the allocation of the band 415-435 kHz to the aeronautical radionavigation service is on a primary basis.

5.79 In the maritime mobile service, the frequency bands 415-495 kHz and 505-526.5 kHz are limited to radiotelegraphy and may also be used for the NAVDAT system in accordance with the most recent version of Recommendation ITU-R M.2010, subject to agreement between interested and affected administrations. NAVDAT transmitting stations are limited to coast stations. (WRC-19)

5.79A When establishing coast stations in the NAVTEX service on the frequencies 490 kHz, 518 kHz and 4 209.5 kHz, administrations are strongly recommended to coordinate the operating characteristics in accordance with the procedures of the International Maritime Organization (IMO) (see Resolution **339 (Rev.WRC-07)**). (WRC-07)

5.80 In Region 2, the use of the band 435-495 kHz by the aeronautical radionavigation service is limited to non-directional beacons not employing voice transmission.

5.80A The maximum equivalent isotropically radiated power (e.i.r.p.) of stations in the amateur service using frequencies in the band 472-479 kHz shall not exceed 1 W. Administrations may increase this limit of e.i.r.p. to 5 W in portions of their territory which are at a distance of over 800 km from the borders of Algeria, Saudi Arabia, Azerbaijan, Bahrain, Belarus, China, Comoros, Djibouti, Egypt, United Arab Emirates, the Russian Federation, Iran

(Islamic Republic of), Iraq, Jordan, Kazakhstan, Kuwait, Lebanon, Libya, Morocco, Mauritania, Oman, Uzbekistan, Qatar, Syrian Arab Republic, Kyrgyzstan, Somalia, Sudan, Tunisia, Ukraine and Yemen. In this frequency band, stations in the amateur service shall not cause harmful interference to, or claim protection from, stations of the aeronautical radionavigation service. (WRC-12)

5.80B The use of the frequency band 472-479 kHz in Algeria, Saudi Arabia, Azerbaijan, Bahrain, Belarus, China, Comoros, Djibouti, Egypt, United Arab Emirates, the Russian Federation, Iraq, Jordan, Kazakhstan, Kuwait, Lebanon, Libya, Mauritania, Oman, Uzbekistan, Qatar, Syrian Arab Republic, Kyrgyzstan, Somalia, Sudan, Tunisia and Yemen is limited to the maritime mobile and aeronautical radionavigation services. The amateur service shall not be used in the above-mentioned countries in this frequency band, and this should be taken into account by the countries authorizing such use. (WRC-12)

5.82 In the maritime mobile service, the frequency 490 kHz is to be used exclusively for the transmission by coast stations of navigational and meteorological warnings and urgent information to ships, by means of narrow-band direct-printing telegraphy. The conditions for use of the frequency 490 kHz are prescribed in Articles 31 and 52. In using the frequency band 415-495 kHz for the aeronautical radionavigation service, administrations are requested to ensure that no harmful interference is caused to the frequency 490 kHz. In using the frequency band 472-479 kHz for the amateur service, administrations shall ensure that no harmful interference is caused to the frequency 490 kHz. (WRC-12)

5.82C The frequency band 495-505 kHz is used for the international NAVDAT system as described in the most recent version of Recommendation ITU-R M.2010. NAVDAT transmitting stations are limited to coast stations. (WRC-19)

5.84 The conditions for the use of the frequency 518 kHz by the maritime mobile service are prescribed in Articles 31 and 52. (WRC-07)

5.86 In Region 2, in the band 525-535 kHz the carrier power of broadcasting stations shall not exceed 1 kW during the day and 250 W at night.

5.87 *Additional allocation:* in Angola, Botswana, Eswatini, Lesotho, Malawi, Mozambique, Namibia and Niger, the frequency band 526.5-535 kHz is also allocated to the mobile service on a secondary basis. (WRC-19)

5.87A *Additional allocation:* in Uzbekistan, the band 526.5-1 606.5 kHz is also allocated to the radionavigation service on a primary basis. Such use is subject to agreement obtained under No. 9.21 with administrations concerned and limited to ground-based radiobeacons in operation on 27 October 1997 until the end of their lifetime. (WRC-97)

5.88 *Additional allocation:* in China, the band 526.5-535 kHz is also allocated to the aeronautical radionavigation service on a secondary basis.

5.89 In Region 2, the use of the band 1 605-1 705 kHz by stations of the broadcasting service is subject to the Plan established by the Regional Administrative Radio Conference (Rio de Janeiro, 1988).

The examination of frequency assignments to stations of the fixed and mobile services in the band 1 625-1 705 kHz shall take account of the allotments appearing in the Plan established by the Regional Administrative Radio Conference (Rio de Janeiro, 1988).

5.90 In the band 1 605-1 705 kHz, in cases where a broadcasting station of Region 2 is concerned, the service area of the maritime mobile stations in Region 1 shall be limited to that provided by ground-wave propagation.

5.91 *Additional allocation:* in the Philippines and Sri Lanka, the band 1 606.5-1 705 kHz is also allocated to the broadcasting service on a secondary basis. (WRC-97)

5.92 Some countries of Region 1 use radiodetermination systems in the bands 1 606.5-1 625 kHz, 1 635-1 800 kHz, 1 850-2 160 kHz, 2 194-2 300 kHz, 2 502-2 850 kHz and 3 500-3 800 kHz, subject to agreement obtained under No. 9.21. The radiated mean power of these stations shall not exceed 50 W.

5.93 *Additional allocation:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Hungary, Kazakhstan, Latvia, Lithuania, Mongolia, Nigeria, Uzbekistan, Poland, Kyrgyzstan, Slovakia, Tajikistan, Chad, Turkmenistan and Ukraine, the frequency bands 1 625-1 635 kHz, 1 800-1 810 kHz and 2 160-2 170 kHz are also allocated to the fixed and land mobile services on a primary basis, subject to agreement obtained under No. 9.21. (WRC-15)

5.96 In Germany, Armenia, Austria, Azerbaijan, Belarus, Croatia, Denmark, Estonia, the Russian Federation, Finland, Georgia, Hungary, Ireland, Iceland, Israel, Kazakhstan, Latvia, Liechtenstein, Lithuania, Malta, Moldova, Norway, Uzbekistan, Poland, Kyrgyzstan, Slovakia, the Czech Rep., the United Kingdom, Sweden, Switzerland, Tajikistan, Turkmenistan and Ukraine, administrations may allocate up to 200 kHz to their amateur service in the frequency bands 1 715-1 800 kHz and 1 850-2 000 kHz. However, when allocating the frequency bands within this range to their amateur service, administrations shall, after prior consultation with administrations of neighbouring

countries, take such steps as may be necessary to prevent harmful interference from their amateur service to the fixed and mobile services of other countries. The mean power of any amateur station shall not exceed 10 W. (WRC-15)

5.97 In Region 3, the Loran system operates either on 1 850 kHz or 1 950 kHz, the bands occupied being 1 825-1 875 kHz and 1 925-1 975 kHz respectively. Other services to which the band 1 800-2 000 kHz is allocated may use any frequency therein on condition that no harmful interference is caused to the Loran system operating on 1 850 kHz or 1 950 kHz.

5.98 *Alternative allocation:* in Armenia, Azerbaijan, Belarus, Belgium, Cameroon, Congo (Rep. of the), Denmark, Egypt, Eritrea, Spain, Ethiopia, the Russian Federation, Georgia, Greece, Italy, Kazakhstan, Lebanon, Lithuania, the Syrian Arab Republic, Kyrgyzstan, Somalia, Tajikistan, Tunisia, Turkmenistan and Turkey, the frequency band 1 810-1 830 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-15)

5.99 *Additional allocation:* in Saudi Arabia, Austria, Iraq, Libya, Uzbekistan, Slovakia, Romania, Slovenia, Chad, and Togo, the band 1 810-1 830 kHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-12)

5.100 In Region 1, the authorization to use the band 1 810-1 830 kHz by the amateur service in countries situated totally or partially north of 40° N shall be given only after consultation with the countries mentioned in Nos. **5.98** and **5.99** to define the necessary steps to be taken to prevent harmful interference between amateur stations and stations of other services operating in accordance with Nos. **5.98** and **5.99**.

5.102 *Alternative allocation:* in Bolivia, Chile, Paraguay and Peru, the frequency band 1 850-2 000 kHz is allocated to the fixed, mobile except aeronautical mobile, radiolocation and radionavigation services on a primary basis. (WRC-15)

5.103 In Region 1, in making assignments to stations in the fixed and mobile services in the bands 1 850-2 045 kHz, 2 194-2 498 kHz, 2 502-2 625 kHz and 2 650-2 850 kHz, administrations should bear in mind the special requirements of the maritime mobile service.

5.104 In Region 1, the use of the band 2 025-2 045 kHz by the meteorological aids service is limited to oceanographic buoy stations.

5.105 In Region 2, except in Greenland, coast stations and ship stations using radiotelephony in the band 2 065-2 107 kHz shall be limited to class J3E emissions and to a peak envelope power not exceeding 1 kW. Preferably, the following carrier frequencies should be used: 2 065.0 kHz, 2 079.0 kHz, 2 082.5 kHz, 2 086.0 kHz, 2 093.0 kHz, 2 096.5 kHz, 2 100.0 kHz and 2 103.5 kHz. In Argentina and Uruguay, the carrier frequencies 2 068.5 kHz and 2 075.5 kHz are also used for this purpose, while the frequencies within the band 2 072-2 075.5 kHz are used as provided in No. **5.2.165**.

5.106 In Regions 2 and 3, provided no harmful interference is caused to the maritime mobile service, the frequencies between 2 065 kHz and 2 107 kHz may be used by stations of the fixed service communicating only within national borders and whose mean power does not exceed 50 W. In notifying the frequencies, the attention of the Bureau should be drawn to these provisions.

5.107 *Additional allocation:* in Saudi Arabia, Eritrea, Eswatini, Ethiopia, Iraq, Libya, Somalia and Swaziland, the band 2 160-2 170 kHz is also allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis. The mean power of stations in these services shall not exceed 50 W. (WRC-19)

5.108 The carrier frequency 2 182 kHz is an international distress and calling frequency for radiotelephony. The conditions for the use of the band 2 173.5-2 190.5 kHz are prescribed in Articles **31** and **52**. (WRC-07)

5.109 The frequencies 2 187.5 kHz, 4 207.5 kHz, 6 312 kHz, 8 414.5 kHz, 12 577 kHz and 16 804.5 kHz are international distress frequencies for digital selective calling. The conditions for the use of these frequencies are prescribed in Article **31**.

5.110 The frequencies 2 174.5 kHz, 4 177.5 kHz, 6 268 kHz, 8 376.5 kHz, 12 520 kHz and 16 695 kHz are international distress frequencies for narrow-band direct-printing telegraphy. The conditions for the use of these frequencies are prescribed in Article **31**.

5.111 The carrier frequencies 2 182 kHz, 3 023 kHz, 5 680 kHz, 8 364 kHz and the frequencies 121.5 MHz, 156.525 MHz, 156.8 MHz and 243 MHz may also be used, in accordance with the procedures in force for terrestrial radiocommunication services, for search and rescue operations concerning manned space vehicles. The conditions for the use of the frequencies are prescribed in Article **31**.

The same applies to the frequencies 10 003 kHz, 14 993 kHz and 19 993 kHz, but in each of these cases emissions must be confined in a band of ± 3 kHz about the frequency. (WRC-07)

- 5.112** *Alternative allocation:* in Sri Lanka, the band 2 194-2 300 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-19)
- 5.113** For the conditions for the use of the bands 2 300-2 495 kHz (2 498 kHz in Region 1), 3 200-3 400 kHz, 4 750-4 995 kHz and 5 005-5 060 kHz by the broadcasting service, see Nos. **5.16** to **5.20**, **5.21** and **23.3** to **23.10**.
- 5.114** *Alternative allocation:* in Iraq, the band 2 502-2 625 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-19)
- 5.115** The carrier (reference) frequencies 3 023 kHz and 5 680 kHz may also be used, in accordance with Article **31**, by stations of the maritime mobile service engaged in coordinated search and rescue operations. (WRC-07)
- 5.116** Administrations are urged to authorize the use of the band 3 155-3 195 kHz to provide a common worldwide channel for low power wireless hearing aids. Additional channels for these devices may be assigned by administrations in the bands between 3 155 kHz and 3 400 kHz to suit local needs.
- It should be noted that frequencies in the range 3 000 kHz to 4 000 kHz are suitable for hearing aid devices which are designed to operate over short distances within the induction field.
- 5.117** *Alternative allocation:* in Côte d'Ivoire, Egypt, Liberia, Sri Lanka and Togo, the band 3 155-3 200 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-19)
- 5.118** *Additional allocation:* in the United States, Mexico and Peru, the band 3 230-3 400 kHz is also allocated to the radiolocation service on a secondary basis. (WRC-19)
- 5.119** *Additional allocation:* in Peru, the frequency band 3 500-3 750 kHz is also allocated to the fixed and mobile services on a primary basis. (WRC-15)
- 5.122** *Alternative allocation:* in Bolivia, Chile, Ecuador, Paraguay and Peru, the frequency band 3 750-4 000 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-15)
- 5.123** *Additional allocation:* in Botswana, Eswatini, Lesotho, Malawi, Mozambique, Namibia, South Africa, Zambia and Zimbabwe, the frequency band 3 900-3 950 kHz is also allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. **9.21**. (WRC-19)
- 5.125** *Additional allocation:* in Greenland, the band 3 950-4 000 kHz is also allocated to the broadcasting service on a primary basis. The power of the broadcasting stations operating in this band shall not exceed that necessary for a national service and shall in no case exceed 5 kW.
- 5.126** In Region 3, the stations of those services to which the band 3 995-4 005 kHz is allocated may transmit standard frequency and time signals.
- 5.127** The use of the band 4 000-4 063 kHz by the maritime mobile service is limited to ship stations using radiotelephony (see No. **52.220** and Appendix **17**).
- 5.128** Frequencies in the bands 4 063-4 123 kHz and 4 130-4 438 kHz may be used exceptionally by stations in the fixed service, communicating only within the boundary of the country in which they are located, with a mean power not exceeding 50 W, on condition that harmful interference is not caused to the maritime mobile service. In addition, in Afghanistan, Argentina, Armenia, Belarus, Botswana, Burkina Faso, the Central African Rep., China, the Russian Federation, Georgia, India, Kazakhstan, Mali, Niger, Pakistan, Kyrgyzstan, Tajikistan, Chad, Turkmenistan and Ukraine, in the bands 4 063-4 123 kHz, 4 130-4 133 kHz and 4 408-4 438 kHz, stations in the fixed service, with a mean power not exceeding 1 kW, can be operated on condition that they are situated at least 600 km from the coast and that harmful interference is not caused to the maritime mobile service. (WRC-19)
- 5.130** The conditions for the use of the carrier frequencies 4 125 kHz and 6 215 kHz are prescribed in Articles **31** and **52**. (WRC-07)
- 5.131** The frequency 4 209.5 kHz is used exclusively for the transmission by coast stations of meteorological and navigational warnings and urgent information to ships by means of narrow-band direct-printing techniques. (WRC-97)
- 5.132** The frequencies 4 210 kHz, 6 314 kHz, 8 416.5 kHz, 12 579 kHz, 16 806.5 kHz, 19 680.5 kHz, 22 376 kHz and 26 100.5 kHz are the international frequencies for the transmission of maritime safety information (MSI) (see Appendix **17**).
- 5.132A** Stations in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the fixed or mobile services. Applications of the radiolocation service are limited to oceanographic radars operating in accordance with Resolution **612 (Rev.WRC-12)**. (WRC-12)
- 5.132B** *Alternative allocation:* in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency band 4 438-4 488 kHz is allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis. (WRC-19)

5.133 *Different category of service:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Latvia, Lithuania, Niger, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 5 130-5 250 kHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. **5.33**). (WRC-12)

5.133A *Alternative allocation:* in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency bands 5 250-5 275 kHz and 26 200-26 350 kHz are allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-19)

5.133B Stations in the amateur service using the frequency band 5 351.5-5 366.5 kHz shall not exceed a maximum radiated power of 15 W (e.i.r.p.). However, in Region 2 in Mexico, stations in the amateur service using the frequency band 5 351.5-5 366.5 kHz shall not exceed a maximum radiated power of 20 W (e.i.r.p.). In the following Region 2 countries: Antigua and Barbuda, Argentina, Bahamas, Barbados, Belize, Bolivia, Brazil, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Dominica, El Salvador, Ecuador, Grenada, Guatemala, Guyana, Haiti, Honduras, Jamaica, Nicaragua, Panama, Paraguay, Peru, Saint Lucia, Saint Kitts and Nevis, Saint Vincent and the Grenadines, Suriname, Trinidad and Tobago, Uruguay, Venezuela, as well as the overseas countries and territories within the Kingdom of the Netherlands in Region 2, stations in the amateur service using the frequency band 5 351.5-5 366.5 kHz shall not exceed a maximum radiated power of 25 W (e.i.r.p.). (WRC-19)

5.134 The use of the frequency bands 5 900-5 950 kHz, 7 300-7 350 kHz, 9 400-9 500 kHz, 11 600-11 650 kHz, 12 050-12 100 kHz, 13 570-13 600 kHz, 13 800-13 870 kHz, 15 600-15 800 kHz, 17 480-17 550 kHz and 18 900-19 020 kHz by the broadcasting service is subject to the application of the procedure of Article 12. Administrations are encouraged to use these bands to facilitate the introduction of digitally modulated emissions in accordance with the provisions of Resolution **517 (Rev.WRC-19)**. (WRC-19)

5.136 *Additional allocation:* frequencies in the band 5 900-5 950 kHz may be used by stations in the following services, communicating only within the boundary of the country in which they are located: fixed service (in all three Regions), land mobile service (in Region 1), mobile except aeronautical mobile (R) service (in Regions 2 and 3), on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)

5.137 On condition that harmful interference is not caused to the maritime mobile service, the bands 6 200-6 213.5 kHz and 6 220.5-6 525 kHz may be used exceptionally by stations in the fixed service, communicating only within the boundary of the country in which they are located, with a mean power not exceeding 50 W. At the time of notification of these frequencies, the attention of the Bureau will be drawn to the above conditions.

5.138 The following bands:

6 765-6 795 kHz	(centre frequency 6 780 kHz),
433.05-434.79 MHz	(centre frequency 433.92 MHz) in Region 1 except in the countries mentioned in No. 5.280 ,
61-61.5 GHz	(centre frequency 61.25 GHz),
122-123 GHz	(centre frequency 122.5 GHz), and
244-246 GHz	(centre frequency 245 GHz)

are designated for industrial, scientific and medical (ISM) applications. The use of these frequency bands for ISM applications shall be subject to special authorization by the administration concerned, in agreement with other administrations whose radiocommunication services might be affected. In applying this provision, administrations shall have due regard to the latest relevant ITU-R Recommendations.

5.140 *Additional allocation:* in Angola, Iraq, Somalia and Togo, the frequency band 7 000-7 050 kHz is also allocated to the fixed service on a primary basis. (WRC-15)

5.141 *Alternative allocation:* in Egypt, Eritrea, Ethiopia, Guinea, Libya, Madagascar and Niger, the band 7 000-7 050 kHz is allocated to the fixed service on a primary basis. (WRC-12)

5.141A *Additional allocation:* in Uzbekistan and Kyrgyzstan, the bands 7 000-7 100 kHz and 7 100-7 200 kHz are also allocated to the fixed and land mobile services on a secondary basis. (WRC-03)

5.141B *Additional allocation:* in Algeria, Saudi Arabia, Australia, Bahrain, Botswana, Brunei Darussalam, China, Comoros, Korea (Rep. of), Diego Garcia, Djibouti, Egypt, United Arab Emirates, Eritrea, Guinea, Indonesia, Iran (Islamic Republic of), Japan, Jordan, Kuwait, Libya, Mali, Morocco, Mauritania, Niger, New Zealand, Oman, Papua New Guinea, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Sudan, South Sudan, Tunisia, Viet Nam and Yemen, the frequency band 7 100-7 200 kHz is also allocated to the fixed and the mobile, except aeronautical mobile (R), services on a primary basis. (WRC-19)

5.142 The use of the band 7 200-7 300 kHz in Region 2 by the amateur service shall not impose constraints on the broadcasting service intended for use within Region 1 and Region 3. (WRC-12)

5.143 *Additional allocation:* frequencies in the band 7 300-7 350 kHz may be used by stations in the fixed service and in the land mobile service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)

5.143A In Region 3, frequencies in the band 7 350-7 450 kHz may be used by stations in the fixed service on a primary basis and land mobile service on a secondary basis, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-12)

5.143B In Region 1, frequencies in the band 7 350-7 450 kHz may be used by stations in the fixed and land mobile services communicating only within the boundary of the country in which they are located on condition that harmful interference is not caused to the broadcasting service. The total radiated power of each station shall not exceed 24 dBW. (WRC-12)

5.143C *Additional allocation:* in Algeria, Saudi Arabia, Bahrain, Comoros, Djibouti, Egypt, United Arab Emirates, Iran (Islamic Republic of), Jordan, Kuwait, Libya, Morocco, Mauritania, Niger, Oman, Qatar, the Syrian Arab Republic, Sudan, South Sudan, Tunisia and Yemen, the bands 7 350-7 400 kHz and 7 400-7 450 kHz are also allocated to the fixed service on a primary basis. (WRC-12)

5.143D In Region 2, frequencies in the band 7 350-7 400 kHz may be used by stations in the fixed service and in the land mobile service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-12)

5.144 In Region 3, the stations of those services to which the band 7 995-8 005 kHz is allocated may transmit standard frequency and time signals.

5.145 The conditions for the use of the carrier frequencies 8 291 kHz, 12 290 kHz and 16 420 kHz are prescribed in Articles 31 and 52. (WRC-07)

5.145A Stations in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the fixed service. Applications of the radiolocation service are limited to oceanographic radars operating in accordance with Resolution 612 (Rev.WRC-12). (WRC-12)

5.145B *Alternative allocation:* in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency bands 9 305-9 355 kHz and 16 100-16 200 kHz are allocated to the fixed service on a primary basis. (WRC-19)

5.146 *Additional allocation:* frequencies in the bands 9 400-9 500 kHz, 11 600-11 650 kHz, 12 050-12 100 kHz, 15 600-15 800 kHz, 17 480-17 550 kHz and 18 900-19 020 kHz may be used by stations in the fixed service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies in the fixed service, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)

5.147 On condition that harmful interference is not caused to the broadcasting service, frequencies in the bands 9 775-9 900 kHz, 11 650-11 700 kHz and 11 975-12 050 kHz may be used by stations in the fixed service communicating only within the boundary of the country in which they are located, each station using a total radiated power not exceeding 24 dBW.

5.149 In making assignments to stations of other services to which the bands:

13 360-13 410 kHz,	4 950-4 990 MHz,	102-109.5 GHz,
25 550-25 670 kHz,	4 990-5 000 MHz,	111.8-114.25 GHz,
37.5-38.25 MHz,	6 650-6 675.2 MHz,	128.33-128.59 GHz,
73-74.6 MHz in Regions 1 and 3,	10.6-10.68 GHz,	129.23-129.49 GHz,
150.05-153 MHz in Region 1,	14.47-14.5 GHz,	130-134 GHz,
322-328.6 MHz,	22.01-22.21 GHz,	136-148.5 GHz,
406.1-410 MHz,	22.21-22.5 GHz,	151.5-158.5 GHz,

608-614 MHz in Regions 1 and 3,	22.81-22.86 GHz,	168.59-168.93 GHz,
1 330-1 400 MHz,	23.07-23.12 GHz,	171.11-171.45 GHz,
1 610.6-1 613.8 MHz,	31.2-31.3 GHz,	172.31-172.65 GHz,
1 660-1 670 MHz,	31.5-31.8 GHz in Regions 1 and 3,	173.52-173.85 GHz,
1 718.8-1 722.2 MHz,	36.43-36.5 GHz,	195.75-196.15 GHz,
2 655-2 690 MHz,	42.5-43.5 GHz,	209-226 GHz,
3 260-3 267 MHz,	48.94-49.04 GHz,	241-250 GHz,
3 332-3 339 MHz,	76-86 GHz,	252-275 GHz
3 345.8-3 352.5 MHz,	92-94 GHz,	
4 825-4 835 MHz,	94.1-100 GHz,	

are allocated, administrations are urged to take all practicable steps to protect the radio astronomy service from harmful interference. Emissions from spaceborne or airborne stations can be particularly serious sources of interference to the radio astronomy service (see Nos. **4.5** and **4.6** and Article **29**). (WRC-07)

5.149A *Alternative allocation:* in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency band 13 450-13 550 kHz is allocated to the fixed service on a primary basis and to the mobile, except aeronautical mobile (R), service on a secondary basis. (WRC-19)

5.150 The following bands:

13 553-13 567 kHz	(centre frequency 13 560 kHz),
26 957-27 283 kHz	(centre frequency 27 120 kHz),
40.66-40.70 MHz	(centre frequency 40.68 MHz),
902-928 MHz	in Region 2 (centre frequency 915 MHz),
2 400-2 500 MHz	(centre frequency 2 450 MHz),
5 725-5 875 MHz	(centre frequency 5 800 MHz), and
24-24.25 GHz	(centre frequency 24.125 GHz)

are also designated for industrial, scientific and medical (ISM) applications. Radiocommunication services operating within these bands must accept harmful interference which may be caused by these applications. ISM equipment operating in these bands is subject to the provisions of No. **15.13**.

5.151 *Additional allocation:* frequencies in the bands 13 570-13 600 kHz and 13 800-13 870 kHz may be used by stations in the fixed service and in the mobile except aeronautical mobile (R) service, communicating only within the boundary of the country in which they are located, on the condition that harmful interference is not caused to the broadcasting service. When using frequencies in these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)

5.152 *Additional allocation:* in Armenia, Azerbaijan, China, Côte d'Ivoire, the Russian Federation, Georgia, Iran (Islamic Republic of), Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 14 250-14 350 kHz is also allocated to the fixed service on a primary basis. Stations of the fixed service shall not use a radiated power exceeding 24 dBW. (WRC-03)

5.153 In Region 3, the stations of those services to which the band 15 995-16 005 kHz is allocated may transmit standard frequency and time signals.

5.154 *Additional allocation:* in Armenia, Azerbaijan, the Russian Federation, Georgia, Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 18 068-18 168 kHz is also allocated to the fixed service on a primary basis for use within their boundaries, with a peak envelope power not exceeding 1 kW. (WRC-03)

5.155 *Additional allocation:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Moldova, Mongolia, Uzbekistan, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the band 21 850-21 870 kHz is also allocated to the aeronautical mobile (R) service on a primary basis. (WRC-07)

5.155A In Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Moldova, Mongolia, Uzbekistan, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the use of the band 21 850-21 870 kHz by the fixed service is limited to provision of services related to aircraft flight safety. (WRC-07)

5.155B The band 21 870-21 924 kHz is used by the fixed service for provision of services related to aircraft flight safety.

- 5.156** *Additional allocation:* in Nigeria, the band 22 720-23 200 kHz is also allocated to the meteorological aids service (radiosondes) on a primary basis.
- 5.156A** The use of the band 23 200-23 350 kHz by the fixed service is limited to provision of services related to aircraft flight safety.
- 5.157** The use of the band 23 350-24 000 kHz by the maritime mobile service is limited to inter-ship radiotelegraphy.
- 5.158** *Alternative allocation:* in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency band 24 450-24 600 kHz is allocated to the fixed and land mobile services on a primary basis. (WRC-19)
- 5.159** *Alternative allocation:* in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency band 39-39.5 MHz is allocated to the fixed and mobile services on a primary basis. (WRC-19)
- 5.160** *Additional allocation:* in Botswana, Burundi, Dem. Rep. of the Congo and Rwanda, the band 41-44 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-12)
- 5.161** *Additional allocation:* in Iran (Islamic Republic of) and Japan, the band 41-44 MHz is also allocated to the radiolocation service on a secondary basis.
- 5.161A** *Additional allocation:* in Korea (Rep. of), the United States and Mexico, the frequency bands 41.015-41.665 MHz and 43.35-44 MHz are also allocated to the radiolocation service on a primary basis. Stations in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the fixed or mobile services. Applications of the radiolocation service are limited to oceanographic radars operating in accordance with Resolution **612 (Rev.WRC-12)**. (WRC-19)
- 5.161B** *Alternative allocation:* in Albania, Germany, Armenia, Austria, Belarus, Belgium, Bosnia and Herzegovina, Cyprus, Vatican, Croatia, Denmark, Spain, Estonia, Finland, France, Greece, Hungary, Ireland, Iceland, Italy, Latvia, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Malta, Moldova, Monaco, Montenegro, Norway, Uzbekistan, Netherlands, Portugal, Kyrgyzstan, Slovakia, Czech Rep., Romania, United Kingdom, San Marino, Slovenia, Sweden, Switzerland, Turkey and Ukraine, the frequency band 42-42.5 MHz is allocated to the fixed and mobile services on a primary basis. (WRC-19)
- 5.162** *Additional allocation:* in Australia, the band 44-47 MHz is also allocated to the broadcasting service on a primary basis. (WRC-12)
- 5.162A** *Additional allocation:* in Germany, Austria, Belgium, Bosnia and Herzegovina, China, Vatican, Denmark, Spain, Estonia, the Russian Federation, Finland, France, Ireland, Iceland, Italy, Latvia, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Monaco, Montenegro, Norway, the Netherlands, Poland, Portugal, the Czech Rep., the United Kingdom, Serbia, Slovenia, Sweden and Switzerland the frequency band 46-68 MHz is also allocated to the radiolocation service on a secondary basis. This use is limited to the operation of wind profiler radars in accordance with Resolution **217 (WRC-97)**. (WRC-19)
- 5.163** *Additional allocation:* in Armenia, Belarus, the Russian Federation, Georgia, Kazakhstan, Latvia, Moldova, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the frequency bands 47-48.5 MHz and 56.5-58 MHz are also allocated to the fixed and land mobile services on a secondary basis. (WRC-19)
- 5.164** *Additional allocation:* in Albania, Algeria, Germany, Austria, Belgium, Bosnia and Herzegovina, Botswana, Bulgaria, Côte d'Ivoire, Croatia, Denmark, Spain, Estonia, Eswatini, Finland, France, Gabon, Greece, Hungary, Ireland, Israel, Italy, Jordan, Lebanon, Libya, Liechtenstein, Lithuania, Luxembourg, Madagascar, Mali, Malta, Morocco, Mauritania, Monaco, Montenegro, Nigeria, Norway, the Netherlands, Poland, Syrian Arab Republic, Slovakia, Czech Rep., Romania, the United Kingdom, Serbia, Slovenia, Sweden, Switzerland, Chad, Togo, Tunisia and Turkey, the frequency band 47-68 MHz, in South Africa the frequency band 47-50 MHz, and in Latvia the frequency bands 48.5-56.5 MHz and 58-68 MHz, are also allocated to the land mobile service on a primary basis. However, stations of the land mobile service in the countries mentioned in connection with each frequency band referred to in this footnote shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations of countries other than those mentioned in connection with the frequency band. (WRC-19)
- 5.165** *Additional allocation:* in Angola, Cameroon, Congo (Rep. of the), Egypt, Madagascar, Mozambique, Niger, Somalia, Sudan, South Sudan, Tanzania and Chad, the frequency band 47-68 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-19)
- 5.166A** *Different category of service:* in Austria, Cyprus, the Vatican, Croatia, Denmark, Spain, Finland, Hungary, Latvia, the Netherlands, the Czech Republic, the United Kingdom, Slovakia and Slovenia, the frequency band 50.0-50.5 MHz is allocated to the amateur service on a primary basis. Stations in the amateur service in these countries shall not cause harmful interference to, or claim protection from, stations of the broadcasting, fixed and mobile services operating in accordance with the Radio Regulations in the frequency band 50.0-50.5 MHz in the countries not listed in this provision. For a station of these services, the protection criteria in No. **5.169B** shall also

apply. In Region 1, with the exception of those countries listed in No. **5.169**, wind profiler radars operating in the radiolocation service under No. **5.162A** are authorized to operate on the basis of equality with stations in the amateur service in the frequency band 50.0-50.5 MHz. (WRC-19)

5.166B In Region 1, stations in the amateur service operating on a secondary basis shall not cause harmful interference to, or claim protection from, stations of the broadcasting service. The field strength generated by an amateur station in Region 1 in the frequency band 50-52 MHz shall not exceed a calculated value of +6 dB(μ V/m) at a height of 10 m above ground for more than 10% of time along the border of a country with operational analogue broadcasting stations in Region 1 and of neighbouring countries with broadcasting stations in Region 3 listed in Nos. **5.167** and **5.168**. (WRC-19)

5.166C In Region 1, stations in the amateur service in the frequency band 50-52 MHz, with the exception of those countries listed in No. **5.169**, shall not cause harmful interference to, or claim protection from, wind profiler radars operating in the radiolocation service under No. **5.162A**. (WRC-19)

5.166D *Different category of service:* in Lebanon, the frequency band 50-52 MHz is allocated to the amateur service on a primary basis. Stations in the amateur service in Lebanon shall not cause harmful interference to, or claim protection from, stations of the broadcasting, fixed and mobile services operating in accordance with the Radio Regulations in the frequency band 50-52 MHz in the countries not listed in this provision. (WRC-19)

5.166E In the Russian Federation, only the frequency band 50.080-50.280 MHz is allocated to the amateur service on a secondary basis. The protection criteria for the other services in the countries not listed in this provision are specified in Nos. **5.166B** and **5.169B**. (WRC-19)

5.167 *Alternative allocation:* in Bangladesh, Brunei Darussalam, India, Iran (Islamic Republic of), Pakistan and Singapore, the frequency band 50-54 MHz is allocated to the fixed, mobile and broadcasting services on a primary basis. (WRC-15)

5.167A *Additional allocation:* in Indonesia and Thailand, the frequency band 50-54 MHz is also allocated to the fixed, mobile and broadcasting services on a primary basis. (WRC-15)

5.168 *Additional allocation:* in Australia, China and the Dem. People's Rep. of Korea, the band 50-54 MHz is also allocated to the broadcasting service on a primary basis.

5.169 *Alternative allocation:* in Botswana, Eswatini, Lesotho, Malawi, Namibia, the Dem. Rep. of the Congo, Rwanda, South Africa, Zambia and Zimbabwe, the band 50-54 MHz is allocated to the amateur service on a primary basis. In Senegal, the band 50-51 MHz is allocated to the amateur service on a primary basis. (WRC-19)

5.169A *Alternative allocation:* in the following countries in Region 1: Angola, Saudi Arabia, Bahrain, Burkina Faso, Burundi, the United Arab Emirates, Gambia, Jordan, Kenya, Kuwait, Mauritius, Mozambique, Oman, Uganda, Qatar, South Sudan and Tanzania, the frequency band 50-54 MHz is allocated to the amateur service on a primary basis. In Guinea-Bissau, the frequency band 50.0-50.5 MHz is allocated to the amateur service on a primary basis. In Djibouti, the frequency band 50-52 MHz is allocated to the amateur service on a primary basis. With the exception of those countries listed in No. **5.169**, stations in the amateur service operating in Region 1 under this footnote, in all or part of the frequency band 50-54 MHz, shall not cause harmful interference to, or claim protection from, stations of other services operating in accordance with the Radio Regulations in Algeria, Egypt, Iran (Islamic Republic of), Iraq, Israel, Libya, Palestine*, the Syrian Arab Republic, the Dem. People's Republic of Korea, Sudan and Tunisia. The field strength generated by an amateur station in the frequency band 50-54 MHz shall not exceed a value of +6 dB(μ V/m) at a height of 10 m above ground for more than 10% of time along the borders of listed countries requiring protection. (WRC-19)

5.169B Except countries listed under No. **5.169**, stations in the amateur service used in Region 1, in all or part of the 50-54 MHz frequency band, shall not cause harmful interference to, or claim protection from, stations of other services used in accordance with the Radio Regulations in Algeria, Armenia, Azerbaijan, Belarus, Egypt, Russian Federation, Iran (Islamic Republic of), Iraq, Kazakhstan, Kyrgyzstan, Libya, Uzbekistan, Palestine*, the Syrian Arab Republic, Sudan, Tunisia and Ukraine. The field strength generated by an amateur station in the frequency band 50-54 MHz shall not exceed a value of +6 dB(μ V/m) at a height of 10 m above ground for more than 10% of time along the borders of the countries listed in this provision. (WRC-19)

5.170 *Additional allocation:* in New Zealand, the frequency band 51-54 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-15)

* Pursuant to Resolution 99 (Rev. Dubai, 2018) and taking into account the Israeli-Palestinian Interim Agreement of 28 September 1995.

- 5.171** *Additional allocation:* in Botswana, Eswatini, Lesotho, Malawi, Mali, Namibia, Dem. Rep. of the Congo, Rwanda, South Africa, Zambia and Zimbabwe, the band 54-68 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-19)
- 5.172** *Different category of service:* in the French overseas departments and communities in Region 2 and Guyana, the allocation of the frequency band 54-68 MHz to the fixed and mobile services is on a primary basis (see No. **5.33**). (WRC-15)
- 5.173** *Different category of service:* in the French overseas departments and communities in Region 2 and Guyana, the allocation of the frequency band 68-72 MHz to the fixed and mobile services is on a primary basis (see No. **5.33**). (WRC-15)
- 5.175** *Alternative allocation:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Moldova, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the bands 68-73 MHz and 76-87.5 MHz are allocated to the broadcasting service on a primary basis. In Latvia and Lithuania, the bands 68-73 MHz and 76-87.5 MHz are allocated to the broadcasting and mobile, except aeronautical mobile, services on a primary basis. The services to which these bands are allocated in other countries and the broadcasting service in the countries listed above are subject to agreements with the neighbouring countries concerned. (WRC-07)
- 5.176** *Additional allocation:* in Australia, China, Korea (Rep. of), the Philippines, the Dem. People's Rep. of Korea and Samoa, the band 68-74 MHz is also allocated to the broadcasting service on a primary basis. (WRC-07)
- 5.177** *Additional allocation:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 73-74 MHz is also allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. **9.21**. (WRC-07)
- 5.178** *Additional allocation:* in Colombia, Cuba, El Salvador, Guatemala, Guyana, Honduras and Nicaragua, the band 73-74.6 MHz is also allocated to the fixed and mobile services on a secondary basis. (WRC-12)
- 5.179** *Additional allocation:* in Armenia, Azerbaijan, Belarus, China, the Russian Federation, Georgia, Kazakhstan, Lithuania, Mongolia, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the bands 74.6-74.8 MHz and 75.2-75.4 MHz are also allocated to the aeronautical radionavigation service, on a primary basis, for ground-based transmitters only. (WRC-12)
- 5.180** The frequency 75 MHz is assigned to marker beacons. Administrations shall refrain from assigning frequencies close to the limits of the guardband to stations of other services which, because of their power or geographical position, might cause harmful interference or otherwise place a constraint on marker beacons.
- Every effort should be made to improve further the characteristics of airborne receivers and to limit the power of transmitting stations close to the limits 74.8 MHz and 75.2 MHz.
- 5.181** *Additional allocation:* in Egypt, Israel and the Syrian Arab Republic, the band 74.8-75.2 MHz is also allocated to the mobile service on a secondary basis, subject to agreement obtained under No. **9.21**. In order to ensure that harmful interference is not caused to stations of the aeronautical radionavigation service, stations of the mobile service shall not be introduced in the band until it is no longer required for the aeronautical radionavigation service by any administration which may be identified in the application of the procedure invoked under No. **9.21**. (WRC-03)
- 5.182** *Additional allocation:* in Western Samoa, the band 75.4-87 MHz is also allocated to the broadcasting service on a primary basis.
- 5.183** *Additional allocation:* in China, Korea (Rep. of), Japan, the Philippines and the Dem. People's Rep. of Korea, the band 76-87 MHz is also allocated to the broadcasting service on a primary basis.
- 5.185** *Different category of service:* in the United States, the French overseas departments and communities in Region 2, Guyana and Paraguay, the allocation of the frequency band 76-88 MHz to the fixed and mobile services is on a primary basis (see No. **5.33**). (WRC-15)
- 5.187** *Alternative allocation:* in Albania, the band 81-87.5 MHz is allocated to the broadcasting service on a primary basis and used in accordance with the decisions contained in the Final Acts of the Special Regional Conference (Geneva, 1960).
- 5.188** *Additional allocation:* in Australia, the band 85-87 MHz is also allocated to the broadcasting service on a primary basis. The introduction of the broadcasting service in Australia is subject to special agreements between the administrations concerned.
- 5.190** *Additional allocation:* in Monaco, the band 87.5-88 MHz is also allocated to the land mobile service on a primary basis, subject to agreement obtained under No. **9.21**. (WRC-97)
- 5.192** *Additional allocation:* in China and Korea (Rep. of), the band 100-108 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-97)

5.194 *Additional allocation:* in Kyrgyzstan, Somalia and Turkmenistan, the band 104-108 MHz is also allocated to the mobile, except aeronautical mobile (R), service on a secondary basis. (WRC-19)

5.197 *Additional allocation:* in the Syrian Arab Republic, the band 108-111.975 MHz is also allocated to the mobile service on a secondary basis, subject to agreement obtained under No. **9.21**. In order to ensure that harmful interference is not caused to stations of the aeronautical radionavigation service, stations of the mobile service shall not be introduced in the band until it is no longer required for the aeronautical radionavigation service by any administration which may be identified in the application of the procedures invoked under No. **9.21**. (WRC-12)

5.197A *Additional allocation:* the band 108-117.975 MHz is also allocated on a primary basis to the aeronautical mobile (R) service, limited to systems operating in accordance with recognized international aeronautical standards. Such use shall be in accordance with Resolution **413 (Rev.WRC-07)***. The use of the band 108-112 MHz by the aeronautical mobile (R) service shall be limited to systems composed of ground-based transmitters and associated receivers that provide navigational information in support of air navigation functions in accordance with recognized international aeronautical standards. (WRC-07)

5.200 In the band 117.975-137 MHz, the frequency 121.5 MHz is the aeronautical emergency frequency and, where required, the frequency 123.1 MHz is the aeronautical frequency auxiliary to 121.5 MHz. Mobile stations of the maritime mobile service may communicate on these frequencies under the conditions laid down in Article **31** for distress and safety purposes with stations of the aeronautical mobile service. (WRC-07)

5.201 *Additional allocation:* in Armenia, Azerbaijan, Belarus, Bulgaria, Estonia, the Russian Federation, Georgia, Hungary, Iran (Islamic Republic of), Iraq (Republic of), Japan, Kazakhstan, Mali, Mongolia, Mozambique, Uzbekistan, Papua New Guinea, Poland, Kyrgyzstan, Romania, Senegal Tajikistan, Turkmenistan and Ukraine, the frequency band 132-136 MHz is also allocated to the aeronautical mobile (OR) service on a primary basis. In assigning frequencies to stations of the aeronautical mobile (OR) service, the administration shall take account of the frequencies assigned to stations in the aeronautical mobile (R) service. (WRC-19)

5.202 *Additional allocation:* in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Bulgaria, the United Arab Emirates, the Russian Federation, Georgia, Iran (Islamic Republic of), Jordan, Mali, Oman, Uzbekistan, Poland, the Syrian Arab Republic, Kyrgyzstan, Romania, Senegal, Tajikistan, Turkmenistan and Ukraine, the frequency band 136-137 MHz is also allocated to the aeronautical mobile (OR) service on a primary basis. In assigning frequencies to stations of the aeronautical mobile (OR) service, the administration shall take account of the frequencies assigned to stations in the aeronautical mobile (R) service. (WRC-19)

5.203C The use of the space operation service (space-to-Earth) with non-geostationary satellite short-duration mission systems in the frequency band 137-138 MHz is subject to Resolution **660 (WRC-19)**. Resolution **32 (WRC-19)** applies. These systems shall not cause harmful interference to, or claim protection from, the existing services to which the frequency band is allocated on a primary basis. (WRC-19)

5.204 *Different category of service:* in Afghanistan, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, China, Cuba, the United Arab Emirates, India, Indonesia, Iran (Islamic Republic of), Iraq, Kuwait, Montenegro, Oman, Pakistan, the Philippines, Qatar, Singapore, Thailand and Yemen, the frequency band 137-138 MHz is allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis (see No. **5.33**). (WRC-19)

5.205 *Different category of service:* in Israel and Jordan, the allocation of the band 137-138 MHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. **5.33**).

5.206 *Different category of service:* in Armenia, Azerbaijan, Belarus, Bulgaria, Egypt, the Russian Federation, Finland, France, Georgia, Greece, Kazakhstan, Lebanon, Moldova, Mongolia, Uzbekistan, Poland, Kyrgyzstan, the Syrian Arab Republic, Slovakia, the Czech Rep., Romania, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 137-138 MHz to the aeronautical mobile (OR) service is on a primary basis (see No. **5.33**). (WRC-2000)

5.207 *Additional allocation:* in Australia, the band 137-144 MHz is also allocated to the broadcasting service on a primary basis until that service can be accommodated within regional broadcasting allocations.

5.208 The use of the band 137-138 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. (WRC-97)

5.208A In making assignments to space stations in the mobile-satellite service in the frequency bands 137-138 MHz, 387-390 MHz and 400.15-401 MHz and in the maritime mobile-satellite service (space-to-Earth) in the frequency bands 157.1875-157.3375 MHz and 161.7875-161.9375 MHz, administrations shall take all practicable steps to protect the radio astronomy service in the frequency bands 150.05-153 MHz, 322-328.6 MHz, 406.1-410 MHz and

* *Note by the Secretariat:* This Resolution was revised by WRC-12.

608-614 MHz from harmful interference from unwanted emissions as shown in the most recent version of Recommendation ITU-R RA.769. (WRC-19)

5.208B* In the frequency bands:
137-138 MHz,
157.1875-157.3375 MHz,
161.7875-161.9375 MHz,
387-390 MHz,
400.15-401 MHz,
1 452-1 492 MHz,
1 525-1 610 MHz,
1 613.8-1 626.5 MHz,
2 655-2 690 MHz,
21.4-22 GHz,

Resolution **739 (Rev.WRC-19)** applies. (WRC-19)

5.209 The use of the bands 137-138 MHz, 148-150.05 MHz, 399.9-400.05 MHz, 400.15-401 MHz, 454-456 MHz and 459-460 MHz by the mobile-satellite service is limited to non-geostationary-satellite systems. (WRC-97)

5.209A The use of the frequency band 137.175-137.825 MHz by non-geostationary-satellite systems in the space operation service identified as short-duration mission in accordance with Appendix 4 is not subject to No. **9.11A**. (WRC-19)

5.210 *Additional allocation:* in Italy, the Czech Rep. and the United Kingdom, the bands 138-143.6 MHz and 143.65-144 MHz are also allocated to the space research service (space-to-Earth) on a secondary basis. (WRC-07)

5.211 *Additional allocation:* in Germany, Saudi Arabia, Austria, Bahrain, Belgium, Denmark, the United Arab Emirates, Spain, Finland, Greece, Guinea, Ireland, Israel, Kenya, Kuwait, Lebanon, Liechtenstein, Luxembourg, North Macedonia, Mali, Malta, Montenegro, Norway, the Netherlands, Qatar, Slovakia, the United Kingdom, Serbia, Slovenia, Somalia, Sweden, Switzerland, Tanzania, Tunisia and Turkey, the frequency band 138-144 MHz is also allocated to the maritime mobile and land mobile services on a primary basis. (WRC-19)

5.212 *Alternative allocation:* in Angola, Botswana, Cameroon, the Central African Rep., Congo (Rep. of the), Eswatini, Gabon, Gambia, Ghana, Guinea, Iraq, Jordan, Lesotho, Liberia, Libya, Malawi, Mozambique, Namibia, Niger, Oman, Uganda, Syrian Arab Republic, the Dem. Rep. of the Congo, Rwanda, Sierra Leone, South Africa, Chad, Togo, Zambia and Zimbabwe, the frequency band 138-144 MHz is allocated to the fixed and mobile services on a primary basis. (WRC-19)

5.213 *Additional allocation:* in China, the band 138-144 MHz is also allocated to the radiolocation service on a primary basis.

5.214 *Additional allocation:* in Eritrea, Ethiopia, Kenya, North Macedonia, Montenegro, Serbia, Somalia, Sudan, South Sudan and Tanzania, the frequency band 138-144 MHz is also allocated to the fixed service on a primary basis. (WRC-19)

5.216 *Additional allocation:* in China, the band 144-146 MHz is also allocated to the aeronautical mobile (OR) service on a secondary basis.

5.217 *Alternative allocation:* in Afghanistan, Bangladesh, Cuba, Guyana and India, the band 146-148 MHz is allocated to the fixed and mobile services on a primary basis.

5.218 *Additional allocation:* the band 148-149.9 MHz is also allocated to the space operation service (Earth-to-space) on a primary basis, subject to agreement obtained under No. **9.21**. The bandwidth of any individual transmission shall not exceed ± 25 kHz.

5.218A The frequency band 148-149.9 MHz in the space operation service (Earth-to-space) may be used by non-geostationary-satellite systems with short-duration missions. Non-geostationary-satellite systems in the space operation service used for a short-duration mission in accordance with Resolution **32 (WRC-19)** of the Radio Regulations are not subject to agreement under No. **9.21**. At the stage of coordination, the provisions of Nos. **9.17** and **9.18** also apply. In the frequency band 148-149.9 MHz, non-geostationary-satellite systems with short-duration missions shall not cause unacceptable interference to, or claim protection from, existing primary services within this frequency band, or impose additional constraints on the space operation and mobile-satellite services. In addition,

* This provision was previously numbered as No. **5.347A**. It was renumbered to preserve the sequential order.

earth stations in non-geostationary-satellite systems in the space operation service with short-duration missions in the frequency band 148-149.9 MHz shall ensure that the power flux-density does not exceed $-149 \text{ dB(W/(m}^2 \square 4 \text{ kHz))}$ for more than 1% of time at the border of the territory of the following countries: Armenia, Azerbaijan, Belarus, China, Korea (Rep. of), Cuba, Russian Federation, India, Iran (Islamic Republic of), Japan, Kazakhstan, Malaysia, Uzbekistan, Kyrgyzstan, Thailand and Viet Nam. In case this power flux-density limit is exceeded, agreement under No. **9.21** is required to be obtained from countries mentioned in this footnote. (WRC-19)

5.219 The use of the frequency band 148-149.9 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. The mobile-satellite service shall not constrain the development and use of the fixed, mobile and space operation services in the frequency band 148-149.9 MHz. The use of the frequency band 148-149.9 MHz by non-geostationary-satellite systems in the space operation service identified as short-duration mission is not subject to No. **9.11A**. (WRC-19)

5.220 The use of the frequency bands 149.9-150.05 MHz and 399.9-400.05 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. (WRC-15)

5.221 Stations of the mobile-satellite service in the frequency band 148-149.9 MHz shall not cause harmful interference to, or claim protection from, stations of the fixed or mobile services operating in accordance with the Table of Frequency Allocations in the following countries: Albania, Algeria, Germany, Saudi Arabia, Australia, Austria, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Benin, Bosnia and Herzegovina, Botswana, Brunei Darussalam, Bulgaria, Cameroon, China, Cyprus, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Croatia, Cuba, Denmark, Djibouti, Egypt, the United Arab Emirates, Eritrea, Spain, Estonia, Eswatini, Ethiopia, the Russian Federation, Finland, France, Gabon, Georgia, Ghana, Greece, Guinea, Guinea Bissau, Hungary, India, Iran (Islamic Republic of), Ireland, Iceland, Israel, Italy, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kuwait, Lesotho, Latvia, Lebanon, Libya, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Malaysia, Mali, Malta, Mauritania, Moldova, Mongolia, Montenegro, Mozambique, Namibia, Norway, New Zealand, Oman, Uganda, Uzbekistan, Pakistan, Panama, Papua New Guinea, Paraguay, the Netherlands, the Philippines, Poland, Portugal, Qatar, the Syrian Arab Republic, Kyrgyzstan, Dem. People's Rep. of Korea, Slovakia, Romania, the United Kingdom, Senegal, Serbia, Sierra Leone, Singapore, Slovenia, Sudan, Sri Lanka, South Africa, Sweden, Switzerland, Tanzania, Chad, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Ukraine, Viet Nam, Yemen, Zambia and Zimbabwe. (WRC-19)

5.225 *Additional allocation:* in Australia and India, the band 150.05-153 MHz is also allocated to the radio astronomy service on a primary basis.

5.225A *Additional allocation:* in Algeria, Armenia, Azerbaijan, Belarus, China, the Russian Federation, France, Iran (Islamic Republic of), Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan, Ukraine and Viet Nam, the frequency band 154-156 MHz is also allocated to the radiolocation service on a primary basis. The usage of the frequency band 154-156 MHz by the radiolocation service shall be limited to space-object detection systems operating from terrestrial locations. The operation of stations in the radiolocation service in the frequency band 154-156 MHz shall be subject to agreement obtained under No. **9.21**. For the identification of potentially affected administrations in Region 1, the instantaneous field-strength value of $12 \text{ dB}(\mu\text{V/m})$ for 10% of the time produced at 10 m above ground level in the 25 kHz reference frequency band at the border of the territory of any other administration shall be used. For the identification of potentially affected administrations in Region 3, the interference-to-noise ratio (I/N) value of -6 dB ($N = -161 \text{ dBW/4 kHz}$), or -10 dB for applications with greater protection requirements, such as public protection and disaster relief (PPDR ($N = -161 \text{ dBW/4 kHz}$)), for 1% of the time produced at 60 m above ground level at the border of the territory of any other administration shall be used. In the frequency bands 156.7625-156.8375 MHz, 156.5125-156.5375 MHz, 161.9625-161.9875 MHz, 162.0125-162.0375 MHz, out-of-band e.i.r.p. of space surveillance radars shall not exceed -16 dBW . Frequency assignments to the radiolocation service under this allocation in Ukraine shall not be used without the agreement of Moldova. (WRC-12)

5.226 The frequency 156.525 MHz is the international distress, safety and calling frequency for the maritime mobile VHF radiotelephone service using digital selective calling (DSC). The conditions for the use of this frequency and the band 156.4875-156.5625 MHz are contained in Articles **31** and **52**, and in Appendix **18**.

The frequency 156.8 MHz is the international distress, safety and calling frequency for the maritime mobile VHF radiotelephone service. The conditions for the use of this frequency and the band 156.7625-156.8375 MHz are contained in Article **31** and Appendix **18**.

In the bands 156-156.4875 MHz, 156.5625-156.7625 MHz, 156.8375-157.45 MHz, 160.6-160.975 MHz and 161.475-162.05 MHz, each administration shall give priority to the maritime mobile service on only such frequencies as are assigned to stations of the maritime mobile service by the administration (see Articles **31** and **52**, and Appendix **18**).

Any use of frequencies in these bands by stations of other services to which they are allocated should be avoided in areas where such use might cause harmful interference to the maritime mobile VHF radiocommunication service.

However, the frequencies 156.8 MHz and 156.525 MHz and the frequency bands in which priority is given to the maritime mobile service may be used for radiocommunications on inland waterways subject to agreement between interested and affected administrations and taking into account current frequency usage and existing agreements. (WRC-07)

5.227 *Additional allocation:* the bands 156.4875-156.5125 MHz and 156.5375-156.5625 MHz are also allocated to the fixed and land mobile services on a primary basis. The use of these bands by the fixed and land mobile services shall not cause harmful interference to nor claim protection from the maritime mobile VHF radiocommunication service. (WRC-07)

5.228 The use of the frequency bands 156.7625-156.7875 MHz and 156.8125-156.8375 MHz by the mobile-satellite service (Earth-to-space) is limited to the reception of automatic identification system (AIS) emissions of long-range AIS broadcast messages (Message 27, see the most recent version of Recommendation ITU-R M.1371). With the exception of AIS emissions, emissions in these frequency bands by systems operating in the maritime mobile service for communications shall not exceed 1 W. (WRC-12)

5.228A The frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz may be used by aircraft stations for the purpose of search and rescue operations and other safety-related communications. (WRC-12)

5.228AA The use of the frequency bands 161.9375-161.9625 MHz and 161.9875-162.0125 MHz by the maritime mobile-satellite (Earth-to-space) service is limited to the systems which operate in accordance with Appendix 18. (WRC-15)

5.228AB The use of the frequency bands 157.1875-157.3375 MHz and 161.7875-161.9375 MHz by the maritime mobile-satellite service (Earth-to-space) is limited to non-geostationary-satellite systems operating in accordance with Appendix 18. (WRC-19)

5.228AC The use of the frequency bands 157.1875-157.3375 MHz and 161.7875-161.9375 MHz by the maritime mobile-satellite service (space-to-Earth) is limited to non-geostationary-satellite systems operating in accordance with Appendix 18. Such use is subject to agreement obtained under No. 9.21 with respect to the terrestrial services in Azerbaijan, Belarus, China, Korea (Rep. of), Cuba, the Russian Federation, the Syrian Arab Republic, the Dem. People's Rep. of Korea, South Africa and Viet Nam. (WRC-19)

5.228B The use of the frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz by the fixed and land mobile services shall not cause harmful interference to, or claim protection from, the maritime mobile service. (WRC-12)

5.228C The use of the frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz by the maritime mobile service and the mobile-satellite (Earth-to-space) service is limited to the automatic identification system (AIS). The use of these frequency bands by the aeronautical mobile (OR) service is limited to AIS emissions from search and rescue aircraft operations. The AIS operations in these frequency bands shall not constrain the development and use of the fixed and mobile services operating in the adjacent frequency bands. (WRC-12)

5.228D The frequency bands 161.9625-161.9875 MHz (AIS 1) and 162.0125-162.0375 MHz (AIS 2) may continue to be used by the fixed and mobile services on a primary basis until 1 January 2025, at which time this allocation shall no longer be valid. Administrations are encouraged to make all practicable efforts to discontinue the use of these bands by the fixed and mobile services prior to the transition date. During this transition period, the maritime mobile service in these frequency bands has priority over the fixed, land mobile and aeronautical mobile services. (WRC-12)

5.228E The use of the automatic identification system in the frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz by the aeronautical mobile (OR) service is limited to aircraft stations for the purpose of search and rescue operations and other safety-related communications. (WRC-12)

5.228F The use of the frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz by the mobile-satellite service (Earth-to-space) is limited to the reception of automatic identification system emissions from stations operating in the maritime mobile service. (WRC-12)

5.229 *Alternative allocation:* in Morocco, the band 162-174 MHz is allocated to the broadcasting service on a primary basis. The use of this band shall be subject to agreement with administrations having services, operating or planned, in accordance with the Table which are likely to be affected. Stations in existence on 1 January 1981, with their technical characteristics as of that date, are not affected by such agreement.

5.230 *Additional allocation:* in China, the band 163-167 MHz is also allocated to the space operation service (space-to-Earth) on a primary basis, subject to agreement obtained under No. 9.21.

5.231 *Additional allocation:* in Afghanistan and China, the band 167-174 MHz is also allocated to the broadcasting service on a primary basis. The introduction of the broadcasting service into this band shall be subject to agreement with the neighbouring countries in Region 3 whose services are likely to be affected. (WRC-12)

5.233 *Additional allocation:* in China, the band 174-184 MHz is also allocated to the space research (space-to-Earth) and the space operation (space-to-Earth) services on a primary basis, subject to agreement obtained under No. **9.21**. These services shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations.

5.235 *Additional allocation:* in Germany, Austria, Belgium, Denmark, Spain, Finland, France, Israel, Italy, Liechtenstein, Malta, Monaco, Norway, the Netherlands, the United Kingdom, Sweden and Switzerland, the band 174-223 MHz is also allocated to the land mobile service on a primary basis. However, the stations of the land mobile service shall not cause harmful interference to, or claim protection from, broadcasting stations, existing or planned, in countries other than those listed in this footnote.

5.237 *Additional allocation:* in Congo (Rep. of the), Egypt, Eritrea, Ethiopia, Gambia, Guinea, Libya, Mali, Sierra Leone, Somalia and Chad, the band 174-223 MHz is also allocated to the fixed and mobile services on a secondary basis. (WRC-12)

5.238 *Additional allocation:* in Bangladesh, India, Pakistan and the Philippines, the band 200-216 MHz is also allocated to the aeronautical radionavigation service on a primary basis.

5.240 *Additional allocation:* in China and India, the band 216-223 MHz is also allocated to the aeronautical radionavigation service on a primary basis and to the radiolocation service on a secondary basis.

5.241 In Region 2, no new stations in the radiolocation service may be authorized in the band 216-225 MHz. Stations authorized prior to 1 January 1990 may continue to operate on a secondary basis.

5.242 *Additional allocation:* in Canada and Mexico, the frequency band 216-220 MHz is also allocated to the land mobile service on a primary basis. (WRC-19)

5.243 *Additional allocation:* in Somalia, the band 216-225 MHz is also allocated to the aeronautical radionavigation service on a primary basis, subject to not causing harmful interference to existing or planned broadcasting services in other countries.

5.245 *Additional allocation:* in Japan, the band 222-223 MHz is also allocated to the aeronautical radionavigation service on a primary basis and to the radiolocation service on a secondary basis.

5.246 *Alternative allocation:* in Spain, France, Israel and Monaco, the band 223-230 MHz is allocated to the broadcasting and land mobile services on a primary basis (see No. **5.33**) on the basis that, in the preparation of frequency plans, the broadcasting service shall have prior choice of frequencies; and allocated to the fixed and mobile, except land mobile, services on a secondary basis. However, the stations of the land mobile service shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations in Morocco and Algeria.

5.247 *Additional allocation:* in Saudi Arabia, Bahrain, the United Arab Emirates, Jordan, Oman, Qatar and Syrian Arab Republic, the band 223-235 MHz is also allocated to the aeronautical radionavigation service on a primary basis.

5.248 and **5.249** Not used.

5.250 *Additional allocation:* in China, the band 225-235 MHz is also allocated to the radio astronomy service on a secondary basis.

5.251 *Additional allocation:* in Nigeria, the band 230-235 MHz is also allocated to the aeronautical radionavigation service on a primary basis, subject to agreement obtained under No. **9.21**.

5.252 *Alternative allocation:* in Botswana, Eswatini, Lesotho, Malawi, Mozambique, Namibia, South Africa, Zambia and Zimbabwe, the frequency bands 230-238 MHz and 246-254 MHz are allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. **9.21**. (WRC-19)

5.254 The bands 235-322 MHz and 335.4-399.9 MHz may be used by the mobile-satellite service, subject to agreement obtained under No. **9.21**, on condition that stations in this service do not cause harmful interference to those of other services operating or planned to be operated in accordance with the Table of Frequency Allocations except for the additional allocation made in footnote No. **5.256A**. (WRC-03)

5.255 The bands 312-315 MHz (Earth-to-space) and 387-390 MHz (space-to-Earth) in the mobile-satellite service may also be used by non-geostationary-satellite systems. Such use is subject to coordination under No. **9.11A**.

5.256 The frequency 243 MHz is the frequency in this band for use by survival craft stations and equipment used for survival purposes. (WRC-07)

5.256A *Additional allocation:* in China, the Russian Federation and Kazakhstan, the frequency band 258-261 MHz is also allocated to the space research service (Earth-to-space) and space operation service (Earth-to-space) on a primary basis. Stations in the space research service (Earth-to-space) and space operation service (Earth-to-space) shall not cause harmful interference to, or claim protection from, or constrain the use and development of, the mobile service systems and mobile-satellite service systems operating in the frequency band. Stations in space research service (Earth-to-space) and space operation service (Earth-to-space) shall not constrain the future development of fixed service systems of other countries. (WRC-15)

5.257 The band 267-272 MHz may be used by administrations for space telemetry in their countries on a primary basis, subject to agreement obtained under No. **9.21**.

5.258 The use of the band 328.6-335.4 MHz by the aeronautical radionavigation service is limited to Instrument Landing Systems (glide path).

5.259 *Additional allocation:* in Egypt and the Syrian Arab Republic, the band 328.6-335.4 MHz is also allocated to the mobile service on a secondary basis, subject to agreement obtained under No. **9.21**. In order to ensure that harmful interference is not caused to stations of the aeronautical radionavigation service, stations of the mobile service shall not be introduced in the band until it is no longer required for the aeronautical radionavigation service by any administration which may be identified in the application of the procedure invoked under No. **9.21**. (WRC-12)

5.260A In the frequency band 399.9-400.05 MHz, the maximum e.i.r.p. of any emission of earth stations in the mobile-satellite service shall not exceed 5 dBW in any 4 kHz band and the maximum e.i.r.p. of each earth station in the mobile-satellite service shall not exceed 5 dBW in the whole 399.9-400.05 MHz frequency band. Until 22 November 2022, this limit shall not apply to satellite systems for which complete notification information has been received by the Radiocommunication Bureau by 22 November 2019 and that have been brought into use by that date. After 22 November 2022, these limits shall apply to all systems within the mobile-satellite service operating in this frequency band.

In the frequency band 399.99-400.02 MHz, the e.i.r.p. limits as specified above shall apply after 22 November 2022 to all systems within the mobile-satellite service. Administrations are requested that their mobile-satellite service satellite links in the 399.99-400.02 MHz frequency band comply with the e.i.r.p. limits as specified above, after 22 November 2019. (WRC-19)

5.260B In the frequency band 400.02-400.05 MHz, the provisions of No. **5.260A** are not applicable for telecommand uplinks within the mobile-satellite service. (WRC-19)

5.261 Emissions shall be confined in a band of ± 25 kHz about the standard frequency 400.1 MHz.

5.262 *Additional allocation:* in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Botswana, Colombia, Cuba, Egypt, the United Arab Emirates, Ecuador, the Russian Federation, Georgia, Hungary, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kazakhstan, Kuwait, Liberia, Malaysia, Moldova, Oman, Uzbekistan, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, Kyrgyzstan, Singapore, Somalia, Tajikistan, Chad, Turkmenistan and Ukraine, the band 400.05-401 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-12)

5.263 The band 400.15-401 MHz is also allocated to the space research service in the space-to-space direction for communications with manned space vehicles. In this application, the space research service will not be regarded as a safety service.

5.264 The use of the band 400.15-401 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. The power flux-density limit indicated in Annex 1 of Appendix **5** shall apply until such time as a competent world radiocommunication conference revises it.

5.264A In the frequency band 401-403 MHz, the maximum e.i.r.p. of any emission of each earth station in the meteorological-satellite service and the Earth exploration-satellite service shall not exceed 22 dBW in any 4 kHz band for geostationary-satellite systems and non-geostationary-satellite systems with an orbit of apogee equal or greater than 35 786 km.

The maximum e.i.r.p. of any emission of each earth station in the meteorological-satellite service and the Earth exploration-satellite service shall not exceed 7 dBW in any 4 kHz band for non-geostationary-satellite systems with an orbit of apogee lower than 35 786 km.

The maximum e.i.r.p. of each earth station in the meteorological-satellite service and the Earth exploration-satellite service shall not exceed 22 dBW for geostationary-satellite systems and non-geostationary-satellite systems with an orbit of apogee equal or greater than 35 786 km in the whole 401-403 MHz frequency band. The maximum e.i.r.p. of each earth station in the meteorological-satellite service and the Earth exploration-satellite service shall not exceed 7 dBW for non-geostationary-satellite systems with an orbit of apogee lower than 35 786 km in the whole 401-403 MHz frequency band.

Until 22 November 2029, these limits shall not apply to satellite systems for which complete notification information has been received by the Radiocommunication Bureau by 22 November 2019 and that have been brought into use by that date. After 22 November 2029, these limits shall apply to all systems within the meteorological-satellite service and the Earth exploration-satellite service operating in this frequency band. (WRC-19)

5.264B Non-geostationary-satellite systems in the meteorological-satellite service and the Earth exploration-satellite service for which complete notification information has been received by the Radiocommunication Bureau before 28 April 2007 are exempt from provisions of No. **5.264A** and may continue to operate in the frequency band 401.898-402.522 MHz on a primary basis without exceeding a maximum e.i.r.p. level of 12 dBW. (WRC-19)

5.265 In the frequency band 403-410 MHz, Resolution **205 (Rev.WRC-19)** applies. (WRC-19)

5.266 The use of the band 406-406.1 MHz by the mobile-satellite service is limited to low power satellite emergency position-indicating radiobeacons (see also Article **31**). (WRC-07)

5.267 Any emission capable of causing harmful interference to the authorized uses of the band 406-406.1 MHz is prohibited.

5.268 Use of the frequency band 410-420 MHz by the space research service is limited to space-to-space communication links with an orbiting, manned space vehicle. The power flux-density at the surface of the Earth produced by emissions from transmitting stations of the space research service (space-to-space) in the frequency band 410-420 MHz shall not exceed -153 dB(W/m²) for $0^\circ \leq \delta \leq 5^\circ$, $-153 + 0.077(\delta - 5)$ dB(W/m²) for $5^\circ \leq \delta \leq 70^\circ$ and -148 dB(W/m²) for $70^\circ \leq \delta \leq 90^\circ$, where δ is the angle of arrival of the radio-frequency wave and the reference bandwidth is 4 kHz. In this frequency band, stations of the space research service (space-to-space) shall not claim protection from, nor constrain the use and development of, stations of the fixed and mobile services. No. **4.10** does not apply. (WRC-15)

5.269 *Different category of service:* in Australia, the United States, India, Japan and the United Kingdom, the allocation of the bands 420-430 MHz and 440-450 MHz to the radiolocation service is on a primary basis (see No. **5.33**).

5.270 *Additional allocation:* in Australia, the United States, Jamaica and the Philippines, the bands 420-430 MHz and 440-450 MHz are also allocated to the amateur service on a secondary basis.

5.271 *Additional allocation:* in Belarus, China, India, Kyrgyzstan and Turkmenistan, the band 420-460 MHz is also allocated to the aeronautical radionavigation service (radio altimeters) on a secondary basis. (WRC-07)

5.274 *Alternative allocation:* in Denmark, Norway, Sweden and Chad, the bands 430-432 MHz and 438-440 MHz are allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-12)

5.275 *Additional allocation:* in Croatia, Estonia, Finland, Libya, North Macedonia, Montenegro and Serbia, the frequency bands 430-432 MHz and 438-440 MHz are also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-19)

5.276 *Additional allocation:* in Afghanistan, Algeria, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Burkina Faso, Djibouti, Egypt, the United Arab Emirates, Ecuador, Eritrea, Ethiopia, Greece, Guinea, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Italy, Jordan, Kenya, Kuwait, Libya, Malaysia, Niger, Nigeria, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, Switzerland, Thailand, Togo, Turkey and Yemen, the frequency band 430-440 MHz is also allocated to the fixed service on a primary basis and the frequency bands 430-435 MHz and 438-440 MHz are also allocated, except in Ecuador, to the mobile, except aeronautical mobile, service on a primary basis. (WRC-15)

5.277 *Additional allocation:* in Angola, Armenia, Azerbaijan, Belarus, Cameroon, Congo (Rep. of the), Djibouti, the Russian Federation, Georgia, Hungary, Israel, Kazakhstan, Mali, Uzbekistan, Poland, the Dem. Rep. of the Congo, Kyrgyzstan, Slovakia, Romania, Rwanda, Tajikistan, Chad, Turkmenistan and Ukraine, the frequency band 430-440 MHz is also allocated to the fixed service on a primary basis. (WRC-19)

5.278 *Different category of service:* in Argentina, Brazil, Colombia, Costa Rica, Cuba, Guyana, Honduras, Panama, Paraguay, Uruguay and Venezuela, the allocation of the frequency band 430-440 MHz to the amateur service is on a primary basis (see No. **5.33**). (WRC-19)

5.279 *Additional allocation:* in Mexico, the frequency bands 430-435 MHz and 438-440 MHz are also allocated on a primary basis to the mobile, except aeronautical mobile, service, and on a secondary basis to the fixed service, subject to agreement obtained under No. **9.21**. (WRC-19)

5.279A The use of the frequency band 432-438 MHz by sensors in the Earth exploration-satellite service (active) shall be in accordance with Recommendation ITU-R RS.1260-2. Additionally, the Earth exploration-satellite service (active) in the frequency band 432-438 MHz shall not cause harmful interference to the aeronautical radionavigation

service in China. The provisions of this footnote in no way diminish the obligation of the Earth exploration-satellite service (active) to operate as a secondary service in accordance with Nos. **5.29** and **5.30**. (WRC-19)

5.280 In Germany, Austria, Bosnia and Herzegovina, Croatia, Liechtenstein, North Macedonia, Montenegro, Portugal, Serbia, Slovenia and Switzerland, the frequency band 433.05-434.79 MHz (centre frequency 433.92 MHz) is designated for industrial, scientific and medical (ISM) applications. Radiocommunication services of these countries operating within this frequency band must accept harmful interference which may be caused by these applications. ISM equipment operating in this frequency band is subject to the provisions of No. **15.13**. (WRC-19)

5.281 *Additional allocation:* in the French overseas departments and communities in Region 2 and India, the band 433.75-434.25 MHz is also allocated to the space operation service (Earth-to-space) on a primary basis. In France and in Brazil, the band is allocated to the same service on a secondary basis.

5.282 In the bands 435-438 MHz, 1 260-1 270 MHz, 2 400-2 450 MHz, 3 400-3 410 MHz (in Regions 2 and 3 only) and 5 650-5 670 MHz, the amateur-satellite service may operate subject to not causing harmful interference to other services operating in accordance with the Table (see No. **5.43**). Administrations authorizing such use shall ensure that any harmful interference caused by emissions from a station in the amateur-satellite service is immediately eliminated in accordance with the provisions of No. **25.11**. The use of the bands 1 260-1 270 MHz and 5 650-5 670 MHz by the amateur-satellite service is limited to the Earth-to-space direction.

5.283 *Additional allocation:* in Austria, the band 438-440 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.

5.284 *Additional allocation:* in Canada, the band 440-450 MHz is also allocated to the amateur service on a secondary basis.

5.285 *Different category of service:* in Canada, the allocation of the band 440-450 MHz to the radiolocation service is on a primary basis (see No. **5.33**).

5.286 The band 449.75-450.25 MHz may be used for the space operation service (Earth-to-space) and the space research service (Earth-to-space), subject to agreement obtained under No. **9.21**.

5.286A The use of the bands 454-456 MHz and 459-460 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. (WRC-97)

5.286AA The frequency band 450-470 MHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) - see Resolution **224 (Rev.WRC-19)**. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-19)

5.286B The use of the band 454-455 MHz in the countries listed in No. **5.286D**, 455-456 MHz and 459-460 MHz in Region 2, and 454-456 MHz and 459-460 MHz in the countries listed in No. **5.286E**, by stations in the mobile-satellite service, shall not cause harmful interference to, or claim protection from, stations of the fixed or mobile services operating in accordance with the Table of Frequency Allocations. (WRC-97)

5.286C The use of the band 454-455 MHz in the countries listed in No. **5.286D**, 455-456 MHz and 459-460 MHz in Region 2, and 454-456 MHz and 459-460 MHz in the countries listed in No. **5.286E**, by stations in the mobile-satellite service, shall not constrain the development and use of the fixed and mobile services operating in accordance with the Table of Frequency Allocations. (WRC-97)

5.286D *Additional allocation:* in Canada, the United States and Panama, the band 454-455 MHz is also allocated to the mobile-satellite service (Earth-to-space) on a primary basis. (WRC-07)

5.286E *Additional allocation:* in Cape Verde, Nepal and Nigeria, the bands 454-456 MHz and 459-460 MHz are also allocated to the mobile-satellite (Earth-to-space) service on a primary basis. (WRC-07)

5.287 Use of the frequency bands 457.5125-457.5875 MHz and 467.5125-467.5875 MHz by the maritime mobile service is limited to on-board communication stations. The characteristics of the equipment and the channeling arrangement shall be in accordance with Recommendation ITU-R M.1174-4. The use of these frequency bands in territorial waters is subject to the national regulations of the administration concerned. (WRC-19)

5.288 In the territorial waters of the United States and the Philippines, the preferred frequencies for use by on-board communication stations shall be 457.525 MHz, 457.550 MHz, 457.575 MHz and 457.600 MHz paired, respectively, with 467.750 MHz, 467.775 MHz, 467.800 MHz and 467.825 MHz. The characteristics of the equipment used shall conform to those specified in Recommendation ITU-R M.1174-4. (WRC-19)

5.289 Earth exploration-satellite service applications, other than the meteorological-satellite service, may also be used in the bands 460-470 MHz and 1 690-1 710 MHz for space-to-Earth transmissions subject to not causing harmful interference to stations operating in accordance with the Table.

5.290 *Different category of service:* in Afghanistan, Azerbaijan, Belarus, China, the Russian Federation, Japan, Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 460-470 MHz to the meteorological-satellite service (space-to-Earth) is on a primary basis (see No. **5.33**), subject to agreement obtained under No. **9.21**. (WRC-12)

5.291 *Additional allocation:* in China, the band 470-485 MHz is also allocated to the space research (space-to-Earth) and the space operation (space-to-Earth) services on a primary basis subject to agreement obtained under No. **9.21** and subject to not causing harmful interference to existing and planned broadcasting stations.

5.291A *Additional allocation:* in Germany, Austria, Denmark, Estonia, Liechtenstein, the Czech Rep., Serbia and Switzerland, the frequency band 470-494 MHz is also allocated to the radiolocation service on a secondary basis. This use is limited to the operation of wind profiler radars in accordance with Resolution **217(WRC-97)**. (WRC-15)

5.292 *Different category of service:* in Argentina, Uruguay and Venezuela, the allocation of the frequency band 470-512 MHz to the mobile service is on a primary basis (see No. **5.33**), subject to agreement obtained under No. **9.21**. (WRC-15)

5.293 *Different category of service:* in Canada, Chile, Cuba, the United States, Guyana, Jamaica and Panama, the allocation of the frequency bands 470-512 MHz and 614-806 MHz to the fixed service is on a primary basis (see No. **5.33**), subject to agreement obtained under No. **9.21**. In the Bahamas, Barbados, Canada, Chile, Cuba, the United States, Guyana, Jamaica, Mexico and Panama, the allocation of the frequency bands 470-512 MHz and 614-698 MHz to the mobile service is on a primary basis (see No. **5.33**), subject to agreement obtained under No. **9.21**. In Argentina and Ecuador, the allocation of the frequency band 470-512 MHz to the fixed and mobile services is on a primary basis (see No. **5.33**), subject to agreement obtained under No. **9.21**. (WRC-15)

5.294 *Additional allocation:* in Saudi Arabia, Cameroon, Côte d'Ivoire, Egypt, Ethiopia, Israel, Libya, the Syrian Arab Republic, Chad and Yemen, the frequency band 470-582 MHz is also allocated to the fixed service on a secondary basis. (WRC-15)

5.295 In the Bahamas, Barbados, Canada, the United States and Mexico, the frequency band 470-608 MHz, or portions thereof, is identified for International Mobile Telecommunications (IMT) – see Resolution **224 (Rev.WRC-19)**. This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. Mobile service stations of the IMT system within the frequency band are subject to agreement obtained under No. **9.21** and shall not cause harmful interference to, or claim protection from, the broadcasting service of neighbouring countries. Nos. **5.43** and **5.43A** apply. (WRC-19)

5.296 *Additional allocation:* in Albania, Germany, Angola, Saudi Arabia, Austria, Bahrain, Belgium, Benin, Bosnia and Herzegovina, Botswana, Bulgaria, Burkina Faso, Burundi, Cameroon, Vatican, Congo (Rep. of the), Côte d'Ivoire, Croatia, Denmark, Djibouti, Egypt, United Arab Emirates, Spain, Estonia, Eswatini, Finland, France, Gabon, Georgia, Ghana, Hungary, Iraq, Ireland, Iceland, Israel, Italy, Jordan, Kenya, Kuwait, Lesotho, Latvia, Lebanon, Libya, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Malawi, Mali, Malta, Morocco, Mauritius, Mauritania, Moldova, Monaco, Mozambique, Namibia, Niger, Nigeria, Norway, Oman, Uganda, the Netherlands, Poland, Portugal, Qatar, the Syrian Arab Republic, Slovakia, the Czech Republic, Romania, the United Kingdom, Rwanda, San Marino, Serbia, Sudan, South Africa, Sweden, Switzerland, Tanzania, Chad, Togo, Tunisia, Turkey, Ukraine, Zambia and Zimbabwe, the frequency band 470-694 MHz is also allocated on a secondary basis to the land mobile service, intended for applications ancillary to broadcasting and programme-making. Stations of the land mobile service in the countries listed in this footnote shall not cause harmful interference to existing or planned stations operating in accordance with the Table in countries other than those listed in this footnote. (WRC-19)

5.296A In Micronesia, the Solomon Islands, Tuvalu and Vanuatu, the frequency band 470-698 MHz, or portions thereof, and in Bangladesh, Maldives and New Zealand, the frequency band 610-698 MHz, or portions thereof, are identified for use by these administrations wishing to implement International Mobile Telecommunications (IMT) – see Resolution **224 (Rev.WRC-19)**. This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. The mobile allocation in this frequency band shall not be used for IMT systems unless subject to agreement obtained under No. **9.21** and shall not cause harmful interference to, or claim protection from, the broadcasting service of neighbouring countries. Nos. **5.43** and **5.43A** apply. (WRC-19)

5.297 *Additional allocation:* in Canada, Costa Rica, Cuba, El Salvador, the United States, Guatemala, Guyana and Jamaica, the frequency band 512-608 MHz is also allocated to the fixed and mobile services on a primary basis, subject to agreement obtained under No. **9.21**. In the Bahamas, Barbados and Mexico, the frequency band 512-608 MHz is also allocated to the mobile service on a primary basis, subject to agreement obtained under No. **9.21**. In Mexico, the frequency band 512-608 MHz is also allocated on a secondary basis to the fixed service (see No. **5.32**). (WRC-19)

5.298 *Additional allocation:* in India, the band 549.75-550.25 MHz is also allocated to the space operation service (space-to-Earth) on a secondary basis.

5.300 *Additional allocation:* in Saudi Arabia, Cameroon, Egypt, United Arab Emirates, Israel, Jordan, Libya, Oman, Qatar, the Syrian Arab Republic and Sudan, the frequency band 582-790 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a secondary basis. (WRC-15)

5.304 *Additional allocation:* in the African Broadcasting Area (see Nos. **5.10** to **5.13**), the band 606-614 MHz is also allocated to the radio astronomy service on a primary basis.

5.305 *Additional allocation:* in China, the band 606-614 MHz is also allocated to the radio astronomy service on a primary basis.

5.306 *Additional allocation:* in Region 1, except in the African Broadcasting Area (see Nos. **5.10** to **5.13**), and in Region 3, the band 608-614 MHz is also allocated to the radio astronomy service on a secondary basis.

5.307 *Additional allocation:* in India, the band 608-614 MHz is also allocated to the radio astronomy service on a primary basis.

5.308 *Additional allocation:* in Belize, Colombia and Guatemala, the frequency band 614-698 MHz is also allocated to the mobile service on a primary basis. Stations of the mobile service within the frequency band are subject to agreement obtained under No. **9.21**. (WRC-19)

5.308A In the Bahamas, Barbados, Belize, Canada, Colombia, the United States, Guatemala and Mexico, the frequency band 614-698 MHz, or portions thereof, is identified for International Mobile Telecommunications (IMT) –see Resolution **224 (Rev.WRC-19)**. This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. Mobile service stations of the IMT system within the frequency band are subject to agreement obtained under No. **9.21** and shall not cause harmful interference to, or claim protection from, the broadcasting service of neighbouring countries. Nos. **5.43** and **5.43A** apply. (WRC-19)

5.309 *Different category of service:* in El Salvador, the allocation of the frequency band 614-806 MHz to the fixed service is on a primary basis (see No. **5.33**), subject to agreement obtained under No. **9.21**. (WRC-15)

5.312 *Additional allocation:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the frequency band 645-862 MHz, and in Bulgaria the frequency bands 646-686 MHz, 726-753 MHz, 778-811 MHz and 822-852 MHz, are also allocated to the aeronautical radionavigation service on a primary basis. (WRC-19)

5.312A In Region 1, the use of the frequency band 694-790 MHz by the mobile, except aeronautical mobile, service is subject to the provisions of Resolution **760 (Rev.WRC-19)**. See also Resolution **224 (Rev.WRC-19)**. (WRC-19)

5.313A The frequency band, or portions of the frequency band 698-790 MHz, in Australia, Bangladesh, Brunei Darussalam, Cambodia, China, Korea (Rep. of), Fiji, India, Indonesia, Japan, Kiribati, Lao P.D.R., Malaysia, Myanmar (Union of), New Zealand, Pakistan, Papua New Guinea, the Philippines, the Dem. People's Rep. of Korea, Solomon Islands, Samoa, Singapore, Thailand, Tonga, Tuvalu, Vanuatu and Viet Nam, are identified for use by these administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-19)

5.316B In Region 1, the allocation to the mobile, except aeronautical mobile, service in the frequency band 790-862 MHz is subject to agreement obtained under No. **9.21** with respect to the aeronautical radionavigation service in countries mentioned in No. **5.312**. For countries party to the GE06 Agreement, the use of stations of the mobile service is also subject to the successful application of the procedures of that Agreement. Resolutions **224 (Rev.WRC-19)** and **749 (Rev.WRC-19)** shall apply, as appropriate. (WRC-19)

5.317 *Additional allocation:* in Region 2 (except Brazil, the United States and Mexico), the frequency band 806-890 MHz is also allocated to the mobile-satellite service on a primary basis, subject to agreement obtained under No. **9.21**. The use of this service is intended for operation within national boundaries. (WRC-15)

5.317A The parts of the frequency band 698-960 MHz in Region 2 and the frequency bands 694-790 MHz in Region 1 and 790-960 MHz in Regions 1 and 3 which are allocated to the mobile service on a primary basis are identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) – see Resolutions **224 (Rev.WRC-19)**, **760 (Rev.WRC-19)** and **749 (Rev.WRC-19)**, where applicable. This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-19)

5.318 *Additional allocation:* in Canada, the United States and Mexico, the bands 849-851 MHz and 894-896 MHz are also allocated to the aeronautical mobile service on a primary basis, for public correspondence with aircraft. The use of the band 849-851 MHz is limited to transmissions from aeronautical stations and the use of the band 894-896 MHz is limited to transmissions from aircraft stations.

5.319 *Additional allocation:* in Belarus, the Russian Federation and Ukraine, the bands 806-840 MHz (Earth-to-space) and 856-890 MHz (space-to-Earth) are also allocated to the mobile-satellite, except aeronautical mobile-satellite (R), service. The use of these bands by this service shall not cause harmful interference to, or claim protection from, services in other countries operating in accordance with the Table of Frequency Allocations and is subject to special agreements between the administrations concerned.

5.320 *Additional allocation:* in Region 3, the bands 806-890 MHz and 942-960 MHz are also allocated to the mobile-satellite, except aeronautical mobile-satellite (R), service on a primary basis, subject to agreement obtained under No. **9.21**. The use of this service is limited to operation within national boundaries. In seeking such agreement, appropriate protection shall be afforded to services operating in accordance with the Table, to ensure that no harmful interference is caused to such services.

5.322 In Region 1, in the band 862-960 MHz, stations of the broadcasting service shall be operated only in the African Broadcasting Area (see Nos. **5.10** to **5.13**) excluding Algeria, Burundi, Egypt, Spain, Lesotho, Libya, Morocco, Malawi, Namibia, Nigeria, South Africa, Tanzania, Zimbabwe and Zambia, subject to agreement obtained under No. **9.21**. (WRC-12)

5.323 *Additional allocation:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the frequency band 862-960 MHz, in Bulgaria the frequency bands 862-880 MHz and 915-925 MHz, and in Romania the frequency bands 862-880 MHz and 915-925 MHz, are also allocated to the aeronautical radionavigation service on a primary basis. Such use is subject to agreement obtained under No. **9.21** with administrations concerned and limited to ground-based radiobeacons in operation on 27 October 1997 until the end of their lifetime. (WRC-19)

5.325 *Different category of service:* in the United States, the allocation of the band 890-942 MHz to the radiolocation service is on a primary basis (see No. **5.33**), subject to agreement obtained under No. **9.21**.

5.325A *Different category of service:* in Argentina, Brazil, Costa Rica, Cuba, Dominican Republic, El Salvador, Ecuador, the French overseas departments and communities in Region 2, Guatemala, Paraguay, Uruguay and Venezuela, the frequency band 902-928 MHz is allocated to the land mobile service on a primary basis. In Mexico, the frequency band 902-928 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis. In Colombia, the frequency band 902-905 MHz is allocated to the land mobile service on a primary basis. (WRC-19)

5.326 *Different category of service:* in Chile, the band 903-905 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis, subject to agreement obtained under No. **9.21**.

5.327 *Different category of service:* in Australia, the allocation of the band 915-928 MHz to the radiolocation service is on a primary basis (see No. **5.33**).

5.327A The use of the frequency band 960-1 164 MHz by the aeronautical mobile (R) service is limited to systems that operate in accordance with recognized international aeronautical standards. Such use shall be in accordance with Resolution **417 (Rev.WRC-15)**. (WRC-15)

5.328 The use of the band 960-1 215 MHz by the aeronautical radionavigation service is reserved on a worldwide basis for the operation and development of airborne electronic aids to air navigation and any directly associated ground-based facilities. (WRC-2000)

5.328A Stations in the radionavigation-satellite service in the band 1 164-1 215 MHz shall operate in accordance with the provisions of Resolution **609 (Rev.WRC-07)** and shall not claim protection from stations in the aeronautical radionavigation service in the band 960-1 215 MHz. No. **5.43A** does not apply. The provisions of No. **21.18** shall apply. (WRC-07)

5.328AA The frequency band 1 087.7-1 092.3 MHz is also allocated to the aeronautical mobile-satellite (R) service (Earth-to-space) on a primary basis, limited to the space station reception of Automatic Dependent Surveillance-Broadcast (ADS-B) emissions from aircraft transmitters that operate in accordance with recognized international aeronautical standards. Stations operating in the aeronautical mobile-satellite (R) service shall not claim protection from stations operating in the aeronautical radionavigation service. Resolution **425 (Rev.WRC-19)** shall apply. (WRC-19)

5.328B The use of the bands 1 164-1 300 MHz, 1 559-1 610 MHz and 5 010-5 030 MHz by systems and networks in the radionavigation-satellite service for which complete coordination or notification information, as appropriate, is received by the Radiocommunication Bureau after 1 January 2005 is subject to the application of the provisions of Nos. **9.12**, **9.12A** and **9.13**. Resolution **610(WRC-03)** shall also apply; however, in the case of

radionavigation-satellite service (space-to-space) networks and systems, Resolution **610 (WRC-03)** shall only apply to transmitting space stations. In accordance with No. **5.329A**, for systems and networks in the radionavigation-satellite service (space-to-space) in the bands 1 215-1 300 MHz and 1 559-1 610 MHz, the provisions of Nos. **9.7**, **9.12**, **9.12A** and **9.13** shall only apply with respect to other systems and networks in the radionavigation-satellite service (space-to-space). (WRC-07)

5.329 Use of the radionavigation-satellite service in the frequency band 1 215-1 300 MHz shall be subject to the condition that no harmful interference is caused to, and no protection is claimed from, the radionavigation service authorized under No. **5.331**. Furthermore, the use of the radionavigation-satellite service in the frequency band 1 215-1 300 MHz shall be subject to the condition that no harmful interference is caused to the radiolocation service. No. **5.43** shall not apply in respect of the radiolocation service. Resolution **608 (Rev.WRC-19)** shall apply. (WRC-19)

5.329A Use of systems in the radionavigation-satellite service (space-to-space) operating in the bands 1 215-1 300 MHz and 1 559-1 610 MHz is not intended to provide safety service applications, and shall not impose any additional constraints on radionavigation-satellite service (space-to-Earth) systems or on other services operating in accordance with the Table of Frequency Allocations. (WRC-07)

5.330 *Additional allocation:* in Angola, Saudi Arabia, Bahrain, Bangladesh, Cameroon, China, Djibouti, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Guyana, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Japan, Jordan, Kuwait, Nepal, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, Somalia, Sudan, South Sudan, Chad, Togo and Yemen, the band 1 215-1 300 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-12)

5.331 *Additional allocation:* in Algeria, Germany, Saudi Arabia, Australia, Austria, Bahrain, Belarus, Belgium, Benin, Bosnia and Herzegovina, Brazil, Burkina Faso, Burundi, Cameroon, China, Korea (Rep. of), Croatia, Denmark, Egypt, the United Arab Emirates, Estonia, the Russian Federation, Finland, France, Ghana, Greece, Guinea, Equatorial Guinea, Hungary, India, Indonesia, Iran (Islamic Republic of), Iraq, Ireland, Israel, Jordan, Kenya, Kuwait, Lesotho, Latvia, Lebanon, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Madagascar, Mali, Mauritania, Montenegro, Nigeria, Norway, Oman, Pakistan, the Kingdom of the Netherlands, Poland, Portugal, Qatar, the Syrian Arab Republic, Dem. People's Rep. of Korea, Slovakia, the United Kingdom, Serbia, Slovenia, Somalia, Sudan, South Sudan, Sri Lanka, South Africa, Sweden, Switzerland, Thailand, Togo, Turkey, Venezuela and Viet Nam, the frequency band 1 215-1 300 MHz is also allocated to the radionavigation service on a primary basis. In Canada and the United States, the frequency band 1 240-1 300 MHz is also allocated to the radionavigation service, and use of the radionavigation service shall be limited to the aeronautical radionavigation service. (WRC-19)

5.332 In the band 1 215-1 260 MHz, active spaceborne sensors in the Earth exploration-satellite and space research services shall not cause harmful interference to, claim protection from, or otherwise impose constraints on operation or development of the radiolocation service, the radionavigation-satellite service and other services allocated on a primary basis. (WRC-2000)

5.334 *Additional allocation:* in Canada and the United States, the band 1 350-1 370 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-03)

5.335 In Canada and the United States in the band 1 240-1 300 MHz, active spaceborne sensors in the Earth exploration-satellite and space research services shall not cause interference to, claim protection from, or otherwise impose constraints on operation or development of the aeronautical radionavigation service. (WRC-97)

5.335A In the band 1 260-1 300 MHz, active spaceborne sensors in the Earth exploration-satellite and space research services shall not cause harmful interference to, claim protection from, or otherwise impose constraints on operation or development of the radiolocation service and other services allocated by footnotes on a primary basis. (WRC-2000)

5.337 The use of the bands 1 300-1 350 MHz, 2 700-2 900 MHz and 9 000-9 200 MHz by the aeronautical radionavigation service is restricted to ground-based radars and to associated airborne transponders which transmit only on frequencies in these bands and only when actuated by radars operating in the same band.

5.337A The use of the band 1 300-1 350 MHz by earth stations in the radionavigation-satellite service and by stations in the radiolocation service shall not cause harmful interference to, nor constrain the operation and development of, the aeronautical-radionavigation service. (WRC-2000)

5.338 In Kyrgyzstan, Slovakia and Turkmenistan, existing installations of the radionavigation service may continue to operate in the band 1 350-1 400 MHz. (WRC-12)

5.338A In the frequency bands 1 350-1 400 MHz, 1 427-1 452 MHz, 22.55-23.55 GHz, 24.25-27.5 GHz, 30-31.3 GHz, 49.7-50.2 GHz, 50.4-50.9 GHz, 51.4-52.4 GHz, 52.4-52.6 GHz, 81-86 GHz and 92-94 GHz, Resolution **750 (Rev.WRC-19)** applies. (WRC-19)

5.339 The bands 1 370-1 400 MHz, 2 640-2 655 MHz, 4 950-4 990 MHz and 15.20-15.35 GHz are also allocated to the space research (passive) and Earth exploration-satellite (passive) services on a secondary basis.

5.340 All emissions are prohibited in the following bands:

1 400-1 427 MHz,
2 690-2 700 MHz, except those provided for by No. **5.422**,
10.68-10.7 GHz, except those provided for by No. **5.483**,
15.35-15.4 GHz, except those provided for by No. **5.511**,
23.6-24 GHz,
31.3-31.5 GHz,
31.5-31.8 GHz, in Region 2,
48.94-49.04 GHz, from airborne stations
50.2-50.4 GHz²,
52.6-54.25 GHz,
86-92 GHz,
100-102 GHz,
109.5-111.8 GHz,
114.25-116 GHz,
148.5-151.5 GHz,
164-167 GHz,
182-185 GHz,
190-191.8 GHz,
200-209 GHz,
226-231.5 GHz,
250-252 GHz. (WRC-03)

5.341 In the bands 1 400-1 727 MHz, 101-120 GHz and 197-220 GHz, passive research is being conducted by some countries in a programme for the search for intentional emissions of extra-terrestrial origin.

5.341A In Region 1, the frequency bands 1 427-1 452 MHz and 1 492-1 518 MHz are identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution **223 (Rev.WRC-15)**. This identification does not preclude the use of these frequency bands by any other application of the services to which it is allocated and does not establish priority in the Radio Regulations. The use of IMT stations is subject to agreement obtained under No. **9.21** with respect to the aeronautical mobile service used for aeronautical telemetry in accordance with No. **5.342**. (WRC-15)

5.341B In Region 2, the frequency band 1 427-1 518 MHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution **223 (Rev.WRC-15)**. This identification does not preclude the use of this frequency band by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-15)

5.341C The frequency bands 1 427-1 452 MHz and 1 492-1 518 MHz are identified for use by administrations in Region 3 wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution **223 (Rev.WRC-15)**. The use of these frequency bands by the above administrations for the implementation of IMT in the frequency bands 1 429-1 452 MHz and 1 492-1 518 MHz is subject to agreement obtained under No. **9.21** from countries using stations of the aeronautical mobile service. This identification does not preclude the use of these frequency bands by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-15)

² **5.340.1** The allocation to the Earth exploration-satellite service (passive) and the space research service (passive) in the band 50.2-50.4 GHz should not impose undue constraints on the use of the adjacent bands by the primary allocated services in those bands. (WRC-97)

5.342 *Additional allocation:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Uzbekistan, Kyrgyzstan and Ukraine, the frequency band 1 429-1 535 MHz is also allocated to the aeronautical mobile service on a primary basis, exclusively for the purposes of aeronautical telemetry within the national territory. As of 1 April 2007, the use of the frequency band 1 452-1 492 MHz is subject to agreement between the administrations concerned. (WRC-15)

5.343 In Region 2, the use of the band 1 435-1 535 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile service.

5.344 *Alternative allocation:* in the United States, the band 1 452-1 525 MHz is allocated to the fixed and mobile services on a primary basis (see also No. **5.343**).

5.345 Use of the frequency band 1 452-1 492 MHz by the broadcasting-satellite service, and by the broadcasting service, is limited to digital audio broadcasting and is subject to the provisions of Resolution **528 (Rev.WRC-19)**. (WRC-19)

5.346 In Algeria, Angola, Saudi Arabia, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Congo (Rep. of the), Côte d'Ivoire, Djibouti, Egypt, United Arab Emirates, Eswatini, Gabon, Gambia, Ghana, Guinea, Iraq, Jordan, Kenya, Kuwait, Lesotho, Lebanon, Liberia, Madagascar, Malawi, Mali, Morocco, Mauritius, Mauritania, Mozambique, Namibia, Niger, Nigeria, Oman, Uganda, Palestine**, Qatar, Dem. Rep. of the Congo, Rwanda, Senegal, Seychelles, Sudan, South Sudan, South Africa, Tanzania, Chad, Togo, Tunisia, Zambia, and Zimbabwe, the frequency band 1 452-1 492 MHz is identified for use by administrations listed above wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution **223 (Rev.WRC-19)**. This identification does not preclude the use of this frequency band by any other application of the services to which it is allocated and does not establish priority in the Radio Regulations. The use of this frequency band for the implementation of IMT is subject to agreement obtained under No. **9.21** with respect to the aeronautical mobile service used for aeronautical telemetry in accordance with No. **5.342**. See also Resolution **761 (Rev.WRC-19)**. (WRC-19)

5.346A The frequency band 1 452-1 492 MHz is identified for use by administrations in Region 3 wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution **223 (Rev.WRC-19)** and Resolution **761 (Rev.WRC-19)**. The use of this frequency band by the above administrations for the implementation of IMT is subject to agreement obtained under No. **9.21** from countries using stations of the aeronautical mobile service. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-19)

5.348 The use of the band 1 518-1 525 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. In the band 1 518-1 525 MHz stations in the mobile-satellite service shall not claim protection from the stations in the fixed service. No. **5.43A** does not apply. (WRC-03)

5.348A In the band 1 518-1 525 MHz, the coordination threshold in terms of the power flux-density levels at the surface of the Earth in application of No. **9.11A** for space stations in the mobile-satellite (space-to-Earth) service, with respect to the land mobile service use for specialized mobile radios or used in conjunction with public switched telecommunication networks (PSTN) operating within the territory of Japan, shall be -150 dB(W/m²) in any 4 kHz band for all angles of arrival, instead of those given in Table 5-2 of Appendix 5. In the band 1 518-1 525 MHz stations in the mobile-satellite service shall not claim protection from stations in the mobile service in the territory of Japan. No. **5.43A** does not apply. (WRC-03)

5.348B In the band 1 518-1 525 MHz, stations in the mobile-satellite service shall not claim protection from aeronautical mobile telemetry stations in the mobile service in the territory of the United States (see Nos. **5.343** and **5.344**) and in the countries listed in No. **5.342**. No. **5.43A** does not apply. (WRC-03)

5.349 *Different category of service:* in Saudi Arabia, Azerbaijan, Bahrain, Cameroon, Egypt, Iran (Islamic Republic of), Iraq, Israel, Kazakhstan, Kuwait, Lebanon, North Macedonia, Morocco, Qatar, Syrian Arab Republic, Kyrgyzstan, Turkmenistan and Yemen, the allocation of the frequency band 1 525-1 530 MHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. **5.33**). (WRC-19)

5.350 *Additional allocation:* in Kyrgyzstan and Turkmenistan, the frequency band 1 525-1 530 MHz is also allocated to the aeronautical mobile service on a primary basis. (WRC-2019)

** The use by Palestine of the allocation to the mobile service in the frequency band 1 452-1 492 MHz identified for IMT is noted, pursuant to Resolution 99 (Rev. Dubai, 2018) and taking into account the Israeli-Palestinian Interim Agreement of 28 September 1995.

5.351 The bands 1 525-1 544 MHz, 1 545-1 559 MHz, 1 626.5-1 645.5 MHz and 1 646.5-1 660.5 MHz shall not be used for feeder links of any service. In exceptional circumstances, however, an earth station at a specified fixed point in any of the mobile-satellite services may be authorized by an administration to communicate via space stations using these bands.

5.351A For the use of the bands 1 518-1 544 MHz, 1 545-1 559 MHz, 1 610-1 645.5 MHz, 1 646.5-1 660.5 MHz, 1 668-1 675 MHz, 1 980-2 010 MHz, 2 170-2 200 MHz, 2 483.5-2 520 MHz and 2 670-2 690 MHz by the mobile-satellite service, see Resolutions **212 (Rev.WRC-07)*** and **225 (Rev.WRC-07)****. (WRC-07)

5.352A In the frequency band 1 525-1 530 MHz, stations in the mobile-satellite service, except stations in the maritime mobile-satellite service, shall not cause harmful interference to, or claim protection from, stations of the fixed service in Algeria, Saudi Arabia, Egypt, Guinea, India, Israel, Italy, Jordan, Kuwait, Mali, Morocco, Mauritania, Nigeria, Oman, Pakistan, the Philippines, Qatar, Syrian Arab Republic, Viet Nam and Yemen notified prior to 1 April 1998. (WRC-19)

5.353A In applying the procedures of Section II of Article 9 to the mobile-satellite service in the bands 1 530-1 544 MHz and 1 626.5-1 645.5 MHz, priority shall be given to accommodating the spectrum requirements for distress, urgency and safety communications of the Global Maritime Distress and Safety System (GMDSS). Maritime mobile-satellite distress, urgency and safety communications shall have priority access and immediate availability over all other mobile satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, distress, urgency and safety communications of the GMDSS. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. (The provisions of Resolution **222 (WRC-2000)*** shall apply.) (WRC-2000)

5.354 The use of the bands 1 525-1 559 MHz and 1 626.5-1 660.5 MHz by the mobile-satellite services is subject to coordination under No. **9.11A**.

5.355 *Additional allocation:* in Bahrain, Bangladesh, Congo (Rep. of the), Djibouti, Egypt, Eritrea, Iraq, Israel, Kuwait, Qatar, Syrian Arab Republic, Somalia, Sudan, South Sudan, Chad, Togo and Yemen, the bands 1 540-1 559 MHz, 1 610-1 645.5 MHz and 1 646.5-1 660 MHz are also allocated to the fixed service on a secondary basis. (WRC-12)

5.356 The use of the band 1 544-1 545 MHz by the mobile-satellite service (space-to-Earth) is limited to distress and safety communications (see Article **31**).

5.357 Transmissions in the band 1 545-1 555 MHz from terrestrial aeronautical stations directly to aircraft stations, or between aircraft stations, in the aeronautical mobile (R) service are also authorized when such transmissions are used to extend or supplement the satellite-to-aircraft links.

5.357A In applying the procedures of Section II of Article 9 to the mobile-satellite service in the frequency bands 1 545-1 555 MHz and 1 646.5-1 656.5 MHz, priority shall be given to accommodating the spectrum requirements of the aeronautical mobile-satellite (R) service providing transmission of messages with priority 1 to 6 in Article **44**. Aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article **44** shall have priority access and immediate availability, by pre-emption if necessary, over all other mobile-satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article **44**. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. (The provisions of Resolution **222 (Rev.WRC-12)*** shall apply.) (WRC-12)

5.359 *Additional allocation:* in Germany, Saudi Arabia, Armenia, Azerbaijan, Belarus, Cameroon, the Russian Federation, Georgia, Guinea, Guinea-Bissau, Jordan, Kazakhstan, Kuwait, Lithuania, Mauritania, Uganda, Uzbekistan, Pakistan, Poland, the Syrian Arab Republic, Kyrgyzstan, the Dem. People's Rep. of Korea, Romania, Tajikistan, Tunisia, Turkmenistan and Ukraine, the frequency bands 1 550-1 559 MHz, 1 610-1 645.5 MHz and 1 646.5-1 660 MHz are also allocated to the fixed service on a primary basis. Administrations are urged to make all practicable efforts to avoid the implementation of new fixed-service stations in these frequency bands. (WRC-19)

5.362A In the United States, in the bands 1 555-1 559 MHz and 1 656.5-1 660.5 MHz, the aeronautical mobile-satellite (R) service shall have priority access and immediate availability, by pre-emption if necessary, over all other mobile-satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable

* *Note by the Secretariat:* This Resolution was revised by WRC-15.

** *Note by the Secretariat:* This Resolution was revised by WRC-12.

* *Note by the Secretariat:* This Resolution was revised by WRC-07 and WRC-12.

interference to, or claim protection from, aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article 44. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. (WRC-97)

5.364 The use of the band 1 610-1 626.5 MHz by the mobile-satellite service (Earth-to-space) and by the radiodetermination-satellite service (Earth-to-space) is subject to coordination under No. 9.11A. A mobile earth station operating in either of the services in this band shall not produce a peak e.i.r.p. density in excess of -15 dB(W/4 kHz) in the part of the band used by systems operating in accordance with the provisions of No. 5.366 (to which No. 4.10 applies), unless otherwise agreed by the affected administrations. In the part of the band where such systems are not operating, the mean e.i.r.p. density of a mobile earth station shall not exceed -3 dB(W/4 kHz). Stations of the mobile-satellite service shall not claim protection from stations in the aeronautical radionavigation service, stations operating in accordance with the provisions of No. 5.366 and stations in the fixed service operating in accordance with the provisions of No. 5.359. Administrations responsible for the coordination of mobile-satellite networks shall make all practicable efforts to ensure protection of stations operating in accordance with the provisions of No. 5.366.

5.365 The use of the band 1 613.8-1 626.5 MHz by the mobile-satellite service (space-to-Earth) is subject to coordination under No. 9.11A.

5.366 The band 1 610-1 626.5 MHz is reserved on a worldwide basis for the use and development of airborne electronic aids to air navigation and any directly associated ground-based or satellite-borne facilities. Such satellite use is subject to agreement obtained under No. 9.21.

5.367 *Additional allocation:* The frequency band 1 610-1 626.5 MHz is also allocated to the aeronautical mobile-satellite (R) service on a primary basis, subject to agreement obtained under No. 9.21. (WRC-12)

5.368 The provisions of No. 4.10 do not apply with respect to the radiodetermination-satellite and mobile-satellite services in the frequency band 1 610-1 626.5 MHz. However, No. 4.10 applies in the frequency band 1 610-1 626.5 MHz with respect to the aeronautical radionavigation-satellite service when operating in accordance with No. 5.366, the aeronautical mobile satellite (R) service when operating in accordance with No. 5.367, and in the frequency band 1 621.35-1 626.5 MHz with respect to the maritime mobile-satellite service when used for GMDSS. (WRC-19)

5.369 *Different category of service:* in Angola, Australia, China, Eritrea, Ethiopia, India, Iran (Islamic Republic of), Israel, Lebanon, Liberia, Madagascar, Mali, Pakistan, Papua New Guinea, Syrian Arab Republic, the Dem. Rep. of the Congo, Sudan, South Sudan, Togo and Zambia, the allocation of the band 1 610-1 626.5 MHz to the radiodetermination-satellite service (Earth-to-space) is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21 from countries not listed in this provision. (WRC-12)

5.370 *Different category of service:* in Venezuela, the allocation to the radiodetermination-satellite service in the band 1 610-1 626.5 MHz (Earth-to-space) is on a secondary basis.

5.371 *Additional allocation:* in Region 1, the band 1 610-1 626.5 MHz (Earth-to-space) is also allocated to the radiodetermination-satellite service on a secondary basis, subject to agreement obtained under No. 9.21. (WRC-12)

5.372 Harmful interference shall not be caused to stations of the radio astronomy service using the frequency band 1 610.6-1 613.8 MHz by stations of the radiodetermination-satellite and mobile-satellite services (No. 29.13 applies). The equivalent power flux-density (epfd) produced in the frequency band 1 610.6-1 613.8 MHz by all space stations of a non-geostationary-satellite system in the mobile-satellite service (space-to-Earth) operating in frequency band 1 613.8-1 626.5 MHz shall be in compliance with the protection criteria provided in Recommendations ITU-R RA.769-2 and ITU-R RA.1513-2, using the methodology given in Recommendation ITU-R M.1583-1, and the radio astronomy antenna pattern described in Recommendation ITU-R RA.1631-0. (WRC-19)

5.373 Maritime mobile earth stations receiving in the frequency band 1 621.35-1 626.5 MHz shall not impose additional constraints on earth stations operating in the maritime mobile-satellite service or maritime earth stations of the radiodetermination-satellite service operating in accordance with the Radio Regulations in the frequency band 1 610-1 621.35 MHz or on earth stations operating in the maritime mobile-satellite service operating in accordance with the Radio Regulations in the frequency band 1 626.5-1 660.5 MHz, unless otherwise agreed between the notifying administrations. (WRC-19)

5.373A Maritime mobile earth stations receiving in the frequency band 1 621.35-1 626.5 MHz shall not impose constraints on the assignments of earth stations of the mobile-satellite service (Earth-to-space) and the radiodetermination-satellite service (Earth-to-space) in the frequency band 1 621.35-1 626.5 MHz in networks for which complete coordination information has been received by the Radiocommunication Bureau before 28 October 2019. (WRC-19)

- 5.374** Mobile earth stations in the mobile-satellite service operating in the bands 1 631.5-1 634.5 MHz and 1 656.5-1 660 MHz shall not cause harmful interference to stations in the fixed service operating in the countries listed in No. **5.359**. (WRC-97)
- 5.375** The use of the band 1 645.5-1 646.5 MHz by the mobile-satellite service (Earth-to-space) and for inter-satellite links is limited to distress and safety communications (see Article **31**).
- 5.376** Transmissions in the band 1 646.5-1 656.5 MHz from aircraft stations in the aeronautical mobile (R) service directly to terrestrial aeronautical stations, or between aircraft stations, are also authorized when such transmissions are used to extend or supplement the aircraft-to-satellite links.
- 5.376A** Mobile earth stations operating in the band 1 660-1 660.5 MHz shall not cause harmful interference to stations in the radio astronomy service. (WRC-97)
- 5.379** *Additional allocation:* in Bangladesh, India, Indonesia, Nigeria and Pakistan, the band 1 660.5-1 668.4 MHz is also allocated to the meteorological aids service on a secondary basis.
- 5.379A** Administrations are urged to give all practicable protection in the band 1 660.5-1 668.4 MHz for future research in radio astronomy, particularly by eliminating air-to-ground transmissions in the meteorological aids service in the band 1 664.4-1 668.4 MHz as soon as practicable.
- 5.379B** The use of the band 1 668-1 675 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. In the band 1 668-1 668.4 MHz, Resolution **904 (WRC-07)** shall apply. (WRC-07)
- 5.379C** In order to protect the radio astronomy service in the band 1 668-1 670 MHz, the aggregate power flux-density values produced by mobile earth stations in a network of the mobile-satellite service operating in this band shall not exceed -181 dB(W/m²) in 10 MHz and -194 dB(W/m²) in any 20 kHz at any radio astronomy station recorded in the Master International Frequency Register, for more than 2% of integration periods of 2 000 s. (WRC-03)
- 5.379D** For sharing of the band 1 668.4-1 675 MHz between the mobile-satellite service and the fixed and mobile services, Resolution **744 (Rev.WRC-07)** shall apply. (WRC-07)
- 5.379E** In the band 1 668.4-1 675 MHz, stations in the mobile-satellite service shall not cause harmful interference to stations in the meteorological aids service in China, Iran (Islamic Republic of), Japan and Uzbekistan. In the band 1 668.4-1 675 MHz, administrations are urged not to implement new systems in the meteorological aids service and are encouraged to migrate existing meteorological aids service operations to other bands as soon as practicable. (WRC-03)
- 5.380A** In the band 1 670-1 675 MHz, stations in the mobile-satellite service shall not cause harmful interference to, nor constrain the development of, existing earth stations in the meteorological-satellite service notified before 1 January 2004. Any new assignment to these earth stations in this band shall also be protected from harmful interference from stations in the mobile-satellite service. (WRC-07)
- 5.381** *Additional allocation:* in Afghanistan, Cuba, India, Iran (Islamic Republic of) and Pakistan, the band 1 690-1 700 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-12)
- 5.382** *Different category of service:* in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Congo (Rep. of the), Egypt, the United Arab Emirates, Eritrea, Ethiopia, the Russian Federation, Guinea, Iraq, Israel, Jordan, Kazakhstan, Kuwait, Lebanon, North Macedonia, Mauritania, Moldova, Mongolia, Oman, Uzbekistan, Poland, Qatar, the Syrian Arab Republic, Kyrgyzstan, Somalia, Tajikistan, Turkmenistan, Ukraine and Yemen, the allocation of the frequency band 1 690-1 700 MHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. **5.33**), and in the Dem. People's Rep. of Korea, the allocation of the frequency band 1 690-1 700 MHz to the fixed service is on a primary basis (see No. **5.33**) and to the mobile, except aeronautical mobile, service on a secondary basis. (WRC-19)
- 5.384** *Additional allocation:* in India, Indonesia and Japan, the band 1 700-1 710 MHz is also allocated to the space research service (space-to-Earth) on a primary basis. (WRC-97)
- 5.384A** The frequency bands 1 710-1 885 MHz, 2 300-2 400 MHz and 2 500-2 690 MHz, or portions thereof, are identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution **223 (Rev.WRC-15)**. This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-15)
- 5.385** *Additional allocation:* the band 1 718.8-1 722.2 MHz is also allocated to the radio astronomy service on a secondary basis for spectral line observations. (WRC-2000)
- 5.386** *Additional allocation:* the frequency band 1 750-1 850 MHz is also allocated to the space operation (Earth-to-space) and space research (Earth-to-space) services in Region 2 (except in Mexico), in Australia, Guam,

India, Indonesia and Japan on a primary basis, subject to agreement obtained under No. **9.21**, having particular regard to troposcatter systems. (WRC-15)

5.387 *Additional allocation:* in Belarus, Georgia, Kazakhstan, Kyrgyzstan, Romania, Tajikistan and Turkmenistan, the band 1 770-1 790 MHz is also allocated to the meteorological-satellite service on a primary basis, subject to agreement obtained under No. **9.21**. (WRC-12)

5.388 The frequency bands 1 885-2 025 MHz and 2 110-2 200 MHz are intended for use, on a worldwide basis, by administrations wishing to implement International Mobile Telecommunications (IMT). Such use does not preclude the use of these frequency bands by other services to which they are allocated. The frequency bands should be made available for IMT in accordance with Resolution **212 (Rev.WRC-15)** (see also Resolution **223 (Rev.WRC-15)**). (WRC-15)

5.388A In Regions 1 and 3, the bands 1 885-1 980 MHz, 2 010-2 025 MHz and 2 110-2 170 MHz and, in Region 2, the bands 1 885-1 980 MHz and 2 110-2 160 MHz may be used by high altitude platform stations as base stations to provide International Mobile Telecommunications (IMT), in accordance with Resolution **221 (Rev.WRC-07)**. Their use by IMT applications using high altitude platform stations as base stations does not preclude the use of these bands by any station in the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-12)

5.388B In Algeria, Saudi Arabia, Bahrain, Benin, Burkina Faso, Cameroon, Comoros, Côte d'Ivoire, China, Cuba, Djibouti, Egypt, United Arab Emirates, Eritrea, Ethiopia, Gabon, Ghana, India, Iran (Islamic Republic of), Israel, Jordan, Kenya, Kuwait, Lebanon, Libya, Mali, Morocco, Mauritania, Nigeria, Oman, Uganda, Pakistan, Qatar, the Syrian Arab Republic, Senegal, Singapore, Sudan, South Sudan, Tanzania, Chad, Togo, Tunisia, Yemen, Zambia and Zimbabwe, for the purpose of protecting fixed and mobile services, including IMT mobile stations, in their territories from co-channel interference, a high altitude platform station (HAPS) operating as an IMT base station in neighbouring countries, in the frequency bands referred to in No. **5.388A**, shall not exceed a co-channel power flux-density of -127 dB(W/(m² · MHz)) at the Earth's surface outside a country's borders unless explicit agreement of the affected administration is provided at the time of the notification of HAPS. (WRC-19)

5.389A The use of the bands 1 980-2 010 MHz and 2 170-2 200 MHz by the mobile-satellite service is subject to coordination under No. **9.11A** and to the provisions of Resolution **716 (Rev.WRC-2000)***. (WRC-07)

5.389B The use of the frequency band 1 980-1 990 MHz by the mobile-satellite service shall not cause harmful interference to or constrain the development of the fixed and mobile services in Argentina, Brazil, Canada, Chile, Ecuador, the United States, Honduras, Jamaica, Mexico, Paraguay, Peru, Suriname, Trinidad and Tobago, Uruguay and Venezuela. (WRC-19)

5.389C The use of the bands 2 010-2 025 MHz and 2 160-2 170 MHz in Region 2 by the mobile-satellite service is subject to coordination under No. **9.11A** and to the provisions of Resolution **716 (Rev.WRC-2000)***. (WRC-07)

5.389E The use of the bands 2 010-2 025 MHz and 2 160-2 170 MHz by the mobile-satellite service in Region 2 shall not cause harmful interference to or constrain the development of the fixed and mobile services in Regions 1 and 3.

5.389F In Algeria, Cape Verde, Egypt, Iran (Islamic Republic of), Mali, Syrian Arab Republic and Tunisia, the use of the frequency bands 1 980-2 010 MHz and 2 170-2 200 MHz by the mobile-satellite service shall neither cause harmful interference to the fixed and mobile services, nor hamper the development of those services prior to 1 January 2005, nor shall the former service request protection from the latter services. (WRC-19)

5.391 In making assignments to the mobile service in the frequency bands 2 025-2 110 MHz and 2 200-2 290 MHz, administrations shall not introduce high-density mobile systems, as described in Recommendation ITU-R SA.1154-0, and shall take that Recommendation into account for the introduction of any other type of mobile system. (WRC-15)

5.392 Administrations are urged to take all practicable measures to ensure that space-to-space transmissions between two or more non-geostationary satellites, in the space research, space operations and Earth exploration-satellite services in the bands 2 025-2 110 MHz and 2 200-2 290 MHz, shall not impose any constraints on Earth-to-space, space-to-Earth and other space-to-space transmissions of those services and in those bands between geostationary and non-geostationary satellites.

5.393 *Additional allocation:* in Canada, the United States and India, the frequency band 2 310-2 360 MHz is also allocated to the broadcasting-satellite service (sound) and complementary terrestrial sound broadcasting service

* *Note by the Secretariat:* This Resolution was revised by WRC-12.

on a primary basis. Such use is limited to digital audio broadcasting and is subject to the provisions of Resolution **528 (Rev.WRC-19)**, with the exception of *resolves* 3 in regard to the limitation on broadcasting-satellite systems in the upper 25 MHz. Complementary terrestrial sound broadcasting stations shall be subject to bilateral coordination with neighbouring countries prior to their bringing into use. (WRC-19)

5.394 In the United States, the use of the band 2 300-2 390 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile services. In Canada, the use of the band 2 360-2 400 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile services. (WRC-07)

5.395 In France and Turkey, the use of the band 2 310-2 360 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile service. (WRC-03)

5.398 In respect of the radiodetermination-satellite service in the band 2 483.5-2 500 MHz, the provisions of No. **4.10** do not apply.

5.398A *Different category of service:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan and Ukraine, the band 2 483.5-2 500 MHz is allocated on a primary basis to the radiolocation service. The radiolocation stations in these countries shall not cause harmful interference to, or claim protection from, stations of the fixed, mobile and mobile-satellite services operating in accordance with the Radio Regulations in the frequency band 2 483.5-2 500 MHz. (WRC-12)

5.399 Except for cases referred to in No. **5.401**, stations of the radiodetermination-satellite service operating in the frequency band 2 483.5-2 500 MHz for which notification information is received by the Bureau after 17 February 2012, and the service area of which includes Armenia, Azerbaijan, Belarus, the Russian Federation, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan and Ukraine, shall not cause harmful interference to, and shall not claim protection from stations of the radiolocation service operating in these countries in accordance with No. **5.398A**. (WRC-12)

5.401 In Angola, Australia, Bangladesh, China, Eritrea, Eswatini, Ethiopia, India, Lebanon, Liberia, Libya, Madagascar, Mali, Pakistan, Papua New Guinea, Syrian Arab Republic, Dem. Rep. of the Congo, Sudan, Togo and Zambia, the frequency band 2 483.5-2 500 MHz was already allocated on a primary basis to the radiodetermination-satellite service before WRC-12, subject to agreement obtained under No. **9.21** from countries not listed in this provision. Systems in the radiodetermination-satellite service for which complete coordination information has been received by the Radiocommunication Bureau before 18 February 2012 will retain their regulatory status, as of the date of receipt of the coordination request information. (WRC-19)

5.402 The use of the band 2 483.5-2 500 MHz by the mobile-satellite and the radiodetermination-satellite services is subject to the coordination under No. **9.11A**. Administrations are urged to take all practicable steps to prevent harmful interference to the radio astronomy service from emissions in the 2 483.5-2 500 MHz band, especially those caused by second-harmonic radiation that would fall into the 4 990-5 000 MHz band allocated to the radio astronomy service worldwide.

5.403 Subject to agreement obtained under No. **9.21**, the band 2 520-2 535 MHz may also be used for the mobile-satellite (space-to-Earth), except aeronautical mobile-satellite, service for operation limited to within national boundaries. The provisions of No. **9.11A** apply. (WRC-07)

5.404 *Additional allocation:* in India and Iran (Islamic Republic of), the band 2 500-2 516.5 MHz may also be used for the radiodetermination-satellite service (space-to-Earth) for operation limited to within national boundaries, subject to agreement obtained under No. **9.21**.

5.407 In the band 2 500-2 520 MHz, the power flux-density at the surface of the Earth from space stations operating in the mobile-satellite (space-to-Earth) service shall not exceed $-152 \text{ dB(W/(m}^2 \cdot 4 \text{ kHz))}$ in Argentina, unless otherwise agreed by the administrations concerned.

5.410 The band 2 500-2 690 MHz may be used for tropospheric scatter systems in Region 1, subject to agreement obtained under No. **9.21**. No. **9.21** does not apply to tropospheric scatter links situated entirely outside Region 1. Administrations shall make all practicable efforts to avoid developing new tropospheric scatter systems in this band. When planning new tropospheric scatter radio-relay links in this band, all possible measures shall be taken to avoid directing the antennas of these links towards the geostationary-satellite orbit. (WRC-12)

5.412 *Alternative allocation:* in Kyrgyzstan and Turkmenistan, the band 2 500-2 690 MHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-12)

5.413 In the design of systems in the broadcasting-satellite service in the bands between 2 500 MHz and 2 690 MHz, administrations are urged to take all necessary steps to protect the radio astronomy service in the band 2 690-2 700 MHz.

5.414 The allocation of the frequency band 2 500-2 520 MHz to the mobile-satellite service (space-to-Earth) is subject to coordination under No. **9.11A**. (WRC-07)

5.414A In Japan and India, the use of the bands 2 500-2 520 MHz and 2 520-2 535 MHz, under No. **5.403**, by a satellite network in the mobile-satellite service (space-to-Earth) is limited to operation within national boundaries and subject to the application of No. **9.11A**. The following pfd values shall be used as a threshold for coordination under No. **9.11A**, for all conditions and for all methods of modulation, in an area of 1 000 km around the territory of the administration notifying the mobile-satellite service network:

-136 dB(W/(m ² · MHz))	for 0° ≤ θ ≤ 5°
-136 + 0.55 (θ - 5) dB(W/(m ² · MHz))	for 5° < θ ≤ 25°
-125 dB(W/(m ² · MHz))	for 25° < θ ≤ 90°

where θ is the angle of arrival of the incident wave above the horizontal plane, in degrees. Outside this area Table **21-4** of Article **21** shall apply. Furthermore, the coordination thresholds in Table 5-2 of Annex 1 to Appendix **5** of the Radio Regulations (Edition of 2004), in conjunction with the applicable provisions of Articles **9** and **11** associated with No. **9.11A**, shall apply to systems for which complete notification information has been received by the Radiocommunication Bureau by 14 November 2007 and that have been brought into use by that date. (WRC-07)

5.415 The use of the bands 2 500-2 690 MHz in Region 2 and 2 500-2 535 MHz and 2 655-2 690 MHz in Region 3 by the fixed-satellite service is limited to national and regional systems, subject to agreement obtained under No. **9.21**, giving particular attention to the broadcasting-satellite service in Region 1. (WRC-07)

5.415A *Additional allocation:* in India and Japan, subject to agreement obtained under No. **9.21**, the band 2 515-2 535 MHz may also be used for the aeronautical mobile-satellite service (space-to-Earth) for operation limited to within their national boundaries. (WRC-2000)

5.416 The use of the band 2 520-2 670 MHz by the broadcasting-satellite service is limited to national and regional systems for community reception, subject to agreement obtained under No. **9.21**. The provisions of No. **9.19** shall be applied by administrations in this band in their bilateral and multilateral negotiations. (WRC-07)

5.418 *Additional allocation:* in India, the frequency band 2 535-2 655 MHz is also allocated to the broadcasting-satellite service (sound) and complementary terrestrial broadcasting service on a primary basis. Such use is limited to digital audio broadcasting and is subject to the provisions of Resolution **528 (Rev.WRC-19)**. The provisions of No. **5.416** and Table **21-4** of Article **21** do not apply to this additional allocation. Use of non-geostationary-satellite systems in the broadcasting-satellite service (sound) is subject to Resolution **539 (Rev.WRC-19)**. Geostationary broadcasting-satellite service (sound) systems for which complete Appendix **4** coordination information has been received after 1 June 2005 are limited to systems intended for national coverage. The power flux-density at the Earth's surface produced by emissions from a geostationary broadcasting-satellite service (sound) space station operating in the frequency band 2 630-2 655 MHz, and for which complete Appendix **4** coordination information has been received after 1 June 2005, shall not exceed the following limits, for all conditions and for all methods of modulation:

-130 dB(W/(m ² · MHz))	for 0° ≤ θ ≤ 5°
-130 + 0.4 (θ - 5) dB(W/(m ² · MHz))	for 5° < θ ≤ 25°
-122 dB(W/(m ² · MHz))	for 25° < θ ≤ 90°

where θ is the angle of arrival of the incident wave above the horizontal plane, in degrees. These limits may be exceeded on the territory of any country whose administration has so agreed. As an exception to the limits above, the pfd value of -122 dB(W/(m² · MHz)) shall be used as a threshold for coordination under No. **9.11** in an area of 1 500 km around the territory of the administration notifying the broadcasting-satellite service (sound) system.

In addition, an administration listed in this provision shall not have simultaneously two overlapping frequency assignments, one under this provision and the other under No. **5.416** for systems for which complete Appendix **4** coordination information has been received after 1 June 2005. (WRC-19)

5.418A In certain Region 3 countries listed in No. **5.418**, use of the band 2 630-2 655 MHz by non-geostationary-satellite systems in the broadcasting-satellite service (sound) for which complete Appendix **4** coordination information, or notification information, has been received after 2 June 2000, is subject to the application of the provisions of No. **9.12A**, in respect of geostationary-satellite networks for which complete Appendix **4** coordination information, or notification information, is considered to have been received after 2 June 2000, and No. **22.2** does not apply. No. **22.2** shall continue to apply with respect to geostationary-satellite networks for which complete Appendix **4** coordination information, or notification information, is considered to have been received before 3 June 2000. (WRC-03)

- 5.418B** Use of the band 2 630-2 655 MHz by non-geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. **5.418**, for which complete Appendix 4 coordination information, or notification information, has been received after 2 June 2000, is subject to the application of the provisions of No. **9.12**. (WRC-03)
- 5.418C** Use of the band 2 630-2 655 MHz by geostationary-satellite networks for which complete Appendix 4 coordination information, or notification information, has been received after 2 June 2000 is subject to the application of the provisions of No. **9.13** with respect to non-geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. **5.418** and No. **22.2** does not apply. (WRC-03)
- 5.419** When introducing systems of the mobile-satellite service in the band 2 670-2 690 MHz, administrations shall take all necessary steps to protect the satellite systems operating in this band prior to 3 March 1992. The coordination of mobile-satellite systems in the band shall be in accordance with No. **9.11A**. (WRC-07)
- 5.420** The band 2 655-2 670 MHz may also be used for the mobile-satellite (Earth-to-space), except aeronautical mobile-satellite, service for operation limited to within national boundaries, subject to agreement obtained under No. **9.21**. The coordination under No. **9.11A** applies. (WRC-07)
- 5.422** *Additional allocation:* in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Brunei Darussalam, Congo (Rep. of the), Côte d'Ivoire, Cuba, Djibouti, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Gabon, Georgia, Guinea, Guinea-Bissau, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kuwait, Lebanon, Mauritania, Mongolia, Montenegro, Nigeria, Oman, Pakistan, the Philippines, Qatar, Syrian Arab Republic, Kyrgyzstan, the Dem. Rep. of the Congo, Romania, Somalia, Tajikistan, Tunisia, Turkmenistan, Ukraine and Yemen, the band 2 690-2 700 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. Such use is limited to equipment in operation by 1 January 1985. (WRC-12)
- 5.423** In the band 2 700-2 900 MHz, ground-based radars used for meteorological purposes are authorized to operate on a basis of equality with stations of the aeronautical radionavigation service.
- 5.424** *Additional allocation:* in Canada, the band 2 850-2 900 MHz is also allocated to the maritime radionavigation service, on a primary basis, for use by shore-based radars.
- 5.424A** In the band 2 900-3 100 MHz, stations in the radiolocation service shall not cause harmful interference to, nor claim protection from, radar systems in the radionavigation service. (WRC-03)
- 5.425** In the band 2 900-3 100 MHz, the use of the shipborne interrogator-transponder (SIT) system shall be confined to the sub-band 2 930 -2 950 MHz.
- 5.426** The use of the band 2 900-3 100 MHz by the aeronautical radionavigation service is limited to ground-based radars.
- 5.427** In the bands 2 900-3 100 MHz and 9 300-9 500 MHz, the response from radar transponders shall not be capable of being confused with the response from radar beacons (racons) and shall not cause interference to ship or aeronautical radars in the radionavigation service, having regard, however, to No. **4.9**.
- 5.428** *Additional allocation:* in Kyrgyzstan and Turkmenistan, the frequency band 3 100-3 300 MHz is also allocated to the radionavigation service on a primary basis. (WRC-19)
- 5.429** *Additional allocation:* in Saudi Arabia, Bahrain, Bangladesh, Benin, Brunei Darussalam, Cambodia, Cameroon, China, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Egypt, the United Arab Emirates, India, Indonesia, Iran (Islamic Republic of), Iraq, Japan, Jordan, Kenya, Kuwait, Lebanon, Libya, Malaysia, New Zealand, Oman, Uganda, Pakistan, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, the Dem. People's Rep. of Korea, Sudan and Yemen, the frequency band 3 300-3 400 MHz is also allocated to the fixed and mobile services on a primary basis. New Zealand and the countries bordering the Mediterranean shall not claim protection for their fixed and mobile services from the radiolocation service. (WRC-19)
- 5.429A** *Additional allocation:* in Angola, Benin, Botswana, Burkina Faso, Burundi, Djibouti, Eswatini, Ghana, Guinea, Guinea-Bissau, Lesotho, Liberia, Malawi, Mauritania, Mozambique, Namibia, Niger, Nigeria, Rwanda, Sudan, South Sudan, South Africa, Tanzania, Chad, Togo, Zambia and Zimbabwe, the frequency band 3 300-3 400 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis. Stations in the mobile service operating in the frequency band 3 300-3 400 MHz shall not cause harmful interference to, or claim protection from, stations operating in the radiolocation service. (WRC-19)
- 5.429B** In the following countries of Region 1 south of 30° parallel north: Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Congo (Rep. of the), Côte d'Ivoire, Egypt, Eswatini, Ghana, Guinea, Guinea-Bissau, Kenya, Lesotho, Liberia, Malawi, Mauritania, Mozambique, Namibia, Niger, Nigeria, Uganda, the Dem. Rep. of the Congo, Rwanda, Sudan, South Sudan, South Africa, Tanzania, Chad, Togo, Zambia and Zimbabwe, the frequency band 3 300- 3 400 MHz is identified for the implementation of International Mobile Telecommunications (IMT). The use of this frequency band shall be in accordance with Resolution **223 (Rev.WRC-19)**. The use of the frequency band 3 300-3 400 MHz by IMT stations in the mobile service shall not cause harmful interference to, or claim protection

from, systems in the radiolocation service, and administrations wishing to implement IMT shall obtain the agreement of neighbouring countries to protect operations within the radiolocation service. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-19)

5.429C *Different category of service:* in Argentina, Belize, Brazil, Chile, Colombia, Costa Rica, the Dominican Republic, El Salvador, Ecuador, Guatemala, Mexico, Paraguay and Uruguay, the frequency band 3 300-3 400 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis. In Argentina, Brazil, the Dominican Republic, Guatemala, Mexico, Paraguay and Uruguay, the frequency band 3 300-3 400 MHz is also allocated to the fixed service on a primary basis. Stations in the fixed and mobile services operating in the frequency band 3 300-3 400 MHz shall not cause harmful interference to, or claim protection from, stations operating in the radiolocation service. (WRC-19)

5.429D In the following countries in Region 2: Argentina, Belize, Brazil, Chile, Colombia, Costa Rica, the Dominican Republic, El Salvador, Ecuador, Guatemala, Mexico, Paraguay and Uruguay, the use of the frequency band 3 300-3 400 MHz is identified for the implementation of International Mobile Telecommunications (IMT). Such use shall be in accordance with Resolution **223 (Rev.WRC-19)**. This use in Argentina, Paraguay and Uruguay is subject to the application of No. **9.21**. The use of the frequency band 3 300-3 400 MHz by IMT stations in the mobile service shall not cause harmful interference to, or claim protection from, systems in the radiolocation service, and administrations wishing to implement IMT shall obtain the agreement of neighbouring countries to protect operations within the radiolocation service. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-19)

5.429E *Additional allocation:* in Papua New Guinea, the frequency band 3 300-3 400 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis. Stations in the mobile service operating in the frequency band 3 300-3 400 MHz shall not cause harmful interference to, or claim protection from, stations operating in the radiolocation service. (WRC-15)

5.429F In the following countries in Region 3: Cambodia, India, Indonesia, Lao P.D.R., Pakistan, the Philippines and Viet Nam, the use of the frequency band 3 300-3 400 MHz is identified for the implementation of International Mobile Telecommunications (IMT). Such use shall be in accordance with Resolution **223 (Rev.WRC-19)**. The use of the frequency band 3 300-3 400 MHz by IMT stations in the mobile service shall not cause harmful interference to, or claim protection from, systems in the radiolocation service. Before an administration brings into use a base or mobile station of an IMT system in this frequency band, it shall seek agreement under No. **9.21** with neighbouring countries to protect the radiolocation service. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-19)

5.430 *Additional allocation:* in Kyrgyzstan and Turkmenistan, the frequency band 3 300-3 400 MHz is also allocated to the radionavigation service on a primary basis. (WRC-19)

5.430A The allocation of the frequency band 3 400-3 600 MHz to the mobile, except aeronautical mobile, service is subject to agreement obtained under No. **9.21**. This frequency band is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. The provisions of Nos. **9.17** and **9.18** shall also apply in the coordination phase. Before an administration brings into use a (base or mobile) station of the mobile service in this frequency band, it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed $-154.5 \text{ dB(W/(m}^2 \cdot 4 \text{ kHz))}$ for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station) and with the assistance of the Bureau if so requested. In case of disagreement, calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the frequency band 3 400-3 600 MHz shall not claim more protection from space stations than that provided in Table **21-4** of the Radio Regulations (Edition of 2004). (WRC-15)

5.431 *Additional allocation:* in Germany, the frequency band 3 400-3 475 MHz is also allocated to the amateur service on a secondary basis. (WRC-19)

5.431A In Region 2, the allocation of the frequency band 3 400-3 500 MHz to the mobile, except aeronautical mobile, service on a primary basis is subject to agreement obtained under No. **9.21**. (WRC-15)

5.431B In Region 2, the frequency band 3 400-3 600 MHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of this

frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. **9.17** and **9.18** also apply. Before an administration brings into use a base or mobile station of an IMT system, it shall seek agreement under No. **9.21** with other administrations and ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed $-154.5 \text{ dB(W/(m}^2 \cdot 4 \text{ kHz))}$ for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service, including IMT systems, in the frequency band 3 400-3 600 MHz shall not claim more protection from space stations than that provided in Table **21-4** of the Radio Regulations (Edition of 2004). (WRC-15)

5.432 *Different category of service:* in Korea (Rep. of), Japan, Pakistan and the Dem. People's Rep. of Korea, the allocation of the frequency band 3 400-3 500 MHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. **5.33**). (WRC-19)

5.432A In Korea (Rep. of), Japan, Pakistan and the Dem. People's Rep. of Korea, the frequency band 3 400-3 500 MHz is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. **9.17** and **9.18** also apply. Before an administration brings into use a (base or mobile) station of the mobile service in this frequency band it shall ensure that the power flux density (pfd) produced at 3 m above ground does not exceed $-154.5 \text{ dB(W/(m}^2 \cdot 4 \text{ kHz))}$ for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the frequency band 3 400-3 500 MHz shall not claim more protection from space stations than that provided in Table **21-4** of the Radio Regulations (Edition of 2004). (WRC-19)

5.432B *Different category of service:* in Australia, Bangladesh, Brunei Darussalam, China, French overseas communities of Region 3, India, Indonesia, Iran (Islamic Republic of), Malaysia, New Zealand, the Philippines, Singapore and Thailand, the frequency band 3 400-3 500 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis, subject to agreement obtained under No. **9.21** with other administrations and is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. **9.17** and **9.18** also apply. Before an administration brings into use a (base or mobile) station of the mobile service in this frequency band it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed $-154.5 \text{ dB(W/(m}^2 \cdot 4 \text{ kHz))}$ for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the frequency band 3 400-3 500 MHz shall not claim more protection from space stations than that provided in Table **21-4** of the Radio Regulations (Edition of 2004). (WRC-19)

5.433 In Regions 2 and 3, in the band 3 400-3 600 MHz the radiolocation service is allocated on a primary basis. However, all administrations operating radiolocation systems in this band are urged to cease operations by 1985. Thereafter, administrations shall take all practicable steps to protect the fixed-satellite service and coordination requirements shall not be imposed on the fixed-satellite service.

5.433A In Australia, Bangladesh, Brunei Darussalam, China, French overseas communities of Region 3, Korea (Rep. of), India, Indonesia, Iran (Islamic Republic of), Japan, New Zealand, Pakistan, the Philippines and the Dem. People's Rep. of Korea, the frequency band 3 500-3 600 MHz is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of

coordination the provisions of Nos. **9.17** and **9.18** also apply. Before an administration brings into use a (base or mobile) station of the mobile service in this frequency band it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed $-154.5 \text{ dB(W/(m}^2 \cdot 4 \text{ kHz))}$ for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the frequency band 3 500-3 600 MHz shall not claim more protection from space stations than that provided in Table **21-4** of the Radio Regulations (Edition of 2004). (WRC-19)

5.434 In Canada, Chile, Colombia, Costa Rica, El Salvador, the United States and Paraguay, the frequency band 3 600-3 700 MHz, or portions thereof, is identified for use by these administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. **9.17** and **9.18** also apply. Before an administration brings into use a base or mobile station of an IMT system, it shall seek agreement under No. **9.21** with other administrations and ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed $-154.5 \text{ dB(W/(m}^2 \cdot 4 \text{ kHz))}$ for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service, including IMT systems, in the frequency band 3 600-3 700 MHz shall not claim more protection from space stations than that provided in Table **21-4** of the Radio Regulations (Edition of 2004). (WRC-19)

5.435 In Japan, in the band 3 620-3 700 MHz, the radiolocation service is excluded.

5.436 Use of the frequency band 4 200-4 400 MHz by stations in the aeronautical mobile (R) service is reserved exclusively for wireless avionics intra-communication systems that operate in accordance with recognized international aeronautical standards. Such use shall be in accordance with Resolution **424 (WRC-15)**. (WRC-15)

5.437 Passive sensing in the Earth exploration-satellite and space research services may be authorized in the frequency band 4 200-4 400 MHz on a secondary basis. (WRC-15)

5.438 Use of the frequency band 4 200-4 400 MHz by the aeronautical radionavigation service is reserved exclusively for radio altimeters installed on board aircraft and for the associated transponders on the ground. (WRC-15)

5.439 *Additional allocation:* in Iran (Islamic Republic of), the band 4 200-4 400 MHz is also allocated to the fixed service on a secondary basis. (WRC-12)

5.440 The standard frequency and time signal-satellite service may be authorized to use the frequency 4 202 MHz for space-to-Earth transmissions and the frequency 6 427 MHz for Earth-to-space transmissions. Such transmissions shall be confined within the limits of ± 2 MHz of these frequencies, subject to agreement obtained under No. **9.21**.

5.440A In Region 2 (except Brazil, Cuba, French overseas departments and communities, Guatemala, Paraguay, Uruguay and Venezuela), and in Australia, the band 4 400-4 940 MHz may be used for aeronautical mobile telemetry for flight testing by aircraft stations (see No. **1.83**). Such use shall be in accordance with Resolution **416 (WRC-07)** and shall not cause harmful interference to, nor claim protection from, the fixed-satellite and fixed services. Any such use does not preclude the use of this band by other mobile service applications or by other services to which this band is allocated on a co-primary basis and does not establish priority in the Radio Regulations. (WRC-07)

5.441 The use of the bands 4 500-4 800 MHz (space-to-Earth), 6 725-7 025 MHz (Earth-to-space) by the fixed-satellite service shall be in accordance with the provisions of Appendix **30B**. The use of the bands 10.7-10.95 GHz (space-to-Earth), 11.2-11.45 GHz (space-to-Earth) and 12.75-13.25 GHz (Earth-to-space) by geostationary-satellite systems in the fixed-satellite service shall be in accordance with the provisions of Appendix **30B**. The use of the bands 10.7-10.95 GHz (space-to-Earth), 11.2-11.45 GHz (space-to-Earth) and 12.75-13.25 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to application of the provisions of No. **9.12** for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations,

irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. **5.43A** does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)

5.441A In Brazil, Paraguay and Uruguay, the frequency band 4 800-4 900 MHz, or portions thereof, is identified for the implementation of International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. The use of this frequency band for the implementation of IMT is subject to agreement obtained with neighbouring countries, and IMT stations shall not claim protection from stations of other applications of the mobile service. Such use shall be in accordance with Resolution **223 (Rev.WRC-19)**. (WRC-19)

5.441B In Angola, Armenia, Azerbaijan, Benin, Botswana, Brazil, Burkina Faso, Burundi, Cambodia, Cameroon, China, Côte d'Ivoire, Djibouti, Eswatini, Russian Federation, Gambia, Guinea, Iran (Islamic Republic of), Kazakhstan, Kenya, Lao P.D.R., Lesotho, Liberia, Malawi, Mauritius, Mongolia, Mozambique, Nigeria, Uganda, Uzbekistan, the Dem. Rep. of the Congo, Kyrgyzstan, the Dem. People's Rep. of Korea, Sudan, South Africa, Tanzania, Togo, Viet Nam, Zambia and Zimbabwe, the frequency band 4 800-4 990 MHz, or portions thereof, is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. The use of IMT stations is subject to agreement obtained under No. **9.21** with concerned administrations, and IMT stations shall not claim protection from stations of other applications of the mobile service. In addition, before an administration brings into use an IMT station in the mobile service, it shall ensure that the power flux-density (pfd) produced by this station does not exceed $-155 \text{ dB(W/(m}^2 \cdot 1 \text{ MHz))}$ produced up to 19 km above sea level at 20 km from the coast, defined as the low-water mark, as officially recognized by the coastal State. This pfd criterion is subject to review at WRC-23. Resolution **223 (Rev.WRC-19)** applies. This identification shall be effective after WRC-19. (WRC-19)

5.442 In the frequency bands 4 825-4 835 MHz and 4 950-4 990 MHz, the allocation to the mobile service is restricted to the mobile, except aeronautical mobile, service. In Region 2 (except Brazil, Cuba, Guatemala, Mexico, Paraguay, Uruguay and Venezuela), and in Australia, the frequency band 4 825-4 835 MHz is also allocated to the aeronautical mobile service, limited to aeronautical mobile telemetry for flight testing by aircraft stations. Such use shall be in accordance with Resolution **416 (WRC-07)** and shall not cause harmful interference to the fixed service. (WRC-15)

5.443 *Different category of service:* in Argentina, Australia and Canada, the allocation of the bands 4 825-4 835 MHz and 4 950-4 990 MHz to the radio astronomy service is on a primary basis (see No. **5.33**).

5.443AA In the frequency bands 5 000-5 030 MHz and 5 091-5 150 MHz, the aeronautical mobile-satellite (R) service is subject to agreement obtained under No. **9.21**. The use of these bands by the aeronautical mobile-satellite (R) service is limited to internationally standardized aeronautical systems. (WRC-12)

5.443B In order not to cause harmful interference to the microwave landing system operating above 5 030 MHz, the aggregate power flux-density produced at the Earth's surface in the frequency band 5 030-5 150 MHz by all the space stations within any radionavigation-satellite service system (space-to-Earth) operating in the frequency band 5 010-5 030 MHz shall not exceed $-124.5 \text{ dB(W/m}^2)$ in a 150 kHz band. In order not to cause harmful interference to the radio astronomy service in the frequency band 4 990-5 000 MHz, radionavigation-satellite service systems operating in the frequency band 5 010-5 030 MHz shall comply with the limits in the frequency band 4 990-5 000 MHz defined in Resolution **741(Rev.WRC-15)**. (WRC-15)

5.443C The use of the frequency band 5 030-5 091 MHz by the aeronautical mobile (R) service is limited to internationally standardized aeronautical systems. Unwanted emissions from the aeronautical mobile (R) service in the frequency band 5 030-5 091 MHz shall be limited to protect RNSS system downlinks in the adjacent 5 010-5 030 MHz band. Until such time that an appropriate value is established in a relevant ITU-R Recommendation, the e.i.r.p. density limit of -75 dBW/MHz in the frequency band 5 010-5 030 MHz for any AM(R)S station unwanted emission should be used. (WRC-12)

5.443D In the frequency band 5 030-5 091 MHz, the aeronautical mobile-satellite (R) service is subject to coordination under No. **9.11A**. The use of this frequency band by the aeronautical mobile-satellite (R) service is limited to internationally standardized aeronautical systems. (WRC-12)

5.444 The frequency band 5 030-5 150 MHz is to be used for the operation of the international standard system (microwave landing system) for precision approach and landing. In the frequency band 5 030-5 091 MHz, the requirements of this system shall have priority over other uses of this frequency band. For the use of the frequency band 5 091-5 150 MHz, No. **5.444A** and Resolution **114 (Rev.WRC-15)** apply. (WRC-15)

5.444A The use of the allocation to the fixed-satellite service (Earth-to-space) in the frequency band 5 091-5 150 MHz is limited to feeder links of non-geostationary satellite systems in the mobile-satellite service and is subject to coordination under No. **9.11A**. The use of the frequency band 5 091-5 150 MHz by feeder links of non-geostationary satellite systems in the mobile-satellite service shall be subject to application of Resolution **114 (Rev.WRC-15)**. Moreover, to ensure that the aeronautical radionavigation service is protected from harmful interference, coordination is required for feeder-link earth stations of the non-geostationary satellite systems in the mobile-satellite service which are separated by less than 450 km from the territory of an administration operating ground stations in the aeronautical radionavigation service. (WRC-15)

5.444B The use of the frequency band 5 091-5 150 MHz by the aeronautical mobile service is limited to:

- systems operating in the aeronautical mobile (R) service and in accordance with international aeronautical standards, limited to surface applications at airports. Such use shall be in accordance with Resolution **748 (Rev.WRC-19)**;
- aeronautical telemetry transmissions from aircraft stations (see No. **1.83**) in accordance with Resolution **418 (Rev.WRC-19)**. (WRC-19)

5.446 *Additional allocation:* in the countries listed in No. **5.369**, the frequency band 5 150-5 216 MHz is also allocated to the radiodetermination-satellite service (space-to-Earth) on a primary basis, subject to agreement obtained under No. **9.21**. In Region 2 (except in Mexico), the frequency band is also allocated to the radiodetermination-satellite service (space-to-Earth) on a primary basis. In Regions 1 and 3, except those countries listed in No. **5.369** and Bangladesh, the frequency band is also allocated to the radiodetermination-satellite service (space-to-Earth) on a secondary basis. The use by the radiodetermination-satellite service is limited to feeder links in conjunction with the radiodetermination-satellite service operating in the frequency bands 1 610-1 626.5 MHz and/or 2 483.5-2 500 MHz. The total power flux-density at the Earth's surface shall in no case exceed -159 dB(W/m²) in any 4 kHz band for all angles of arrival. (WRC-15)

5.446A The use of the bands 5 150-5 350 MHz and 5 470-5 725 MHz by the stations in the mobile, except aeronautical mobile, service shall be in accordance with Resolution **229 (Rev.WRC-19)**. (WRC-19)

5.446B In the band 5 150-5 250 MHz, stations in the mobile service shall not claim protection from earth stations in the fixed-satellite service. No. **5.43A** does not apply to the mobile service with respect to fixed-satellite service earth stations. (WRC-03)

5.446C *Additional allocation:* in Region 1 (except in Algeria, Saudi Arabia, Bahrain, Egypt, United Arab Emirates, Iraq, Jordan, Kuwait, Lebanon, Morocco, Oman, Qatar, Syrian Arab Republic, Sudan, South Sudan and Tunisia), the frequency band 5 150-5 250 MHz is also allocated to the aeronautical mobile service on a primary basis, limited to aeronautical telemetry transmissions from aircraft stations (see No. **1.83**), in accordance with Resolution **418 (Rev.WRC-19)**. These stations shall not claim protection from other stations operating in accordance with Article 5. No. **5.43A** does not apply. (WRC-19)

5.446D *Additional allocation:* in Brazil, the band 5 150-5 250 MHz is also allocated to the aeronautical mobile service on a primary basis, limited to aeronautical telemetry transmissions from aircraft stations (see No. **1.83**), in accordance with Resolution **418 (Rev.WRC-19)**. (WRC-19)

5.447 *Additional allocation:* in Côte d'Ivoire, Egypt, Lebanon, the Syrian Arab Republic and Tunisia, the frequency band 5 150-5 250 MHz is also allocated to the mobile service, on a primary basis, subject to agreement obtained under No. **9.21**. In this case, the provisions of Resolution **229 (Rev.WRC-19)** do not apply. (WRC-19)

5.447A The allocation to the fixed-satellite service (Earth-to-space) in the band 5 150-5 250 MHz is limited to feeder links of non-geostationary-satellite systems in the mobile-satellite service and is subject to coordination under No. **9.11A**.

5.447B *Additional allocation:* the band 5 150-5 216 MHz is also allocated to the fixed-satellite service (space-to-Earth) on a primary basis. This allocation is limited to feeder links of non-geostationary-satellite systems in the mobile-satellite service and is subject to provisions of No. **9.11A**. The power flux-density at the Earth's surface produced by space stations of the fixed-satellite service operating in the space-to-Earth direction in the band 5 150-5 216 MHz shall in no case exceed -164 dB(W/m²) in any 4 kHz band for all angles of arrival.

5.447C Administrations responsible for fixed-satellite service networks in the band 5 150-5 250 MHz operated under Nos. **5.447A** and **5.447B** shall coordinate on an equal basis in accordance with No. **9.11A** with administrations responsible for non-geostationary-satellite networks operated under No. **5.446** and brought into use prior to 17 November 1995. Satellite networks operated under No. **5.446** brought into use after 17 November 1995 shall not claim protection from, and shall not cause harmful interference to, stations of the fixed-satellite service operated under Nos. **5.447A** and **5.447B**.

5.447D The allocation of the band 5 250-5 255 MHz to the space research service on a primary basis is limited to active spaceborne sensors. Other uses of the band by the space research service are on a secondary basis. (WRC-97)

5.447E *Additional allocation:* The frequency band 5 250-5 350 MHz is also allocated to the fixed service on a primary basis in the following countries in Region 3: Australia, Korea (Rep. of), India, Indonesia, Iran (Islamic Republic of), Japan, Malaysia, Papua New Guinea, the Philippines, Dem. People's Rep. of Korea, Sri Lanka, Thailand and Viet Nam. The use of this frequency band by the fixed service is intended for the implementation of fixed wireless access systems and shall comply with Recommendation ITU-R F.1613-0. In addition, the fixed service shall not claim protection from the radiodetermination, Earth exploration-satellite (active) and space research (active) services, but the provisions of No. **5.43A** do not apply to the fixed service with respect to the Earth exploration-satellite (active) and space research (active) services. After implementation of fixed wireless access systems in the fixed service with protection for the existing radiodetermination systems, no more stringent constraints should be imposed on the fixed wireless access systems by future radiodetermination implementations. (WRC-15)

5.447F In the frequency band 5 250-5 350 MHz, stations in the mobile service shall not claim protection from the radiolocation service, the Earth exploration-satellite service (active) and the space research service (active). The radiolocation service, the Earth exploration-satellite service (active) and the space research service (active) shall not impose more stringent conditions upon the mobile service than those stipulated in Resolution **229 (Rev.WRC-19)**. (WRC-19)

5.448 *Additional allocation:* in Kyrgyzstan, Romania and Turkmenistan, the band 5 250-5 350 MHz is also allocated to the radionavigation service on a primary basis. (WRC-19)

5.448A The Earth exploration-satellite (active) and space research (active) services in the frequency band 5 250-5 350 MHz shall not claim protection from the radiolocation service. No. **5.43A** does not apply. (WRC-03)

5.448B The Earth exploration-satellite service (active) operating in the band 5 350-5 570 MHz and space research service (active) operating in the band 5 460-5 570 MHz shall not cause harmful interference to the aeronautical radionavigation service in the band 5 350-5 460 MHz, the radionavigation service in the band 5 460-5 470 MHz and the maritime radionavigation service in the band 5 470-5 570 MHz. (WRC-03)

5.448C The space research service (active) operating in the band 5 350-5 460 MHz shall not cause harmful interference to nor claim protection from other services to which this band is allocated. (WRC-03)

5.448D In the frequency band 5 350-5 470 MHz, stations in the radiolocation service shall not cause harmful interference to, nor claim protection from, radar systems in the aeronautical radionavigation service operating in accordance with No. **5.449**. (WRC-03)

5.449 The use of the band 5 350-5 470 MHz by the aeronautical radionavigation service is limited to airborne radars and associated airborne beacons.

5.450 *Additional allocation:* in Austria, Azerbaijan, Iran (Islamic Republic of), Kyrgyzstan, Romania, Turkmenistan and Ukraine, the band 5 470-5 650 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-12)

5.450A In the frequency band 5 470-5 725 MHz, stations in the mobile service shall not claim protection from radiodetermination services. The radiodetermination services shall not impose more stringent conditions upon the mobile service than those stipulated in Resolution **229 (Rev.WRC-19)**. (WRC-19)

5.450B In the frequency band 5 470-5 650 MHz, stations in the radiolocation service, except ground-based radars used for meteorological purposes in the band 5 600-5 650 MHz, shall not cause harmful interference to, nor claim protection from, radar systems in the maritime radionavigation service. (WRC-03)

5.451 *Additional allocation:* in the United Kingdom, the band 5 470-5 850 MHz is also allocated to the land mobile service on a secondary basis. The power limits specified in Nos. **21.2**, **21.3**, **21.4** and **21.5** shall apply in the band 5 725-5 850 MHz.

5.452 Between 5 600 MHz and 5 650 MHz, ground-based radars used for meteorological purposes are authorized to operate on a basis of equality with stations of the maritime radionavigation service.

5.453 *Additional allocation:* in Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Djibouti, Egypt, the United Arab Emirates, Eswatini, Gabon, Guinea, Equatorial Guinea, India, Indonesia, Iran (Islamic Republic of), Iraq, Japan, Jordan, Kenya, Kuwait, Lebanon, Libya, Madagascar, Malaysia, Niger, Nigeria, Oman, Uganda, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Sri Lanka, Tanzania, Chad, Thailand, Togo, Viet Nam and Yemen, the frequency band 5 650-5 850 MHz is also allocated to the fixed and mobile services on a primary basis. In this case, the provisions of Resolution **229 (Rev.WRC-19)** do not apply. In addition, in Afghanistan, Angola, Benin, Bhutan, Botswana, Burkina Faso, Burundi, Dem. Rep. of the Congo, Fiji, Ghana, Kiribati, Lesotho, Malawi, Maldives, Mauritius, Micronesia, Mongolia, Mozambique, Myanmar, Namibia, Nauru, New Zealand, Papua New Guinea,

Rwanda, Solomon Islands, South Sudan, South Africa, Tonga, Vanuatu, Zambia and Zimbabwe, the frequency band 5 725-5 850 MHz is allocated to the fixed service on a primary basis, and stations operating in the fixed service shall not cause harmful interference to and shall not claim protection from other primary services in the frequency band. (WRC-19)

5.454 *Different category of service:* in Azerbaijan, the Russian Federation, Georgia, Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 5 670-5 725 MHz to the space research service is on a primary basis (see No. **5.33**). (WRC-12)

5.455 *Additional allocation:* in Armenia, Azerbaijan, Belarus, Cuba, the Russian Federation, Georgia, Hungary, Kazakhstan, Moldova, Uzbekistan, Kyrgyzstan, Romania, Tajikistan, Turkmenistan and Ukraine, the frequency band 5 670-5 850 MHz is also allocated to the fixed service on a primary basis. (WRC-19)

5.457 In Australia, Burkina Faso, Cote d'Ivoire, Mali and Nigeria, the allocation to the fixed service in the bands 6 440-6 520 MHz (HAPS-to-ground direction) and 6 560-6 640 MHz (ground-to-HAPS direction) may also be used by gateway links for high-altitude platform stations (HAPS) within the territory of these countries. Such use is limited to operation in HAPS gateway links and shall not cause harmful interference to, and shall not claim protection from, existing services, and shall be in compliance with Resolution **150 (WRC-12)**. Existing services shall not be constrained in future development by HAPS gateway links. The use of HAPS gateway links in these bands requires explicit agreement with other administrations whose territories are located within 1 000 kilometres from the border of an administration intending to use the HAPS gateway links. (WRC-12)

5.457A In the frequency bands 5 925-6 425 MHz and 14-14.5 GHz, earth stations located on board vessels may communicate with space stations of the fixed-satellite service. Such use shall be in accordance with Resolution **902(WRC-03)**. In the frequency band 5 925-6 425 MHz, earth stations located on board vessels and communicating with space stations of the fixed-satellite service may employ transmit antennas with minimum diameter of 1.2 m and operate without prior agreement of any administration if located at least 330 km away from the low-water mark as officially recognized by the coastal State. All other provisions of Resolution **902 (WRC-03)** shall apply. (WRC-15)

5.457B In the frequency bands 5 925-6 425 MHz and 14-14.5 GHz, earth stations located on board vessels may operate with the characteristics and under the conditions contained in Resolution **902(WRC-03)** in Algeria, Saudi Arabia, Bahrain, Comoros, Djibouti, Egypt, United Arab Emirates, Jordan, Kuwait, Libya, Morocco, Mauritania, Oman, Qatar, the Syrian Arab Republic, Sudan, Tunisia and Yemen, in the maritime mobile-satellite service on a secondary basis. Such use shall be in accordance with Resolution **902 (WRC-03)**. (WRC-15)

5.457C In Region 2 (except Brazil, Cuba, French overseas departments and communities, Guatemala, Mexico, Paraguay, Uruguay and Venezuela), the frequency band 5 925-6 700 MHz may be used for aeronautical mobile telemetry for flight testing by aircraft stations (see No. **1.83**). Such use shall be in accordance with Resolution **416 (WRC-07)** and shall not cause harmful interference to, or claim protection from, the fixed-satellite and fixed services. Any such use does not preclude the use of this frequency band by other mobile service applications or by other services to which this frequency band is allocated on a co-primary basis and does not establish priority in the Radio Regulations. (WRC-15)

5.458 In the band 6 425-7 075 MHz, passive microwave sensor measurements are carried out over the oceans. In the band 7 075-7 250 MHz, passive microwave sensor measurements are carried out. Administrations should bear in mind the needs of the Earth exploration-satellite (passive) and space research (passive) services in their future planning of the bands 6 425-7 075 MHz and 7 075-7 250 MHz.

5.458A In making assignments in the band 6 700-7 075 MHz to space stations of the fixed-satellite service, administrations are urged to take all practicable steps to protect spectral line observations of the radio astronomy service in the band 6 650-6 675.2 MHz from harmful interference from unwanted emissions.

5.458B The space-to-Earth allocation to the fixed-satellite service in the band 6 700-7 075 MHz is limited to feeder links for non-geostationary satellite systems of the mobile-satellite service and is subject to coordination under No. **9.11A**. The use of the band 6 700-7 075 MHz (space-to-Earth) by feeder links for non-geostationary satellite systems in the mobile-satellite service is not subject to No. **22.2**.

5.459 *Additional allocation:* in the Russian Federation, the frequency bands 7 100-7 155 MHz and 7 190-7 235 MHz are also allocated to the space operation service (Earth-to-space) on a primary basis, subject to agreement obtained under No. **9.21**. In the frequency band 7 190-7 235 MHz, with respect to the Earth exploration-satellite service (Earth-to-space), No. **9.21** does not apply. (WRC-15)

5.460 No emissions from space research service (Earth-to-space) systems intended for deep space shall be effected in the frequency band 7 190-7 235 MHz. Geostationary satellites in the space research service operating in the frequency band 7 190-7 235 MHz shall not claim protection from existing and future stations of the fixed and mobile services and No. **5.43A** does not apply. (WRC-15)

5.460A The use of the frequency band 7 190-7 250 MHz (Earth-to-space) by the Earth exploration-satellite service shall be limited to tracking, telemetry and command for the operation of spacecraft. Space stations operating in the Earth exploration-satellite service (Earth-to-space) in the frequency band 7 190-7 250 MHz shall not claim protection from existing and future stations in the fixed and mobile services, and No. **5.43A** does not apply. No. **9.17** applies. Additionally, to ensure protection of the existing and future deployment of fixed and mobile services, the location of earth stations supporting spacecraft in the Earth exploration-satellite service in non-geostationary orbits or geostationary orbit shall maintain a separation distance of at least 10 km and 50 km, respectively, from the respective border(s) of neighbouring countries, unless a shorter distance is otherwise agreed between the corresponding administrations. (WRC-15)

5.460B Space stations on the geostationary orbit operating in the Earth exploration-satellite service (Earth-to-space) in the frequency band 7 190-7 235 MHz shall not claim protection from existing and future stations of the space research service, and No. **5.43A** does not apply. (WRC-15)

5.461 *Additional allocation:* the bands 7 250-7 375 MHz (space-to-Earth) and 7 900-8 025 MHz (Earth-to-space) are also allocated to the mobile-satellite service on a primary basis, subject to agreement obtained under No. **9.21**.

5.461A The use of the band 7 450-7 550 MHz by the meteorological-satellite service (space-to-Earth) is limited to geostationary-satellite systems. Non-geostationary meteorological-satellite systems in this band notified before 30 November 1997 may continue to operate on a primary basis until the end of their lifetime. (WRC-97)

5.461AA The use of the frequency band 7 375-7 750 MHz by the maritime mobile-satellite service is limited to geostationary-satellite networks. (WRC-15)

5.461AB In the frequency band 7 375-7 750 MHz, earth stations in the maritime mobile-satellite service shall not claim protection from, nor constrain the use and development of, stations in the fixed and mobile, except aeronautical mobile, services. No. **5.43A** does not apply. (WRC-15)

5.461B The use of the band 7 750-7 900 MHz by the meteorological-satellite service (space-to-Earth) is limited to non-geostationary satellite systems. (WRC-12)

5.462A In Regions 1 and 3 (except for Japan), in the band 8 025-8 400 MHz, the Earth exploration-satellite service using geostationary satellites shall not produce a power flux-density in excess of the following values for angles of arrival (θ), without the consent of the affected administration:

-135 dB(W/m ²) in a 1 MHz band	for $0 \leq \theta < 5^\circ$	
-135 + 0.5 ($\theta - 5$) dB(W/m ²) in a 1 MHz band	for $5 \leq \theta < 25^\circ$	
-125 dB(W/m ²) in a 1 MHz band	for $25 \leq \theta \leq 90^\circ$	(WRC-12)

5.463 Aircraft stations are not permitted to transmit in the band 8 025-8 400 MHz. (WRC-97)

5.465 In the space research service, the use of the band 8 400-8 450 MHz is limited to deep space.

5.466 *Different category of service:* in Singapore and Sri Lanka, the allocation of the band 8 400-8 500 MHz to the space research service is on a secondary basis (see No. **5.32**). (WRC-12)

5.468 *Additional allocation:* in Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Burundi, Cameroon, China, Congo (Rep. of the), Djibouti, Egypt, the United Arab Emirates, Eswatini, Gabon, Guyana, Indonesia, Iran (Islamic Republic of), Iraq, Jamaica, Jordan, Kenya, Kuwait, Lebanon, Libya, Malaysia, Mali, Morocco, Mauritania, Nepal, Nigeria, Oman, Uganda, Pakistan, Qatar, Syrian Arab Republic, the Dem. People's Rep. of Korea, Senegal, Singapore, Somalia, Sudan, Chad, Togo, Tunisia and Yemen, the frequency band 8 500-8 750 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-19)

5.469 *Additional allocation:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Hungary, Lithuania, Mongolia, Uzbekistan, Poland, Kyrgyzstan, the Czech Rep., Romania, Tajikistan, Turkmenistan and Ukraine, the band 8 500-8 750 MHz is also allocated to the land mobile and radionavigation services on a primary basis. (WRC-12)

5.469A In the band 8 550-8 650 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, or constrain the use and development of, stations of the radiolocation service. (WRC-97)

5.470 The use of the band 8 750-8 850 MHz by the aeronautical radionavigation service is limited to airborne Doppler navigation aids on a centre frequency of 8 800 MHz.

5.471 *Additional allocation:* in Algeria, Germany, Bahrain, Belgium, China, Egypt, the United Arab Emirates, France, Greece, Indonesia, Iran (Islamic Republic of), Libya, the Netherlands, Qatar and Sudan, the frequency bands 8 825-8 850 MHz and 9 000-9 200 MHz are also allocated to the maritime radionavigation service, on a primary basis, for use by shore-based radars only. (WRC-15)

5.472 In the bands 8 850-9 000 MHz and 9 200-9 225 MHz, the maritime radionavigation service is limited to shore-based radars.

5.473 *Additional allocation:* in Armenia, Austria, Azerbaijan, Belarus, Cuba, the Russian Federation, Georgia, Hungary, Uzbekistan, Poland, Kyrgyzstan, Romania, Tajikistan, Turkmenistan and Ukraine, the frequency bands 8 850-9 000 MHz and 9 200-9 300 MHz are also allocated to the radionavigation service on a primary basis. (WRC-19)

5.473A In the band 9 000-9 200 MHz, stations operating in the radiolocation service shall not cause harmful interference to, nor claim protection from, systems identified in No. **5.337** operating in the aeronautical radionavigation service, or radar systems in the maritime radionavigation service operating in this band on a primary basis in the countries listed in No. **5.471**. (WRC-07)

5.474 In the band 9 200-9 500 MHz, search and rescue transponders (SART) may be used, having due regard to the appropriate ITU-R Recommendation (see also Article **31**).

5.474A The use of the frequency bands 9 200-9 300 MHz and 9 900-10 400 MHz by the Earth exploration-satellite service (active) is limited to systems requiring necessary bandwidth greater than 600 MHz that cannot be fully accommodated within the frequency band 9 300-9 900 MHz. Such use is subject to agreement to be obtained under No. **9.21** from Algeria, Saudi Arabia, Bahrain, Egypt, Indonesia, Iran (Islamic Republic of), Lebanon and Tunisia. An administration that has not replied under No. **9.52** is considered as not having agreed to the coordination request. In this case, the notifying administration of the satellite system operating in the Earth exploration-satellite service (active) may request the assistance of the Bureau under Sub-Section IID of Article **9**. (WRC-15)

5.474B Stations operating in the Earth exploration-satellite (active) service shall comply with Recommendation ITU-R RS.2066-0. (WRC-15)

5.474C Stations operating in the Earth exploration-satellite (active) service shall comply with Recommendation ITU-R RS.2065-0. (WRC-15)

5.474D Stations in the Earth exploration-satellite service (active) shall not cause harmful interference to, or claim protection from, stations of the maritime radionavigation and radiolocation services in the frequency band 9 200-9 300 MHz, the radionavigation and radiolocation services in the frequency band 9 900-10 000 MHz and the radiolocation service in the frequency band 10.0-10.4 GHz. (WRC-15)

5.475 The use of the band 9 300-9 500 MHz by the aeronautical radionavigation service is limited to airborne weather radars and ground-based radars. In addition, ground-based radar beacons in the aeronautical radionavigation service are permitted in the band 9 300-9 320 MHz on condition that harmful interference is not caused to the maritime radionavigation service. (WRC-07)

5.475A The use of the band 9 300-9 500 MHz by the Earth exploration-satellite service (active) and the space research service (active) is limited to systems requiring necessary bandwidth greater than 300 MHz that cannot be fully accommodated within the 9 500-9 800 MHz band. (WRC-07)

5.475B In the band 9 300-9 500 MHz, stations operating in the radiolocation service shall not cause harmful interference to, nor claim protection from, radars operating in the radionavigation service in conformity with the Radio Regulations. Ground-based radars used for meteorological purposes have priority over other radiolocation uses. (WRC-07)

5.476A In the band 9 300-9 800 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, nor claim protection from, stations of the radionavigation and radiolocation services. (WRC-07)

5.477 *Different category of service:* in Algeria, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, Djibouti, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Guyana, India, Indonesia, Iran (Islamic Republic of), Iraq, Jamaica, Japan, Jordan, Kuwait, Lebanon, Liberia, Malaysia, Nigeria, Oman, Uganda, Pakistan, Qatar, Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, South Sudan, Trinidad and Tobago, and Yemen, the allocation of the frequency band 9 800-10 000 MHz to the fixed service is on a primary basis (see No. **5.33**). (WRC-15)

5.478 *Additional allocation:* in Azerbaijan, Kyrgyzstan, Romania, Turkmenistan and Ukraine, the band 9 800-10 000 MHz is also allocated to the radionavigation service on a primary basis. (WRC-19)

5.478A The use of the band 9 800-9 900 MHz by the Earth exploration-satellite service (active) and the space research service (active) is limited to systems requiring necessary bandwidth greater than 500 MHz that cannot be fully accommodated within the 9 300-9 800 MHz band. (WRC-07)

5.478B In the band 9 800-9 900 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, nor claim protection from stations of the fixed service to which this band is allocated on a secondary basis. (WRC-07)

5.479 The band 9 975-10 025 MHz is also allocated to the meteorological-satellite service on a secondary basis for use by weather radars.

5.480 *Additional allocation:* in Argentina, Brazil, Chile, Cuba, El Salvador, Ecuador, Guatemala, Honduras, Paraguay, the overseas countries and territories within the Kingdom of the Netherlands in Region 2, Peru and Uruguay, the frequency band 10-10.45 GHz is also allocated to the fixed and mobile services on a primary basis. In Colombia, Costa Rica, Mexico and Venezuela, the frequency band 10-10.45 GHz is also allocated to the fixed service on a primary basis. (WRC-19)

5.481 *Additional allocation:* in Algeria, Germany, Angola, Brazil, China, Côte d'Ivoire, Egypt, El Salvador, Ecuador, Spain, Guatemala, Hungary, Japan, Kenya, Morocco, Nigeria, Oman, Uzbekistan, Pakistan, Paraguay, Peru, the Dem. People's Rep. of Korea, Romania, Tunisia and Uruguay, the frequency band 10.45-10.5 GHz is also allocated to the fixed and mobile services on a primary basis. In Costa Rica, the frequency band 10.45-10.5 GHz is also allocated to the fixed service on a primary basis. (WRC-19)

5.482 In the band 10.6-10.68 GHz, the power delivered to the antenna of stations of the fixed and mobile, except aeronautical mobile, services shall not exceed -3 dBW. This limit may be exceeded, subject to agreement obtained under No. **9.21**. However, in Algeria, Saudi Arabia, Armenia, Azerbaijan, Bahrain, Bangladesh, Belarus, Egypt, United Arab Emirates, Georgia, India, Indonesia, Iran (Islamic Republic of), Iraq, Jordan, Kazakhstan, Kuwait, Lebanon, Libya, Morocco, Mauritania, Moldova, Nigeria, Oman, Uzbekistan, Pakistan, Philippines, Qatar, Syrian Arab Republic, Kyrgyzstan, Singapore, Tajikistan, Tunisia, Turkmenistan and Viet Nam, this restriction on the fixed and mobile, except aeronautical mobile, services is not applicable. (WRC-07)

5.482A For sharing of the band 10.6-10.68 GHz between the Earth exploration-satellite (passive) service and the fixed and mobile, except aeronautical mobile, services, Resolution **751 (WRC-07)** applies. (WRC-07)

5.483 *Additional allocation:* in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, China, Colombia, Korea (Rep. of), Egypt, the United Arab Emirates, Georgia, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kazakhstan, Kuwait, Lebanon, Mongolia, Qatar, Kyrgyzstan, the Dem. People's Rep. of Korea, Tajikistan, Turkmenistan and Yemen, the frequency band 10.68-10.7 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. Such use is limited to equipment in operation by 1 January 1985. (WRC-19)

5.484 In Region 1, the use of the band 10.7-11.7 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service.

5.484A The use of the bands 10.95-11.2 GHz (space-to-Earth), 11.45-11.7 GHz (space-to-Earth), 11.7-12.2 GHz (space-to-Earth) in Region 2, 12.2-12.75 GHz (space-to-Earth) in Region 3, 12.5-12.75 GHz (space-to-Earth) in Region 1, 13.75-14.5 GHz (Earth-to-space), 17.8-18.6 GHz (space-to-Earth), 19.7-20.2 GHz (space-to-Earth), 27.5-28.6 GHz (Earth-to-space), 29.5-30 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to application of the provisions of No. **9.12** for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. **5.43A** does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)

5.484B Resolution **155 (WRC-15)** shall apply. (WRC-15)

5.485 In Region 2, in the band 11.7-12.2 GHz, transponders on space stations in the fixed-satellite service may be used additionally for transmissions in the broadcasting-satellite service, provided that such transmissions do not have a maximum e.i.r.p. greater than 53 dBW per television channel and do not cause greater interference or require more protection from interference than the coordinated fixed-satellite service frequency assignments. With respect to the space services, this band shall be used principally for the fixed-satellite service.

5.486 *Different category of service:* in the United States, the allocation of the frequency band 11.7-12.1 GHz to the fixed service is on a secondary basis (see No. **5.32**). (WRC-15)

5.487 In the band 11.7-12.5 GHz in Regions 1 and 3, the fixed, fixed-satellite, mobile, except aeronautical mobile, and broadcasting services, in accordance with their respective allocations, shall not cause harmful interference to, or claim protection from, broadcasting-satellite stations operating in accordance with the Regions 1 and 3 Plan in Appendix **30**. (WRC-03)

5.487A *Additional allocation:* in Region 1, the band 11.7-12.5 GHz, in Region 2, the band 12.2-12.7 GHz and, in Region 3, the band 11.7-12.2 GHz, are also allocated to the fixed-satellite service (space-to-Earth) on a primary

basis, limited to non-geostationary systems and subject to application of the provisions of No. **9.12** for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the broadcasting-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. **5.43A** does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-03)

5.488 The use of the band 11.7-12.2 GHz by geostationary-satellite networks in the fixed-satellite service in Region 2 is subject to application of the provisions of No. **9.14** for coordination with stations of terrestrial services in Regions 1, 2 and 3. For the use of the band 12.2-12.7 GHz by the broadcasting-satellite service in Region 2, see Appendix **30**. (WRC-03)

5.489 *Additional allocation:* in Peru, the band 12.1-12.2 GHz is also allocated to the fixed service on a primary basis.

5.490 In Region 2, in the band 12.2-12.7 GHz, existing and future terrestrial radiocommunication services shall not cause harmful interference to the space services operating in conformity with the broadcasting-satellite Plan for Region 2 contained in Appendix **30**.

5.492 Assignments to stations of the broadcasting-satellite service which are in conformity with the appropriate regional Plan or included in the Regions 1 and 3 List in Appendix **30** may also be used for transmissions in the fixed-satellite service (space-to-Earth), provided that such transmissions do not cause more interference, or require more protection from interference, than the broadcasting-satellite service transmissions operating in conformity with the Plan or the List, as appropriate. (WRC-2000)

5.493 The broadcasting-satellite service in the band 12.5-12.75 GHz in Region 3 is limited to a power flux-density not exceeding $-111 \text{ dB(W/(m}^2 \cdot 27 \text{ MHz))}$ for all conditions and for all methods of modulation at the edge of the service area. (WRC-97)

5.494 *Additional allocation:* in Algeria, Saudi Arabia, Bahrain, Cameroon, the Central African Rep., Congo (Rep. of the), Côte d'Ivoire, Djibouti, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Gabon, Ghana, Guinea, Iraq, Israel, Jordan, Kuwait, Lebanon, Libya, Madagascar, Mali, Morocco, Mongolia, Nigeria, Oman, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, Somalia, Sudan, South Sudan, Chad, Togo and Yemen, the frequency band 12.5-12.75 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-15)

5.495 *Additional allocation:* in Greece, Monaco, Montenegro, Uganda and Tunisia, the frequency band 12.5-12.75 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a secondary basis. (WRC-19)

5.496 *Additional allocation:* in Austria, Azerbaijan, Kyrgyzstan and Turkmenistan, the band 12.5-12.75 GHz is also allocated to the fixed service and the mobile, except aeronautical mobile, service on a primary basis. However, stations in these services shall not cause harmful interference to fixed-satellite service earth stations of countries in Region 1 other than those listed in this footnote. Coordination of these earth stations is not required with stations of the fixed and mobile services of the countries listed in this footnote. The power flux-density limit at the Earth's surface given in Table **21-4** of Article **21**, for the fixed-satellite service shall apply on the territory of the countries listed in this footnote. (WRC-2000)

5.497 The use of the band 13.25-13.4 GHz by the aeronautical radionavigation service is limited to Doppler navigation aids.

5.498A The Earth exploration-satellite (active) and space research (active) services operating in the band 13.25-13.4 GHz shall not cause harmful interference to, or constrain the use and development of, the aeronautical radionavigation service. (WRC-97)

5.499 *Additional allocation:* in Bangladesh and India, the band 13.25-14 GHz is also allocated to the fixed service on a primary basis. In Pakistan, the band 13.25-13.75 GHz is allocated to the fixed service on a primary basis. (WRC-12)

5.499A The use of the frequency band 13.4-13.65 GHz by the fixed-satellite service (space-to-Earth) is limited to geostationary-satellite systems and is subject to agreement obtained under No. **9.21** with respect to satellite systems operating in the space research service (space-to-space) to relay data from space stations in the geostationary-satellite orbit to associated space stations in non-geostationary satellite orbits for which advance publication information has been received by the Bureau by 27 November 2015. (WRC-15)

5.499B Administrations shall not preclude the deployment and operation of transmitting earth stations in the standard frequency and time signal-satellite service (Earth-to-space) allocated on a secondary basis in the frequency band 13.4-13.65 GHz due to the primary allocation to FSS (space-to-Earth). (WRC-15)

5.499C The allocation of the frequency band 13.4-13.65 GHz to the space research service on a primary basis is limited to:

- satellite systems operating in the space research service (space-to-space) to relay data from space stations in the geostationary-satellite orbit to associated space stations in non-geostationary satellite orbits for which advance publication information has been received by the Bureau by 27 November 2015,
- active spaceborne sensors,
- satellite systems operating in the space research service (space-to-Earth) to relay data from space stations in the geostationary-satellite orbit to associated earth stations.

Other uses of the frequency band by the space research service are on a secondary basis. (WRC-15)

5.499D In the frequency band 13.4-13.65 GHz, satellite systems in the space research service (space-to-Earth) and/or the space research service (space-to-space) shall not cause harmful interference to, nor claim protection from, stations in the fixed, mobile, radiolocation and Earth exploration-satellite (active) services. (WRC-15)

5.499E In the frequency band 13.4-13.65 GHz, geostationary-satellite networks in the fixed-satellite service (space-to-Earth) shall not claim protection from space stations in the Earth exploration-satellite service (active) operating in accordance with these Regulations, and No. **5.43A** does not apply. The provisions of No. **22.2** do not apply to the Earth exploration-satellite service (active) with respect to the fixed-satellite service (space-to-Earth) in this frequency band. (WRC-15)

5.500 *Additional allocation:* in Algeria, Saudi Arabia, Bahrain, Brunei Darussalam, Cameroon, Egypt, the United Arab Emirates, Gabon, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kuwait, Lebanon, Madagascar, Malaysia, Mali, Morocco, Mauritania, Niger, Nigeria, Oman, Qatar, the Syrian Arab Republic, Singapore, Sudan, South Sudan, Chad and Tunisia, the frequency band 13.4-14 GHz is also allocated to the fixed and mobile services on a primary basis. In Pakistan, the frequency band 13.4-13.75 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-15)

5.501 *Additional allocation:* in Azerbaijan, Hungary, Japan, Kyrgyzstan, Romania and Turkmenistan, the band 13.4-14 GHz is also allocated to the radionavigation service on a primary basis. (WRC-12)

5.501A The allocation of the frequency band 13.65-13.75 GHz to the space research service on a primary basis is limited to active spaceborne sensors. Other uses of the frequency band by the space research service are on a secondary basis. (WRC-15)

5.501B In the band 13.4-13.75 GHz, the Earth exploration-satellite (active) and space research (active) services shall not cause harmful interference to, or constrain the use and development of, the radiolocation service. (WRC-97)

5.502 In the band 13.75-14 GHz, an earth station of a geostationary fixed-satellite service network shall have a minimum antenna diameter of 1.2 m and an earth station of a non-geostationary fixed-satellite service system shall have a minimum antenna diameter of 4.5 m. In addition, the e.i.r.p., averaged over one second, radiated by a station in the radiolocation or radionavigation services shall not exceed 59 dBW for elevation angles above 2° and 65 dBW at lower angles. Before an administration brings into use an earth station in a geostationary-satellite network in the fixed-satellite service in this band with an antenna diameter smaller than 4.5 m, it shall ensure that the power flux-density produced by this earth station does not exceed:

- $-115 \text{ dB(W/(m}^2 \cdot 10 \text{ MHz))}$ for more than 1% of the time produced at 36 m above sea level at the low water mark, as officially recognized by the coastal State;
- $-115 \text{ dB(W/(m}^2 \cdot 10 \text{ MHz))}$ for more than 1% of the time produced 3 m above ground at the border of the territory of an administration deploying or planning to deploy land mobile radars in this band, unless prior agreement has been obtained.

For earth stations within the fixed-satellite service having an antenna diameter greater than or equal to 4.5 m, the e.i.r.p. of any emission should be at least 68 dBW and should not exceed 85 dBW. (WRC-03)

5.503 In the band 13.75-14 GHz, geostationary space stations in the space research service for which information for advance publication has been received by the Bureau prior to 31 January 1992 shall operate on an equal basis with stations in the fixed-satellite service; after that date, new geostationary space stations in the space research service will operate on a secondary basis. Until those geostationary space stations in the space research service for which information for advance publication has been received by the Bureau prior to 31 January 1992 cease to operate in this band:

- in the band 13.77-13.78 GHz, the e.i.r.p. density of emissions from any earth station in the fixed-satellite service operating with a space station in geostationary-satellite orbit shall not exceed:
 - i) $4.7D + 28$ dB(W/40 kHz), where D is the fixed-satellite service earth station antenna diameter (m) for antenna diameters equal to or greater than 1.2 m and less than 4.5 m;
 - ii) $49.2 + 20 \log(D/4.5)$ dB(W/40 kHz), where D is the fixed-satellite service earth station antenna diameter (m) for antenna diameters equal to or greater than 4.5 m and less than 31.9 m;
 - iii) 66.2 dB(W/40 kHz) for any fixed-satellite service earth station for antenna diameters (m) equal to or greater than 31.9 m;
 - iv) 56.2 dB(W/4 kHz) for narrow-band (less than 40 kHz of necessary bandwidth) fixed-satellite service earth station emissions from any fixed-satellite service earth station having an antenna diameter of 4.5 m or greater;
- the e.i.r.p. density of emissions from any earth station in the fixed-satellite service operating with a space station in non-geostationary-satellite orbit shall not exceed 51 dBW in the 6 MHz band from 13.772 to 13.778 GHz.

Automatic power control may be used to increase the e.i.r.p. density in these frequency ranges to compensate for rain attenuation, to the extent that the power flux-density at the fixed-satellite service space station does not exceed the value resulting from use by an earth station of an e.i.r.p. meeting the above limits in clear-sky conditions. (WRC-03)

5.504 The use of the band 14-14.3 GHz by the radionavigation service shall be such as to provide sufficient protection to space stations of the fixed-satellite service.

5.504A In the band 14-14.5 GHz, aircraft earth stations in the secondary aeronautical mobile-satellite service may also communicate with space stations in the fixed-satellite service. The provisions of Nos. **5.29**, **5.30** and **5.31** apply. (WRC-03)

5.504B Aircraft earth stations operating in the aeronautical mobile-satellite service in the frequency band 14-14.5 GHz shall comply with the provisions of Annex 1, Part C of Recommendation ITU-R M.1643-0, with respect to any radio astronomy station performing observations in the 14.47-14.5 GHz frequency band located on the territory of Spain, France, India, Italy, the United Kingdom and South Africa. (WRC-15)

5.504C In the frequency band 14-14.25 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Bahrain, Botswana, Côte d'Ivoire, Egypt, Guinea, India, Iran (Islamic Republic of), Kuwait, Nigeria, Oman, the Syrian Arab Republic and Tunisia by any aircraft earth station in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU-R M.1643-0, unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. **5.29**. (WRC-15)

5.505 *Additional allocation:* in Algeria, Saudi Arabia, Bahrain, Botswana, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Korea (Rep. of), Djibouti, Egypt, the United Arab Emirates, Eswatini, Gabon, Guinea, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Japan, Jordan, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania, Oman, the Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, South Sudan, Chad, Viet Nam and Yemen, the frequency band 14-14.3 GHz is also allocated to the fixed service on a primary basis. (WRC-19)

5.506 The band 14-14.5 GHz may be used, within the fixed-satellite service (Earth-to-space), for feeder links for the broadcasting-satellite service, subject to coordination with other networks in the fixed-satellite service. Such use of feeder links is reserved for countries outside Europe.

5.506A In the band 14-14.5 GHz, ship earth stations with an e.i.r.p. greater than 21 dBW shall operate under the same conditions as earth stations located on board vessels, as provided in Resolution **902 (WRC-03)**. This footnote shall not apply to ship earth stations for which the complete Appendix **4** information has been received by the Bureau prior to 5 July 2003. (WRC-03)

5.506B Earth stations located on board vessels communicating with space stations in the fixed-satellite service may operate in the frequency band 14-14.5 GHz without the need for prior agreement from Cyprus and Malta, within the minimum distance given in Resolution **902 (WRC-03)** from these countries. (WRC-15)

5.508 *Additional allocation:* in Germany, France, Italy, Libya, North Macedonia and the United Kingdom, the band 14.25-14.3 GHz is also allocated to the fixed service on a primary basis. (WRC-19)

5.508A In the frequency band 14.25-14.3 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Bahrain, Botswana, China, Côte d'Ivoire, Egypt, France, Guinea, India, Iran (Islamic Republic of), Italy, Kuwait, Nigeria, Oman, the Syrian Arab Republic, the United Kingdom and Tunisia by any aircraft earth station

in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU-R M.1643-0, unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. **5.29**. (WRC-15)

5.509A In the frequency band 14.3-14.5 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Bahrain, Botswana, Cameroon, China, Côte d'Ivoire, Egypt, France, Gabon, Guinea, India, Iran (Islamic Republic of), Italy, Kuwait, Morocco, Nigeria, Oman, the Syrian Arab Republic, the United Kingdom, Sri Lanka, Tunisia and Viet Nam by any aircraft earth station in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU-R M.1643-0, unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. **5.29**. (WRC-15)

5.509B The use of the frequency bands 14.5-14.75 GHz in countries listed in Resolution **163(WRC-15)** and 14.5-14.8 GHz in countries listed in Resolution **164 (WRC-15)** by the fixed-satellite service (Earth-to-space) not for feeder links for the broadcasting-satellite service is limited to geostationary-satellites. (WRC-15)

5.509C For the use of the frequency bands 14.5-14.75 GHz in countries listed in Resolution **163(WRC-15)** and 14.5-14.8 GHz in countries listed in Resolution **164 (WRC-15)** by the fixed-satellite service (Earth-to-space) not for feeder links for the broadcasting-satellite service, the fixed-satellite service earth stations shall have a minimum antenna diameter of 6 m and a maximum power spectral density of -44.5 dBW/Hz at the input of the antenna. The earth stations shall be notified at known locations on land. (WRC-15)

5.509D Before an administration brings into use an earth station in the fixed-satellite service (Earth-to-space) not for feeder links for the broadcasting-satellite service in the frequency bands 14.5-14.75 GHz (in countries listed in Resolution **163(WRC-15)**) and 14.5-14.8 GHz (in countries listed in Resolution **164 (WRC-15)**), it shall ensure that the power flux-density produced by this earth station does not exceed -151.5 dB(W/(m² · 4 kHz)) produced at all altitudes from 0 m to 19 000 m above sea level at 22 km seaward from all coasts, defined as the low-water mark, as officially recognized by each coastal State. (WRC-15)

5.509E In the frequency bands 14.50-14.75 GHz in countries listed in Resolution **163 (WRC-15)** and 14.50-14.8 GHz in countries listed in Resolution **164(WRC-15)**, the location of earth stations in the fixed-satellite service (Earth-to-space) not for feeder links for the broadcasting-satellite service shall maintain a separation distance of at least 500 km from the border(s) of other countries unless shorter distances are explicitly agreed by those administrations. No. **9.17** does not apply. When applying this provision, administrations should consider the relevant parts of these Regulations and the latest relevant ITU-R Recommendations. (WRC-15)

5.509F In the frequency bands 14.50-14.75 GHz in countries listed in Resolution **163 (WRC-15)** and 14.50-14.8 GHz in countries listed in Resolution **164 (WRC-15)**, earth stations in the fixed-satellite service (Earth-to-space) not for feeder links for the broadcasting-satellite service shall not constrain the future deployment of the fixed and mobile services. (WRC-15)

5.509G The frequency band 14.5-14.8 GHz is also allocated to the space research service on a primary basis. However, such use is limited to the satellite systems operating in the space research service (Earth-to-space) to relay data to space stations in the geostationary-satellite orbit from associated earth stations. Stations in the space research service shall not cause harmful interference to, or claim protection from, stations in the fixed and mobile services and in the fixed-satellite service limited to feeder links for the broadcasting-satellite service and associated space operations functions using the guardbands under Appendix **30A** and feeder links for the broadcasting-satellite service in Region 2. Other uses of this frequency band by the space research service are on a secondary basis. (WRC-15)

5.510 Except for use in accordance with Resolution **163(WRC-15)** and Resolution **164(WRC-15)**, the use of the frequency band 14.5-14.8 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service. This use is reserved for countries outside Europe. Uses other than feeder links for the broadcasting-satellite service are not authorized in Regions 1 and 2 in the frequency band 14.75-14.8 GHz. (WRC-15)

5.511 *Additional allocation:* in Saudi Arabia, Bahrain, Cameroon, Egypt, the United Arab Emirates, Guinea, Iran (Islamic Republic of), Iraq, Israel, Kuwait, Lebanon, Oman, Pakistan, Qatar, the Syrian Arab Republic and Somalia, the band 15.35-15.4 GHz is also allocated to the fixed and mobile services on a secondary basis. (WRC-12)

5.511A Use of the frequency band 15.43-15.63 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links of non-geostationary systems in the mobile-satellite service, subject to coordination under No. **9.11A**. (WRC-15)

5.511C Stations operating in the aeronautical radionavigation service shall limit the effective e.i.r.p. in accordance with Recommendation ITU-R S.1340-0. The minimum coordination distance required to protect the aeronautical radionavigation stations (No. **4.10** applies) from harmful interference from feeder-link earth stations and

the maximum e.i.r.p. transmitted towards the local horizontal plane by a feeder-link earth station shall be in accordance with Recommendation ITU-R S.1340-0. (WRC-15)

5.511E In the frequency band 15.4-15.7 GHz, stations operating in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the aeronautical radionavigation service. (WRC-12)

5.511F In order to protect the radio astronomy service in the frequency band 15.35-15.4 GHz, radiolocation stations operating in the frequency band 15.4-15.7 GHz shall not exceed the power flux-density level of -156 dB(W/m²) in a 50 MHz bandwidth in the frequency band 15.35-15.4 GHz, at any radio astronomy observatory site for more than 2 per cent of the time. (WRC-12)

5.512 *Additional allocation:* in Algeria, Saudi Arabia, Austria, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, Congo (Rep. of the), Egypt, El Salvador, the United Arab Emirates, Eritrea, Finland, Guatemala, India, Indonesia, Iran (Islamic Republic of), Jordan, Kenya, Kuwait, Lebanon, Libya, Malaysia, Mali, Morocco, Mauritania, Montenegro, Nepal, Nicaragua, Niger, Oman, Pakistan, Qatar, Syrian Arab Republic, the Dem. Rep. of the Congo, Singapore, Somalia, Sudan, South Sudan, Chad, Togo and Yemen, the frequency band 15.7-17.3 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-15)

5.513 *Additional allocation:* in Israel, the band 15.7-17.3 GHz is also allocated to the fixed and mobile services on a primary basis. These services shall not claim protection from or cause harmful interference to services operating in accordance with the Table in countries other than those included in No. **5.512**.

5.513A Spaceborne active sensors operating in the band 17.2-17.3 GHz shall not cause harmful interference to, or constrain the development of, the radiolocation and other services allocated on a primary basis. (WRC-97)

5.514 *Additional allocation:* in Algeria, Saudi Arabia, Bahrain, Bangladesh, Cameroon, El Salvador, the United Arab Emirates, Guatemala, India, Iran (Islamic Republic of), Iraq, Israel, Italy, Japan, Jordan, Kuwait, Libya, Lithuania, Nepal, Nicaragua, Nigeria, Oman, Uzbekistan, Pakistan, Qatar, Kyrgyzstan, Sudan and South Sudan, the frequency band 17.3-17.7 GHz is also allocated to the fixed and mobile services on a secondary basis. The power limits given in Nos. **21.3** and **21.5** shall apply. (WRC-15)

5.515 In the band 17.3-17.8 GHz, sharing between the fixed-satellite service (Earth-to-space) and the broadcasting-satellite service shall also be in accordance with the provisions of § 1 of Annex 4 of Appendix **30A**.

5.516 The use of the band 17.3-18.1 GHz by geostationary-satellite systems in the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service. The use of the band 17.3-17.8 GHz in Region 2 by systems in the fixed-satellite service (Earth-to-space) is limited to geostationary satellites. For the use of the band 17.3-17.8 GHz in Region 2 by feeder links for the broadcasting-satellite service in the band 12.2-12.7 GHz, see Article **11**. The use of the bands 17.3-18.1 GHz (Earth-to-space) in Regions 1 and 3 and 17.8-18.1 GHz (Earth-to-space) in Region 2 by non-geostationary-satellite systems in the fixed-satellite service is subject to application of the provisions of No. **9.12** for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. **5.43A** does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)

5.516A In the band 17.3-17.7 GHz, earth stations of the fixed-satellite service (space-to-Earth) in Region 1 shall not claim protection from the broadcasting-satellite service feeder-link earth stations operating under Appendix **30A**, nor put any limitations or restrictions on the locations of the broadcasting-satellite service feeder-link earth stations anywhere within the service area of the feeder link. (WRC-03)

5.516B The following bands are identified for use by high-density applications in the fixed-satellite service:

17.3-17.7 GHz	(space-to-Earth) in Region 1,
18.3-19.3 GHz	(space-to-Earth) in Region 2,
19.7-20.2 GHz	(space-to-Earth) in all Regions,
39.5-40 GHz	(space-to-Earth) in Region 1,
40-40.5 GHz	(space-to-Earth) in all Regions,
40.5-42 GHz	(space-to-Earth) in Region 2,
47.5-47.9 GHz	(space-to-Earth) in Region 1,

48.2-48.54 GHz	(space-to-Earth) in Region 1,
49.44-50.2 GHz	(space-to-Earth) in Region 1,
and	
27.5-27.82 GHz	(Earth-to-space) in Region 1,
28.35-28.45 GHz	(Earth-to-space) in Region 2,
28.45-28.94 GHz	(Earth-to-space) in all Regions,
28.94-29.1 GHz	(Earth-to-space) in Region 2 and 3,
29.25-29.46 GHz	(Earth-to-space) in Region 2,
29.46-30 GHz	(Earth-to-space) in all Regions,
48.2-50.2 GHz	(Earth-to-space) in Region 2.

This identification does not preclude the use of these frequency bands by other fixed-satellite service applications or by other services to which these frequency bands are allocated on a co-primary basis and does not establish priority in these Radio Regulations among users of the frequency bands. Administrations should take this into account when considering regulatory provisions in relation to these frequency bands. See Resolution **143 (WRC-19)***. (WRC-19)

5.517 In Region 2, use of the fixed-satellite (space-to-Earth) service in the band 17.7-17.8 GHz shall not cause harmful interference to nor claim protection from assignments in the broadcasting-satellite service operating in conformity with the Radio Regulations. (WRC-07)

5.517A The operation of earth stations in motion communicating with geostationary fixed-satellite service space stations within the frequency bands 17.7-19.7 GHz (space-to-Earth) and 27.5-29.5 GHz (Earth-to-space) shall be subject to the application of Resolution **169 (WRC-19)**. (WRC-19)

5.519 *Additional allocation:* the bands 18-18.3 GHz in Region 2 and 18.1-18.4 GHz in Regions 1 and 3 are also allocated to the meteorological-satellite service (space-to-Earth) on a primary basis. Their use is limited to geostationary satellites. (WRC-07)

5.520 The use of the band 18.1-18.4 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links of geostationary-satellite systems in the broadcasting-satellite service. (WRC-2000)

5.521 *Alternative allocation:* in the United Arab Emirates and Greece, the frequency band 18.1-18.4 GHz is allocated to the fixed, fixed-satellite (space-to-Earth) and mobile services on a primary basis (see No. **5.33**). The provisions of No. **5.519** also apply. (WRC-15)

5.522A The emissions of the fixed service and the fixed-satellite service in the band 18.6-18.8 GHz are limited to the values given in Nos. **21.5A** and **21.16.2**, respectively. (WRC-2000)

5.522B The use of the band 18.6-18.8 GHz by the fixed-satellite service is limited to geostationary systems and systems with an orbit of apogee greater than 20 000 km. (WRC-2000)

5.522C In the band 18.6-18.8 GHz, in Algeria, Saudi Arabia, Bahrain, Egypt, the United Arab Emirates, Jordan, Lebanon, Libya, Morocco, Oman, Qatar, the Syrian Arab Republic, Tunisia and Yemen, fixed-service systems in operation at the date of entry into force of the Final Acts of WRC-2000 are not subject to the limits of No. **21.5A**. (WRC-2000)

5.523A The use of the bands 18.8-19.3 GHz (space-to-Earth) and 28.6-29.1 GHz (Earth-to-space) by geostationary and non-geostationary fixed-satellite service networks is subject to the application of the provisions of No. **9.11A** and No. **22.2** does not apply. Administrations having geostationary-satellite networks under coordination prior to 18 November 1995 shall cooperate to the maximum extent possible to coordinate pursuant to No. **9.11A** with non-geostationary-satellite networks for which notification information has been received by the Bureau prior to that date, with a view to reaching results acceptable to all the parties concerned. Non-geostationary-satellite networks shall not cause unacceptable interference to geostationary fixed-satellite service networks for which complete Appendix **4** notification information is considered as having been received by the Bureau prior to 18 November 1995. (WRC-97)

5.523B The use of the band 19.3-19.6 GHz (Earth-to-space) by the fixed-satellite service is limited to feeder links for non-geostationary-satellite systems in the mobile-satellite service. Such use is subject to the application of the provisions of No. **9.11A**, and No. **22.2** does not apply.

* *Note by the Secretariat:* This Resolution was revised by WRC-07.

5.523C No. **22.2** shall continue to apply in the bands 19.3-19.6 GHz and 29.1-29.4 GHz, between feeder links of non-geostationary mobile-satellite service networks and those fixed-satellite service networks for which complete Appendix 4 coordination information, or notification information, is considered as having been received by the Bureau prior to 18 November 1995. (WRC-97)

5.523D The use of the band 19.3-19.7 GHz (space-to-Earth) by geostationary fixed-satellite service systems and by feeder links for non-geostationary-satellite systems in the mobile-satellite service is subject to the application of the provisions of No. **9.11A**, but not subject to the provisions of No. **22.2**. The use of this band for other non-geostationary fixed-satellite service systems, or for the cases indicated in Nos. **5.523C** and **5.523E**, is not subject to the provisions of No. **9.11A** and shall continue to be subject to Articles **9** (except No. **9.11A**) and **11** procedures, and to the provisions of No. **22.2**. (WRC-97)

5.523E No. **22.2** shall continue to apply in the bands 19.6-19.7 GHz and 29.4-29.5 GHz, between feeder links of non-geostationary mobile-satellite service networks and those fixed-satellite service networks for which complete Appendix 4 coordination information, or notification information, is considered as having been received by the Bureau by 21 November 1997. (WRC-97)

5.524 *Additional allocation:* in Afghanistan, Algeria, Saudi Arabia, Bahrain, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Costa Rica, Egypt, the United Arab Emirates, Gabon, Guatemala, Guinea, India, Iran (Islamic Republic of), Iraq, Israel, Japan, Jordan, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania, Nepal, Nigeria, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, South Sudan, Chad, Togo and Tunisia, the frequency band 19.7-21.2 GHz is also allocated to the fixed and mobile services on a primary basis. This additional use shall not impose any limitation on the power flux-density of space stations in the fixed-satellite service in the frequency band 19.7-21.2 GHz and of space stations in the mobile-satellite service in the frequency band 19.7-20.2 GHz where the allocation to the mobile-satellite service is on a primary basis in the latter frequency band. (WRC-15)

5.525 In order to facilitate interregional coordination between networks in the mobile-satellite and fixed-satellite services, carriers in the mobile-satellite service that are most susceptible to interference shall, to the extent practicable, be located in the higher parts of the bands 19.7-20.2 GHz and 29.5-30 GHz.

5.526 In the bands 19.7-20.2 GHz and 29.5-30 GHz in Region 2, and in the bands 20.1-20.2 GHz and 29.9-30 GHz in Regions 1 and 3, networks which are both in the fixed-satellite service and in the mobile-satellite service may include links between earth stations at specified or unspecified points or while in motion, through one or more satellites for point-to-point and point-to-multipoint communications.

5.527 In the bands 19.7-20.2 GHz and 29.5-30 GHz, the provisions of No. **4.10** do not apply with respect to the mobile-satellite service.

5.527A The operation of earth stations in motion communicating with the FSS is subject to Resolution **156 (WRC-15)**. (WRC-15)

5.528 The allocation to the mobile-satellite service is intended for use by networks which use narrow spot-beam antennas and other advanced technology at the space stations. Administrations operating systems in the mobile-satellite service in the band 19.7-20.1 GHz in Region 2 and in the band 20.1-20.2 GHz shall take all practicable steps to ensure the continued availability of these bands for administrations operating fixed and mobile systems in accordance with the provisions of No. **5.524**.

5.529 The use of the bands 19.7-20.1 GHz and 29.5-29.9 GHz by the mobile-satellite service in Region 2 is limited to satellite networks which are both in the fixed-satellite service and in the mobile-satellite service as described in No. **5.526**.

5.530A Unless otherwise agreed between the administrations concerned, any station in the fixed or mobile services of an administration shall not produce a power flux-density in excess of $-120.4 \text{ dB(W/(m}^2 \cdot \text{MHz))}$ at 3 m above the ground of any point of the territory of any other administration in Regions 1 and 3 for more than 20% of the time. In conducting the calculations, administrations should use the most recent version of Recommendation ITU-R P.452 (see also the most recent version of Recommendation ITU-R BO.1898). (WRC-15)

5.530B In the band 21.4-22 GHz, in order to facilitate the development of the broadcasting-satellite service, administrations in Regions 1 and 3 are encouraged not to deploy stations in the mobile service and are encouraged to limit the deployment of stations in the fixed service to point-to-point links. (WRC-12)

5.530E The allocation to the fixed service in the frequency band 21.4-22 GHz is identified for use in Region 2 by high-altitude platform stations (HAPS). This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which it is allocated on a co-primary basis, and does not establish priority in the Radio Regulations. Such use of the fixed-service allocation by HAPS is limited to the HAPS-to-ground direction, and shall be in accordance with the provisions of Resolution **165 (WRC-19)**. (WRC-19)

5.531 *Additional allocation:* in Japan, the band 21.4-22 GHz is also allocated to the broadcasting service on a primary basis.

5.532 The use of the band 22.21-22.5 GHz by the Earth exploration-satellite (passive) and space research (passive) services shall not impose constraints upon the fixed and mobile, except aeronautical mobile, services.

5.532A The location of earth stations in the space research service shall maintain a separation distance of at least 54 km from the respective border(s) of neighbouring countries to protect the existing and future deployment of fixed and mobile services unless a shorter distance is otherwise agreed between the corresponding administrations. Nos. **9.17** and **9.18** do not apply. (WRC-12)

5.532AA The allocation to the fixed service in the frequency band 24.25-25.25 GHz is identified for use in Region 2 by high-altitude platform stations (HAPS). This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which this frequency band is allocated on a co-primary basis, and does not establish priority in the Radio Regulations. Such use of the fixed-service allocation by HAPS is limited to the HAPS to-ground direction and shall be in accordance with the provisions of Resolution **166 (WRC-19)**. (WRC-19)

5.532AB The frequency band 24.25-27.5 GHz is identified for use by administrations wishing to implement the terrestrial component of International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Resolution **242 (WRC-19)** applies. (WRC-19)

5.532B Use of the band 24.65-25.25 GHz in Region 1 and the band 24.65-24.75 GHz in Region 3 by the fixed-satellite service (Earth-to-space) is limited to earth stations using a minimum antenna diameter of 4.5 m. (WRC-12)

5.533 The inter-satellite service shall not claim protection from harmful interference from airport surface detection equipment stations of the radionavigation service.

5.534A The allocation to the fixed service in the frequency band 25.25-27.5 GHz is identified in Region 2 for use by high-altitude platform stations (HAPS) in accordance with the provisions of Resolution **166 (WRC-19)**. Such use of the fixed-service allocation by HAPS shall be limited to the ground-to-HAPS direction in the frequency band 25.25-27.0 GHz and to the HAPS-to-ground direction in the frequency band 27.0-27.5 GHz. Furthermore, the use of the frequency band 25.5-27.0 GHz by HAPS shall be limited to gateway links. This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which this band is allocated on a co-primary basis, and does not establish priority in the Radio Regulations. (WRC-19)

5.535 In the band 24.75-25.25 GHz, feeder links to stations of the broadcasting-satellite service shall have priority over other uses in the fixed-satellite service (Earth-to-space). Such other uses shall protect and shall not claim protection from existing and future operating feeder-link networks to such broadcasting satellite stations.

5.535A The use of the band 29.1-29.5 GHz (Earth-to-space) by the fixed-satellite service is limited to geostationary-satellite systems and feeder links to non-geostationary-satellite systems in the mobile-satellite service. Such use is subject to the application of the provisions of No. **9.11A**, but not subject to the provisions of No. **22.2**, except as indicated in Nos. **5.523C** and **5.523E** where such use is not subject to the provisions of No. **9.11A** and shall continue to be subject to Articles **9** (except No. **9.11A**) and **11** procedures, and to the provisions of No. **22.2**. (WRC-97)

5.536 Use of the 25.25-27.5 GHz band by the inter-satellite service is limited to space research and Earth exploration-satellite applications, and also transmissions of data originating from industrial and medical activities in space.

5.536A Administrations operating earth stations in the Earth exploration-satellite service or the space research service shall not claim protection from stations in the fixed and mobile services operated by other administrations. In addition, earth stations in the Earth exploration-satellite service or in the space research service should be operated taking into account the most recent version of Recommendation ITU-R SA.1862. Resolution **242 (WRC-19)** applies. (WRC-19)

5.536B In Algeria, Saudi Arabia, Austria, Bahrain, Belgium, Brazil, China, Korea (Rep. of), Denmark, Egypt, United Arab Emirates, Estonia, Finland, Hungary, India, Iran (Islamic Republic of), Iraq, Ireland, Israel, Italy, Jordan, Kenya, Kuwait, Lebanon, Libya, Lithuania, Moldova, Norway, Oman, Uganda, Pakistan, the Philippines, Poland, Portugal, Qatar, the Syrian Arab Republic, Dem. People's Rep. of Korea, Slovakia, the Czech Rep., Romania, the United Kingdom, Singapore, Slovenia, Sudan, Sweden, Tanzania, Turkey, Viet Nam and Zimbabwe, earth stations operating in the Earth exploration-satellite service in the frequency band 25.5-27 GHz shall not claim protection from, or constrain the use and deployment of, stations of the fixed and mobile services. Resolution **242 (WRC-19)** applies. (WRC-19)

5.536C In Algeria, Saudi Arabia, Bahrain, Botswana, Brazil, Cameroon, Comoros, Cuba, Djibouti, Egypt, United Arab Emirates, Estonia, Finland, Iran (Islamic Republic of), Israel, Jordan, Kenya, Kuwait, Lithuania, Malaysia, Morocco, Nigeria, Oman, Qatar, Syrian Arab Republic, Somalia, Sudan, South Sudan, Tanzania, Tunisia, Uruguay, Zambia and Zimbabwe, earth stations operating in the space research service in the band 25.5-27 GHz shall not claim protection from, or constrain the use and deployment of, stations of the fixed and mobile services. (WRC-12)

5.537 Space services using non-geostationary satellites operating in the inter-satellite service in the band 27-27.5 GHz are exempt from the provisions of No. **22.2**.

5.537A In Bhutan, Cameroon, China, Korea (Rep. of), the Russian Federation, India, Indonesia, Iran (Islamic Republic of), Iraq, Japan, Kazakhstan, Malaysia, Maldives, Mongolia, Myanmar, Uzbekistan, Pakistan, the Philippines, Kyrgyzstan, the Dem. People's Rep. of Korea, Sudan, Sri Lanka, Thailand and Viet Nam, the allocation to the fixed service in the frequency band 27.9-28.2 GHz may also be used by high altitude platform stations (HAPS) within the territory of these countries. Such use of 300 MHz of the fixed-service allocation by HAPS in the above countries is further limited to operation in the HAPS-to-ground direction and shall not cause harmful interference to, nor claim protection from, other types of fixed-service systems or other co-primary services. Furthermore, the development of these other services shall not be constrained by HAPS. See Resolution **145 (Rev.WRC-19)**. (WRC-19)

5.538 *Additional allocation:* the bands 27.500-27.501 GHz and 29.999-30.000 GHz are also allocated to the fixed-satellite service (space-to-Earth) on a primary basis for the beacon transmissions intended for up-link power control. Such space-to-Earth transmissions shall not exceed an equivalent isotropically radiated power (e.i.r.p.) of +10 dBW in the direction of adjacent satellites on the geostationary-satellite orbit. (WRC-07)

5.539 The band 27.5-30 GHz may be used by the fixed-satellite service (Earth-to-space) for the provision of feeder links for the broadcasting-satellite service.

5.540 *Additional allocation:* the band 27.501-29.999 GHz is also allocated to the fixed-satellite service (space-to-Earth) on a secondary basis for beacon transmissions intended for up-link power control.

5.541 In the band 28.5-30 GHz, the earth exploration-satellite service is limited to the transfer of data between stations and not to the primary collection of information by means of active or passive sensors.

5.541A Feeder links of non-geostationary networks in the mobile-satellite service and geostationary networks in the fixed-satellite service operating in the band 29.1-29.5 GHz (Earth-to-space) shall employ uplink adaptive power control or other methods of fade compensation, such that the earth station transmissions shall be conducted at the power level required to meet the desired link performance while reducing the level of mutual interference between both networks. These methods shall apply to networks for which Appendix 4 coordination information is considered as having been received by the Bureau after 17 May 1996 and until they are changed by a future competent world radiocommunication conference. Administrations submitting Appendix 4 information for coordination before this date are encouraged to utilize these techniques to the extent practicable. (WRC-2000)

5.542 *Additional allocation:* in Algeria, Saudi Arabia, Bahrain, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Egypt, the United Arab Emirates, Eritrea, Ethiopia, Guinea, India, Iran (Islamic Republic of), Iraq, Japan, Jordan, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania, Nepal, Oman, Pakistan, Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Somalia, Sudan, South Sudan, Sri Lanka and Chad, the band 29.5-31 GHz is also allocated to the fixed and mobile services on a secondary basis. The power limits specified in Nos. **21.3** and **21.5** shall apply. (WRC-12)

5.543 The band 29.95-30 GHz may be used for space-to-space links in the Earth exploration-satellite service for telemetry, tracking, and control purposes, on a secondary basis.

5.543B The allocation to the fixed service in the frequency band 31-31.3 GHz is identified for worldwide use by high-altitude platform stations (HAPS). This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which this frequency band is allocated on a co-primary basis, and does not establish priority in the Radio Regulations. Such use of the fixed-service allocation by HAPS shall be in accordance with the provisions of Resolution **167 (WRC-19)**. (WRC-19)

5.544 In the band 31-31.3 GHz the power flux-density limits specified in Article **21**, Table **21-4** shall apply to the space research service.

5.545 *Different category of service:* in Armenia, Georgia, Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 31-31.3 GHz to the space research service is on a primary basis (see No. **5.33**). (WRC-12)

5.546 *Different category of service:* in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Egypt, the United Arab Emirates, Spain, Estonia, the Russian Federation, Georgia, Hungary, Iran (Islamic Republic of), Israel, Jordan, Lebanon, Moldova, Mongolia, Oman, Uzbekistan, Poland, the Syrian Arab Republic, Kyrgyzstan, Romania, the United Kingdom, South Africa, Tajikistan, Turkmenistan and Turkey, the allocation of the frequency band 31.5-31.8 GHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. **5.33**). (WRC-19)

5.547 The bands 31.8-33.4 GHz, 37-40 GHz, 40.5-43.5 GHz, 51.4-52.6 GHz, 55.78-59 GHz and 64-66 GHz are available for high-density applications in the fixed service (see Resolution **75(WRC-2000)***). Administrations should take this into account when considering regulatory provisions in relation to these bands. Because of the potential deployment of high-density applications in the fixed-satellite service in the bands 39.5-40 GHz and 40.5-42 GHz (see No. **5.516B**), administrations should further take into account potential constraints to high-density applications in the fixed service, as appropriate. (WRC-07)

5.547A Administrations should take practical measures to minimize the potential interference between stations in the fixed service and airborne stations in the radionavigation service in the 31.8-33.4 GHz band, taking into account the operational needs of the airborne radar systems. (WRC-2000)

5.547B *Alternative allocation:* in the United States, the band 31.8-32 GHz is allocated to the radionavigation and space research (deep space) (space-to-Earth) services on a primary basis. (WRC-97)

5.547C *Alternative allocation:* in the United States, the band 32-32.3 GHz is allocated to the radionavigation and space research (deep space) (space-to-Earth) services on a primary basis. (WRC-03)

5.547D *Alternative allocation:* in the United States, the band 32.3-33 GHz is allocated to the inter-satellite and radionavigation services on a primary basis. (WRC-97)

5.547E *Alternative allocation:* in the United States, the band 33-33.4 GHz is allocated to the radionavigation service on a primary basis. (WRC-97)

5.548 In designing systems for the inter-satellite service in the band 32.3-33 GHz, for the radionavigation service in the band 32-33 GHz, and for the space research service (deep space) in the band 31.8-32.3 GHz, administrations shall take all necessary measures to prevent harmful interference between these services, bearing in mind the safety aspects of the radionavigation service (see Recommendation **707**). (WRC-03)

5.549 *Additional allocation:* in Saudi Arabia, Bahrain, Bangladesh, Egypt, the United Arab Emirates, Gabon, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kuwait, Lebanon, Libya, Malaysia, Mali, Morocco, Mauritania, Nepal, Nigeria, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, Singapore, Somalia, Sudan, South Sudan, Sri Lanka, Togo, Tunisia and Yemen, the band 33.4-36 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-12)

5.549A In the band 35.5-36.0 GHz, the mean power flux-density at the Earth's surface, generated by any spaceborne sensor in the Earth exploration-satellite service (active) or space research service (active), for any angle greater than 0.8° from the beam centre shall not exceed -73.3 dB(W/m²) in this band. (WRC-03)

5.550 *Different category of service:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 34.7-35.2 GHz to the space research service is on a primary basis (see No. **5.33**). (WRC-12)

5.550A For sharing of the band 36-37 GHz between the Earth exploration-satellite (passive) service and the fixed and mobile services, Resolution **752 (WRC-07)** shall apply. (WRC-07)

5.550B The frequency band 37-43.5 GHz, or portions thereof, is identified for use by administrations wishing to implement the terrestrial component of International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Because of the potential deployment of FSS earth stations within the frequency range 37.5-42.5 GHz and high-density applications in the fixed-satellite service in the frequency bands 39.5-40 GHz in Region 1, 40-40.5 GHz in all Regions and 40.5-42 GHz in Region 2 (see No. **5.516B**), administrations should further take into account potential constraints to IMT in these frequency bands, as appropriate. Resolution **243 (WRC-19)** applies. (WRC-19)

5.550C The use of the frequency bands 37.5-39.5 GHz (space-to-Earth), 39.5-42.5 GHz (space-to-Earth), 47.2-50.2 GHz (Earth-to-space) and 50.4-51.4 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to the application of the provisions of No. **9.12** for coordination with other non-geostationary satellite systems in the fixed-satellite service but not with non-geostationary-satellite systems in other services. Resolution **770 (WRC-19)** shall also apply, and No. **22.2** shall continue to apply. (WRC-19)

5.550D The allocation to the fixed service in the frequency band 38-39.5 GHz is identified for worldwide use by administrations wishing to implement high-altitude platform stations (HAPS). In the HAPS-to-ground direction, the HAPS ground station shall not claim protection from stations in the fixed, mobile and fixed-satellite services; and No. **5.43A** does not apply. This identification does not preclude the use of this frequency band by other fixed-service

* *Note by the Secretariat:* This Resolution was revised by WRC-12.

applications or by other services to which this frequency band is allocated on a co-primary basis and does not establish priority in the Radio Regulations. Furthermore, the development of the fixed-satellite, fixed and mobile services shall not be unduly constrained by HAPS. Such use of the fixed-service allocation by HAPS shall be in accordance with the provisions of Resolution **168 (WRC-19)**. (WRC-19)

5.550E The use of the frequency bands 39.5-40 GHz and 40-40.5 GHz by non-geostationary-satellite systems in the mobile-satellite service (space-to-Earth) and by non-geostationary-satellite systems in the fixed-satellite service (space-to-Earth) is subject to the application of the provisions of No. **9.12** for coordination with other non-geostationary satellite systems in the fixed-satellite and mobile-satellite services but not with non-geostationary-satellite systems in other services. No. **22.2** shall continue to apply for non-geostationary-satellite-systems. (WRC-19)

5.551F *Different category of service:* in Japan, the allocation of the band 41.5-42.5 GHz to the mobile service is on a primary basis (see No. **5.33**). (WRC-97)

5.551H The equivalent power flux-density (epfd) produced in the frequency band 42.5-43.5 GHz by all space stations in any non-geostationary-satellite system in the fixed-satellite service (space-to-Earth), or in the broadcasting-satellite service operating in the frequency band 42-42.5 GHz, shall not exceed the following values at the site of any radio astronomy station for more than 2% of the time:

- 230 dB(W/m²) in 1 GHz and -246 dB(W/m²) in any 500 kHz of the frequency band 42.5-43.5 GHz at the site of any radio astronomy station registered as a single-dish telescope; and
- 209 dB(W/m²) in any 500 kHz of the frequency band 42.5-43.5 GHz at the site of any radio astronomy station registered as a very long baseline interferometry station.

These epfd values shall be evaluated using the methodology given in Recommendation ITU-R S.1586-1 and the reference antenna pattern and the maximum gain of an antenna in the radio astronomy service given in Recommendation ITU-R RA.1631-0 and shall apply over the whole sky and for elevation angles higher than the minimum operating angle θ_{min} of the radiotelescope (for which a default value of 5° should be adopted in the absence of notified information).

These values shall apply at any radio astronomy station that either:

- was in operation prior to 5 July 2003 and has been notified to the Bureau before 4 January 2004; or
- was notified before the date of receipt of the complete Appendix 4 information for coordination or notification, as appropriate, for the space station to which the limits apply.

Other radio astronomy stations notified after these dates may seek an agreement with administrations that have authorized the space stations. In Region 2, Resolution **743 (WRC-03)** shall apply. The limits in this footnote may be exceeded at the site of a radio astronomy station of any country whose administration so agreed. (WRC-15)

5.551I The power flux-density in the band 42.5-43.5 GHz produced by any geostationary space station in the fixed-satellite service (space-to-Earth), or the broadcasting-satellite service operating in the 42-42.5 GHz band, shall not exceed the following values at the site of any radio astronomy station:

- 137 dB(W/m²) in 1 GHz and -153 dB(W/m²) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a single-dish telescope; and
- 116 dB(W/m²) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a very long baseline interferometry station.

These values shall apply at the site of any radio astronomy station that either:

- was in operation prior to 5 July 2003 and has been notified to the Bureau before 4 January 2004; or
- was notified before the date of receipt of the complete Appendix 4 information for coordination or notification, as appropriate, for the space station to which the limits apply.

Other radio astronomy stations notified after these dates may seek an agreement with administrations that have authorized the space stations. In Region 2, Resolution **743 (WRC-03)** shall apply. The limits in this footnote may be exceeded at the site of a radio astronomy station of any country whose administration so agreed. (WRC-03)

5.552 The allocation of the spectrum for the fixed-satellite service in the bands 42.5-43.5 GHz and 47.2-50.2 GHz for Earth-to-space transmission is greater than that in the band 37.5-39.5 GHz for space-to-Earth transmission in order to accommodate feeder links to broadcasting satellites. Administrations are urged to take all practicable steps to reserve the band 47.2-49.2 GHz for feeder links for the broadcasting-satellite service operating in the band 40.5-42.5 GHz.

5.552A The allocation to the fixed service in the frequency bands 47.2-47.5 GHz and 47.9-48.2 GHz is identified for use by high-altitude platform stations (HAPS). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated on a co-primary basis, and does not establish priority in the

Radio Regulations. Such use of the fixed-service allocation in the frequency bands 47.2-47.5 GHz and 47.9-48.2 GHz by HAPS shall be in accordance with the provisions of Resolution **122 (Rev.WRC-19)**. (WRC-19)

5.553 In the bands 43.5-47 GHz and 66-71 GHz, stations in the land mobile service may be operated subject to not causing harmful interference to the space radiocommunication services to which these bands are allocated (see No. **5.43**). (WRC-2000)

5.553A In Algeria, Angola, Bahrain, Belarus, Benin, Botswana, Brazil, Burkina Faso, Cabo Verde, Korea (Rep. of), Côte d'Ivoire, Croatia, United Arab Emirates, Estonia, Eswatini, Gabon, Gambia, Ghana, Greece, Guinea, Guinea-Bissau, Hungary, Iran (Islamic Republic of), Iraq, Jordan, Kuwait, Lesotho, Latvia, Liberia, Lithuania, Madagascar, Malawi, Mali, Morocco, Mauritius, Mauritania, Mozambique, Namibia, Niger, Nigeria, Oman, Qatar, Senegal, Seychelles, Sierra Leone, Slovenia, Sudan, South Africa, Sweden, Tanzania, Togo, Tunisia, Zambia and Zimbabwe, the frequency band 45.5-47 GHz is identified for use by administrations wishing to implement the terrestrial component of International Mobile Telecommunications (IMT), taking into account No. **5.553**. With respect to the aeronautical mobile service and radionavigation service, the use of this frequency band for the implementation of IMT is subject to agreement obtained under No. **9.21** with concerned administrations and shall not cause harmful interference to, or claim protection from these services. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Resolution **244 (WRC-19)** applies. (WRC-19)

5.553B In Region 2 and Algeria, Angola, Saudi Arabia, Australia, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Rep., Comoros, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Djibouti, Egypt, United Arab Emirates, Eswatini, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Equatorial Guinea, India, Iran (Islamic Republic of), Iraq, Japan, Jordan, Kenya, Kuwait, Lesotho, Liberia, Libya, Lithuania, Madagascar, Malaysia, Malawi, Mali, Morocco, Mauritius, Mauritania, Mozambique, Namibia, Niger, Nigeria, Oman, Uganda, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, Rwanda, Sao Tome and Principe, Senegal, Seychelles, Sierra Leone, Singapore, Slovenia, Somalia, Sudan, South Sudan, South Africa, Sweden, Tanzania, Chad, Togo, Tunisia, Zambia and Zimbabwe, the frequency band 47.2-48.2 GHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated, and does not establish any priority in the Radio Regulations. Resolution **243 (WRC-19)** applies. (WRC-19)

5.554 In the bands 43.5-47 GHz, 66-71 GHz, 95-100 GHz, 123-130 GHz, 191.8-200 GHz and 252-265 GHz, satellite links connecting land stations at specified fixed points are also authorized when used in conjunction with the mobile-satellite service or the radionavigation-satellite service. (WRC-2000)

5.554A The use of the bands 47.5-47.9 GHz, 48.2-48.54 GHz and 49.44-50.2 GHz by the fixed-satellite service (space-to-Earth) is limited to geostationary satellites. (WRC-03)

5.555 *Additional allocation:* the band 48.94-49.04 GHz is also allocated to the radio astronomy service on a primary basis. (WRC-2000)

5.555B The power flux-density in the band 48.94-49.04 GHz produced by any geostationary space station in the fixed-satellite service (space-to-Earth) operating in the bands 48.2-48.54 GHz and 49.44-50.2 GHz shall not exceed -151.8 dB(W/m²) in any 500 kHz band at the site of any radio astronomy station. (WRC-03)

5.555C The use of the frequency band 51.4-52.4 GHz by the fixed-satellite service (Earth-to-space) is limited to geostationary-satellite networks. The earth stations shall be limited to gateway earth stations with a minimum antenna diameter of 2.4 metres. (WRC-19)

5.556 In the bands 51.4-54.25 GHz, 58.2-59 GHz and 64-65 GHz, radio astronomy observations may be carried out under national arrangements. (WRC-2000)

5.556A Use of the bands 54.25-56.9 GHz, 57-58.2 GHz and 59-59.3 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density at all altitudes from 0 km to 1 000 km above the Earth's surface produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, shall not exceed -147 dB(W/(m² · 100 MHz)) for all angles of arrival. (WRC-97)

5.556B *Additional allocation:* in Japan, the band 54.25-55.78 GHz is also allocated to the mobile service on a primary basis for low-density use. (WRC-97)

5.557 *Additional allocation:* in Japan, the band 55.78-58.2 GHz is also allocated to the radiolocation service on a primary basis. (WRC-97)

5.557A In the band 55.78-56.26 GHz, in order to protect stations in the Earth exploration-satellite service (passive), the maximum power density delivered by a transmitter to the antenna of a fixed service station is limited to -26 dB(W/MHz). (WRC-2000)

5.558 In the bands 55.78-58.2 GHz, 59-64 GHz, 66-71 GHz, 122.25-123 GHz, 130-134 GHz, 167-174.8 GHz and 191.8-200 GHz, stations in the aeronautical mobile service may be operated subject to not causing harmful interference to the inter-satellite service (see No. **5.43**). (WRC-2000)

5.558A Use of the band 56.9-57 GHz by inter-satellite systems is limited to links between satellites in geostationary-satellite orbit and to transmissions from non-geostationary satellites in high-Earth orbit to those in low-Earth orbit. For links between satellites in the geostationary-satellite orbit, the single entry power flux-density at all altitudes from 0 km to 1 000 km above the Earth's surface, for all conditions and for all methods of modulation, shall not exceed $-147 \text{ dB(W/(m}^2 \cdot 100 \text{ MHz))}$ for all angles of arrival. (WRC-97)

5.559 In the band 59-64 GHz, airborne radars in the radiolocation service may be operated subject to not causing harmful interference to the inter-satellite service (see No. **5.43**). (WRC-2000)

5.559AA The frequency band 66-71 GHz is identified for use by administrations wishing to implement the terrestrial component of International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which this frequency band is allocated and does not establish priority in the Radio Regulations. Resolution **241 (WRC-19)** applies. (WRC-19)

5.559B The use of the frequency band 77.5-78 GHz by the radiolocation service shall be limited to short-range radar for ground-based applications, including automotive radars. The technical characteristics of these radars are provided in the most recent version of Recommendation ITU-R M.2057. The provisions of No. **4.10** do not apply. (WRC-15)

5.560 In the band 78-79 GHz radars located on space stations may be operated on a primary basis in the Earth exploration-satellite service and in the space research service.

5.561 In the band 74-76 GHz, stations in the fixed, mobile and broadcasting services shall not cause harmful interference to stations of the fixed-satellite service or stations of the broadcasting-satellite service operating in accordance with the decisions of the appropriate frequency assignment planning conference for the broadcasting-satellite service. (WRC-2000)

5.561A The 81-81.5 GHz band is also allocated to the amateur and amateur-satellite services on a secondary basis. (WRC-2000)

5.561B In Japan, use of the band 84-86 GHz, by the fixed-satellite service (Earth-to-space) is limited to feeder links in the broadcasting-satellite service using the geostationary-satellite orbit. (WRC-2000)

5.562 The use of the band 94-94.1 GHz by the Earth exploration-satellite (active) and space research (active) services is limited to spaceborne cloud radars. (WRC-97)

5.562A In the bands 94-94.1 GHz and 130-134 GHz, transmissions from space stations of the Earth exploration-satellite service (active) that are directed into the main beam of a radio astronomy antenna have the potential to damage some radio astronomy receivers. Space agencies operating the transmitters and the radio astronomy stations concerned should mutually plan their operations so as to avoid such occurrences to the maximum extent possible. (WRC-2000)

5.562B In the frequency bands 105-109.5 GHz, 111.8-114.25 GHz and 217-226 GHz, the use of this allocation is limited to space-based radio astronomy only. (WRC-19)

5.562C Use of the band 116-122.25 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, at all altitudes from 0 km to 1 000 km above the Earth's surface and in the vicinity of all geostationary orbital positions occupied by passive sensors, shall not exceed $-148 \text{ dB(W/(m}^2 \cdot \text{MHz))}$ for all angles of arrival. (WRC-2000)

5.562D *Additional allocation:* In Korea (Rep. of), the frequency bands 128-130 GHz, 171-171.6 GHz, 172.2-172.8 GHz and 173.3-174 GHz are also allocated to the radio astronomy service on a primary basis. Radio astronomy stations in Korea (Rep. of) operating in the frequency bands referred to in this footnote shall not claim protection from, or constrain the use and development of, services in other countries operating in accordance with the Radio Regulations. (WRC-15)

5.562E The allocation to the Earth exploration-satellite service (active) is limited to the band 133.5-134 GHz. (WRC-2000)

5.562H Use of the bands 174.8-182 GHz and 185-190 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, at all altitudes from 0 to 1 000 km above the Earth's surface and in the vicinity of all geostationary orbital positions occupied by passive sensors, shall not exceed $-144 \text{ dB(W/(m}^2 \cdot \text{MHz))}$ for all angles of arrival. (WRC-2000)

5.563A In the bands 200-209 GHz, 235-238 GHz, 250-252 GHz and 265-275 GHz, ground-based passive atmospheric sensing is carried out to monitor atmospheric constituents. (WRC-2000)

5.563B The band 237.9-238 GHz is also allocated to the Earth exploration-satellite service (active) and the space research service (active) for spaceborne cloud radars only. (WRC-2000)

5.564A For the operation of fixed and land mobile service applications in frequency bands in the range 275-450 GHz:

The frequency bands 275-296 GHz, 306-313 GHz, 318-333 GHz and 356-450 GHz are identified for use by administrations for the implementation of land mobile and fixed service applications, where no specific conditions are necessary to protect Earth exploration-satellite service (passive) applications.

The frequency bands 296-306 GHz, 313-318 GHz and 333-356 GHz may only be used by fixed and land mobile service applications when specific conditions to ensure the protection of Earth exploration-satellite service (passive) applications are determined in accordance with Resolution **731 (Rev.WRC-19)**.

In those portions of the frequency range 275-450 GHz where radio astronomy applications are used, specific conditions (e.g. minimum separation distances and/or avoidance angles) may be necessary to ensure protection of radio astronomy sites from land mobile and/or fixed service applications, on a case-by-case basis in accordance with Resolution **731 (Rev.WRC-19)**.

The use of the above-mentioned frequency bands by land mobile and fixed service applications does not preclude use by, and does not establish priority over, any other applications of radio services in the range of 275-450 GHz. (WRC-19)

5.565 The following frequency bands in the range 275-1 000 GHz are identified for use by administrations for passive service applications:

- radio astronomy service: 275-323 GHz, 327-371 GHz, 388-424 GHz, 426-442 GHz, 453-510 GHz, 623-711 GHz, 795-909 GHz and 926-945 GHz;
- Earth exploration-satellite service (passive) and space research service (passive): 275-286 GHz, 296-306 GHz, 313-356 GHz, 361-365 GHz, 369-392 GHz, 397-399 GHz, 409-411 GHz, 416-434 GHz, 439-467 GHz, 477-502 GHz, 523-527 GHz, 538-581 GHz, 611-630 GHz, 634-654 GHz, 657-692 GHz, 713-718 GHz, 729-733 GHz, 750-754 GHz, 771-776 GHz, 823-846 GHz, 850-854 GHz, 857-862 GHz, 866-882 GHz, 905-928 GHz, 951-956 GHz, 968-973 GHz and 985-990 GHz.

The use of the range 275-1 000 GHz by the passive services does not preclude use of this range by active services. Administrations wishing to make frequencies in the 275-1 000 GHz range available for active service applications are urged to take all practicable steps to protect these passive services from harmful interference until the date when the Table of Frequency Allocations is established in the above-mentioned 275-1 000 GHz frequency range.

All frequencies in the range 1 000-3 000 GHz may be used by both active and passive services. (WRC-12)

Section IV – Footnotes of the National frequency allocations (fourth column)

In addition to the regional footnotes which are considerable in national frequency allocations table, some national footnotes are adopted to present local concerns about the allocations made. *TLS_{nn}* notation is used for mentioning of these footnotes.

TLS01: The Frequency bands 32 – 33 MHz, 34 – 35 MHz, 38 – 39 MHz, 41.015 – 42.015 MHz, 43.015 – 44 MHz and 45 – 46 MHz are designated for use by the Timor-Leste Defence Force, Department of Defence law enforcement and emergency services. The Department of Defence and emergency services are to be consulted in considering non-defence use of these bands.

TLS02: Fixed and land mobile systems complementary to maritime mobile systems may be operated in the frequency bands 156–156.4875 MHz, 156.5625–156.7625 MHz, 156.8375–157.45 MHz, 160.6–160.975 MHz and 161.475–162.0375 MHz using emission designation similar to those identified in Appendix 18, ITU Radio Regulations.

TLS03: Accommodating spectrum needs of the Timor-Leste Defence Force, Department of Defence law enforcement and emergency services has precedence over the spectrum needs of any other entities in the frequency bands 230 – 328.6 MHz and 335.4 – 399.9 MHz.

TLS04: The paired frequency band 380 – 385 MHz/390 – 395 MHz and 385 – 389.9 MHz/395 – 399.9 MHz designated for implementation of radio trunk systems by Military and Security organizations respectively (under Governmental user category). Application of this band is on a shared basis for all governmental security and military users and applicants will be provided by paired blocks of band. Depending to the service area and technical conditions Authority may decide to allocate portion of bands for application of some users exclusively.

TLS05: The paired frequency band 410 – 420 MHz/420 – 430 MHz designated for implementation of radio trunk systems by Civil organizations. Application of this band is on a shared basis for all Civil users and applicants will be provided by paired blocks of band. Depending to the service area and technical conditions Authority may decide to allocate portion of bands for application of some users exclusively. Duplex separation between uplink and downlink links is 10 MHz which is conventional in the 400 MHz band.

TLS06: Operation of stations in fixed and mobile services in the frequency band 430 – 432 MHz / 440 – 442 MHz is subject to coordination with stations of radiolocation service and maintaining protection distance to prevent interference in the 430 – 432 MHz frequency band.

TLS07: UHF TV channels 47 and 48 are designated for use by local Low Power TV stations, operating with maximum effective radiated isotropic power, EIRP of 500W under Class radio license

TLS08: The frequency band 821 – 824 MHz / 866-869 MHz is designated for establishment of networks for Public Protection and Disaster Relief.


TLS09: The pair of bands 870–876 MHz (up link) and 915–921 MHz (down link) reserved for radio trunk system.

TLS10: The frequency bands 460 – 465 MHz / 450 – 455 MHz, 748–753 MHz, in 753-758 MHz / 698 – 703 MHz, 758 – 803 MHz / 703 – 748 MHz, 806 – 821 MHz / 847–862 MHz, 869 – 873 MHz / 824 – 834 MHz and in 925 – 960 MHz / 880–915 MHz, 1427–1518 MHz, 1805–1880 MHz/1710–1785 MHz, 2210–21170 MHz/1920–1980 MHz, 2010–2025 MHz, 2300–2400 MHz, 2500–2690 MHz, 3400–3600 MHz and 3600 – 3700 allocated to public cellular mobile systems. No other applications permitted to utilize these bands.


TLS11: The application of fixed service in the frequency bands that are identified for IMT is restricted to co-existing converged fixed and mobile wireless access in the same IMT network, if permitted by issued license.

TLS12: The frequency bands 3300–3400 MHz, 3700–3800 MHz, 24.25–27.5 GHz, 37–43.5 GHz and 66–71 GHz or the part of, designated to IMT and reserved for future extension of broadband IMT services. Any other use of these bands is subject to protection of above utilization.

ANNEX 1. Frequency Block Arrangement in Land Mobile Service




(a) Below 30.005 MHz (in kHz)



(b) Above 30.005 MHz (in MHz)


ANNEX 2. Frequency Block Arrangement for Public Cellular Mobile Networks



Total IMT Bands
 All FDD: 560.0 MHz
 All TDD: 17,430 MHz


Notes:
 See Recommendation ITU-R M.1036 release
 2019 for details

ANNEX 3. Frequency Block Arrangement for Space Communication Networks



- (1) The use of receiving FSS earth station in the frequency band 3600-3800 MHz is subject to 50 km distance to TD-LTE base stations
- (2) The use of the bands 4 500-4 800 MHz (space-to-Earth), 6 725-7 025 MHz (Earth-to-space), 10.7-10.95 GHz (space-to-Earth), 11.2-11.45 GHz (space-to-Earth) by the FSS shall be in accordance with the provisions of ITU-R Appendix **30B**.
- (3) For use of the frequency band 6425-7075 MHz by FSS uplink, see RR No. **5.458**
- (4) The use of frequency band 14.5-14.8 GHz by FSS uplink is limited to feeder link of broadcasting satellite service.
- (5) The use of bands 15.43-15.63 GHz and 19.3-19.7 GHz by FSS (Earth-to-space) is limited to feeder links of non-GSO systems in the MSS
- (6) The use of the band 17.3-18.1 GHz by GSO-satellite systems in the FSS (Earth-to-space) is limited to feeder links for the broadcasting-satellite service in accordance with the provisions of ITU-R Appendix **30A**.
- (7) The frequency band 24.25-27.5 GHz may be used by IMT stations
- (8) Combination of high density terrestrial fixed stations and receiving fixed earth stations introduced into the frequency range 39.5-42.5 GHz

Appendix 1.
Wall Chart of Frequency Allocation Table



Appendix 2. Abbreviations

Abbreviation	Description
A3E	Double sideband amplitude modulated single channel emission
AAIC	Accounting Authority Identification Code
ACAS	Airborne Collision Avoidance System
AERO	Aeronautical
AIS	Automatic Ship Identification and Surveillance System
ALS	Aircraft Landing System
ANC	Autoridade Nacional de Comunicações
ARNS	Aeronautical Radio Navigation Service
ASDE	Airport Surface Detection Equipment
ASTAP	Asia-Pacific Telecommunication Standardization Program
BS	Base Station
CB	Citizen Band
CDMA	Code-Division Multiplex Access
CISPR	International Special Committee on Radio Interference
CT	Cordless Telephone
D&S-OPS	Distress and Safety OperationS
DF	Direction Finding
DECT	Digital Enhanced Cordless Telecommunications
DME	Distance Measuring Equipment
DRRS	Digital Radio-Relay System
DSB	Double Side Band (AM modulation)
DSC	Digital Selective Calling
DSSS	Direct Sequence Spread Spectrum
DTTB	Digital Terrestrial Television Broadcasting
DVB-T	Digital Video Broadcasting-Terrestrial
EAS	Electronic Article Surveillance
ECC	Electronic Communications Committee
e.i.r.p.	Effective Isotropic Radiated Power
EPIRB	Emergency Position-Indicating Radio Beacon
ERC	European Radiocommunication Committee
ESV	Earth Stations on-board Vessels
F3E	Frequency Modulated single channel emission
FDD	Frequency Division Duplex
FDMA	Frequency Division Multiple Access
FHSS	Frequency Hopping Spread Spectrum
FM	Frequency Modulation
FSS	Fixed-Satellite Service
FWS	Fixed Wireless System
GBAS	Ground Based Augmentation System
GLONASS	GLObal Navigation Satellite System
GMDSS	Global Maritime Distress and Safety System
GPS	Global Positioning System
GSO	Geostationary Satellite Orbit

Abbreviation	Description
HAPS	High Altitude Platform Station
HDFS	High-Density Fixed Service
HDFSS	High-Density Fixed-Satellite Service
HDTV	High-Definition Television
HF	High Frequency (3 – 30 MHz)
IEC	International Electrotechnical Commission
ILS	Instrumental Landing System
IMO	International Maritime Organization
ISM	Industrial, Scientific and Medical
ITU	International Telecommunication Union
JTIDS	Joint Tactical Information and Distribution System
LF	Low Frequency (30 – 300 kHz)
LIPD	Low Interference Potential Device
LMDS	Local Multipoint Distribution System
LORAN	Long Range Aid to Navigation
MDS	Multipoint Distribution System
MetAids	Meteorological Aids
MF	Medium Frequency (300 – 3000 kHz)
MICS	Medical Implant Communication System
MID	Maritime Identification Digits
MIDS	Multifunctional Information Distribution System
MMSI	Maritime Mobile Service Identity
MNO	Mobile Network Operators
MS	Mobile Station
MSI	Maritime Safety Information
MSS	Mobile-Satellite Service
NBDP	Narrow Band Direct Printing
ND	Non-Directional radio (antenna)
NDB	Non-Directional radio Beacon
NTLX	National Telex Number
OR	Off-Route (in aeronautical mobile service)
PAMR	Public Access Mobile Radio
PMR	Private Mobile Radio
PFD	Power Flux Density
PSD	Power Spectral Density
R	Route (in aeronautical mobile service)
RDF	Radiosonde Radio Direction Finding
REC	RECommendation
REOS	Receive-Only Systems
RFID	Radio Frequency Identification
RLAN	Radio-LAN (Local Area Network)
RR	ITU Radio Regulations
RSME	Radar Sensing and Measurement systems
RTP-COM	Radio Telephony Communication
SAB	Service Ancillary to Broadcasting
SAP	Service Ancillary to Program making
SAR	Search And Rescue
SART	Search And Rescue Transponder
SCADA	Supervisory Control and Data Acquisition

Abbreviation	Description
S-DAB	Satellite Digital Audio Broadcasting
SIT	Satellite Interactive Terminal
SNG	Satellite News Gathering
S-PCS	Satellite Personal Communication System
SRD	Short Range Device
SRR	Short Range Radar
SSB	Single Side Band
SSR	Secondary Surveillance Radar
SUT	Satellite User Terminal
TACAN	TACTical Air Navigation
TBD	To Be Determined
TDD	Time-Division Duplex
TDMA	Time-Division Multiple Access
T-DAB	Terrestrial Digital Audio Broadcasting
TETRA	TErrestrial Trunked RAdio
UHF	Ultra-High Frequency (300 – 3000 MHz)
VHF	Very High Frequency (30 – 300 MHz)
VLBI	Very Long Baseline Interferometry
VLF	Very Low Frequency (3 – 30 kHz)
VOR	VHF Omnidirectional Ranging
VSAT	Very Small Aperture Terminal
WAS	Wireless Access System
WLL	Wireless Local Loop
WMO	World Meteorological Organization

Prior to the official approval of ANC board, any circulation, re-production or publication of this material is not allowed.

